

ATTACHMENT B

SUBMISSION AND RESPONSES TABLE

Attachment B - Summary of Submissions

Issue	Comment	Response	Recommended changes to Strategy
<p>General Comments of support (2)</p>	<p>General support for the strategy, recommendations and action plan.</p> <p>Sydney Harbour Foreshore Authority (SHFA) supports the general intent of the strategy.</p>	<p>Noted</p> <p>Noted</p>	<p>None</p> <p>None</p>
<p>Toilet Availability (4)</p>	<p>SHFA has made a significant effort to increase the number and positioning of its toilets to better reflect user needs.</p> <p>Toilets in SHFA's multiple tenancy buildings and in government buildings are made available to the general public as a matter of course. SHFA also works with major tenants to permit use of their common area toilet facilities.</p> <p>The Strategy should emphasise that "accessible" public toilets should be available within 400m (5-10 mins walk), within Central Sydney and all Village Centres and neighbourhood parks.</p> <p>The proposed 400m goal for public toilets is insufficient to provide for the needs of families with young children and others. Young children do not give 10 minutes notice of their need to toilet.</p>	<p>Noted. SHFA's public toilets provide valued utility to residents and visitors to the Rocks and Darling Harbour precincts and they are included in the draft Strategy's toilet maps.</p> <p>The draft Strategy notes the City's commitment to inclusive access "Public toilets will be accessible to everyone, and well connected to pedestrian areas and public transport" (page 4).</p> <p>The Strategy recommends that public toilets are located no more than 400m apart in the CBD or village centres as a minimum. The spacing of existing public toilets is closer than 400 meters in many areas such as the CBD, and The Rocks. Toilets are also located in</p>	<p>None</p> <p>None</p> <p>None</p>

Issue	Comment	Response	Recommended changes to Strategy
	<p>Public urination often occurs at night when most public toilets are closed. Toilets should be open all night even in village centres such as Redfern.</p>	<p>most major parks near areas frequented by families such as playgrounds. Small playgrounds in pocket parks are typically visited by families living within close proximity to the park so the need for public toilets at such sites is less.</p> <p>The draft Strategy recommends additional public toilets to meet demand at major parks currently without and at village centres and transport hubs currently lacking facilities.</p> <p>The draft Strategy indicates that the City's automated public toilets located in the CBD and entertainment precincts are open 24 hours per day and the City's public toilets located beneath the Harbour Bridge, in The Rocks entertainment precinct are also open 24 hours per day to meet demand.</p> <p>The draft Strategy indicates that the opening times of public toilets at other locations reflect pedestrian and/or recreational demand. The opening hours of the recommended new facilities will be assessed on a case by case basis in consultation with relevant stakeholders.</p>	None
Free-use of APTs	Support abolishing user fees.	Noted.	The draft Strategy

Issue	Comment	Response	Recommended changes to Strategy
(7)	<p>Charging to use toilets places an unfair burden on members of the community with higher needs. People with disability are generally in the lowest percentage wage quartile so we're not in favour of fees charged for the use of public toilets.</p> <p>The Surry Hills Police Local Area Command reports that the free trial had not created any issues.</p> <p>Do not support free use of public toilets because having a fee deters use for antisocial behaviour and people are more likely to respect toilets if they have to pay to use them.</p> <p>A fee of \$1 would generate further funds for cleaning and servicing.</p>	<p>The draft Strategy has been updated to note that the fees to use JC Decaux automated public toilets have been abolished.</p> <p>Noted. The toilet service provider also reports that the free trial use has not increased instances of antisocial behaviour or damage.</p> <p>Observations of the Police and the toilet service provider confirm that the abolition of user fees has not increased antisocial behaviour or damage.</p> <p>The draft strategy notes that the user fees to use JC Decaux automated public toilets will be abolished. Charging fee would have no significant impact on revenue to the City because of the costs associated with collection and administration of the fee. Coin boxes may also increase risk of vandalism.</p>	<p>has been updated to note the abolition of the user fee.</p> <p>None</p> <p>None</p> <p>None</p>
City Cares Scheme (3)	<p>General support for City Cares program through which retailers provide and promote public access to their toilet facilities.</p> <p>Physical Disability Council NSW (PDC NSW) does not</p>	<p>Noted.</p> <p>Noted. The draft Strategy recommends</p>	<p>None</p> <p>None</p>

Issue	Comment	Response	Recommended changes to Strategy
	<p>support the proposed City Cares program if the toilets provided will be instead of new accessible facilities constructed and maintained by council in the public domain.</p> <p>There is a risk that the siting, location and quality of access of the City Cares toilets provided by private retailers may place some users at increased risk. The experience of PDC NSW and its members is that the “accessible” toilets provided by private retailers including shops, restaurants etc are often not fully accessible – this may be due to their being used for storage or the presence of other access barriers. A City Cares scheme which would involve private parties promoting their facilities as “accessible” must be audited regularly by a 3rd party to ensure that they remain accessible.</p>	<p>the installation of new council facilities in addition to the City Cares scheme.</p> <p>The distinction between accessible and non-accessible toilets could be communicated to users through the City Cares signage suite – “standard” facility and “accessible” facility.</p> <p>The draft Strategy recommends the implementation of a voluntary scheme which will require agreed criteria and minimum standards for facilities. The reputation and success of a City Cares scheme will require periodic random auditing by the City which could include access audits.</p>	<p>The draft Strategy has been amended to mention that criteria and standards will be developed to guide the viability of eligible toilets.</p>
<p>Investigate Installation of Retractable Urinals (4)</p>	<p>General support of measures to combat public urination (2).</p> <p>Objects to the installation of urinals (retractable or otherwise) on Oxford Street because their roofless design affords residents living above an intimate view of the users.</p>	<p>Noted</p> <p>The draft Strategy recommends that the retractable urinals (and portable urinals) will be deployed generally at night and we will consider these issues in the final selection of design and location.</p>	<p>None</p> <p>None</p>

Issue	Comment	Response	Recommended changes to Strategy
	<p>Police Local Area Command report reduced incidents of public urination on Oxford Street during period of trial deployment.</p>	<p>Noted</p>	<p>None</p>
<p>Recommended New Public Toilets (10)</p>	<p>Support for a new facility within Observatory Hill Park</p> <p>Support for provision of recommended provision of public toilets at Alexandria Park.</p> <p>Support for the whole nine recommended new accessible public toilets on streets and noting that all of these facilities require a high priority.</p> <p>New facilities at Waterloo, Erskineville and Newtown should have a high priority due to lack of existing facilities in these areas, high visitation and growing population.</p> <p>New facilities at Redfern should be a high priority due to lack of existing facilities and high number of pedestrians including commuters (3).</p>	<p>Noted</p> <p>Noted</p> <p>Noted. Resource constraints, differences in the complexity of each site, and other planned public works will influence the priority on delivery of each the proposed toilets.</p> <p>Noted. The draft Strategy notes that the proposed new facility at Newtown is dependent upon a partnership with Marrickville Council. The priority will be finalised after discussions with Marrickville Council.</p> <p>The City recognises the high pedestrian activity around Redfern train station and the strong community demand for accessible facilities at this location.</p>	<p>None</p> <p>None</p> <p>None</p> <p>The draft Strategy has been modified to elevate the priority of the proposed automated public toilets at Waterloo and Erskineville from Low to Medium.</p> <p>The draft Strategy has been modified to elevate the priority of the proposed automated public</p>

Issue	Comment	Response	Recommended changes to Strategy
	<p>Support for installation of accessible public toilets to support the proposed new Light Rail Network; Barangaroo; and Green Square.</p> <p>Marrickville Council will shortly be undertaking the development of a Public Toilet Strategy for its Local Government Area. This will involve consultation with the City of Sydney and other neighbouring Councils. Marrickville Council is keen to work closely with all neighbouring Councils to plan complementary outcomes that service the needs of the local community at locations along common borders.</p>	<p>Noted</p> <p>Noted. Partnership with Marrickville Council will be further explored through further consultation when Marrickville Council's draft Strategy has been prepared and communicated.</p>	<p>toilet at Redfern from Medium to High.</p> <p>None</p> <p>None</p>
<p>Requests for Additional Facilities not included in the Strategy (9)</p>	<p>Additional free-standing public toilets should be provided in Blackwattle Bay park (to compliment Bellevue House), noting the relatively long distance to nearest toilets at Jubilee Park. (2)</p> <p>Additional facility requested at Taylor Square, Oxford Street.</p>	<p>The draft Strategy proposes new facilities at the Glebe Foreshore parklands to replace the existing ageing facilities. The new facilities will be better located and spaced to provide enhanced coverage throughout the parklands including Blackwattle Bay Park.</p> <p>Taylor Square is already serviced by an automated public toilet (at which the user fee was removed). The draft Strategy's proposed investigation of retractable urinals may also enhance utility in the Oxford Street precinct.</p>	<p>None</p> <p>None</p>

Issue	Comment	Response	Recommended changes to Strategy
	<p>Additional facilities required at transport stops (train and bus) at village centres, such as Redfern.</p> <p>Redfern Train station has no public toilet – this is urgently required. City should advocate to Transport NSW.</p>	<p>The draft Strategy recommends the installation of an automated public toilet in the vicinity of Redfern train station.</p> <p>Noted. The City will write to Transport for New South Wales and advocate for the provision of accessible toilet facilities at Redfern station to be available to the general public whenever the station is open.</p>	<p>None</p> <p>The City's advocacy role to state government agencies has been added to the draft Strategy's list of recommendations and Action Plan.</p>
<p>Public toilets are required at Alexandria Park (and Oval).</p>	<p>Public toilets are required at Alexandria Park (and Oval).</p>	<p>The draft Strategy recommends that the existing facilities, located within change rooms at Alexandria Oval and tennis courts are modified to allow public access.</p>	<p>None</p>
<p>Request for retractable urinals to be installed at Tom Uren Square, Woolloomooloo to assist in the prevention of public urination at night (by rough sleepers).</p>	<p>Request for retractable urinals to be installed at Tom Uren Square, Woolloomooloo to assist in the prevention of public urination at night (by rough sleepers).</p>	<p>As noted in the draft Strategy, public toilets open 24 hours per day are located in the vicinity (50m) of Tom Uren Square, at Wullamulla Park and Bourke Street Park.</p>	<p>None.</p>
<p>Request for additional toilets at Walsh Bay for utility of residents, visitors and recreational fishers. Walsh Bay is poorly serviced by existing public toilets at George Street and Watson Road due to access barriers of steep steps and roads.</p> <p>It is important that public toilets are installed in the</p>	<p>Request for additional toilets at Walsh Bay for utility of residents, visitors and recreational fishers. Walsh Bay is poorly serviced by existing public toilets at George Street and Watson Road due to access barriers of steep steps and roads.</p> <p>It is important that public toilets are installed in the</p>	<p>The draft Strategy notes that the City will advocate for the provision of new public toilets at Barangaroo. The City will reassess the need for additional public toilets at Walsh Bay when the Barangaroo public domain design and</p>	<p>None</p>

Issue	Comment	Response	Recommended changes to Strategy
	<p>Barangaroo Headland park to cater to high number of expected visitors. Note that the existing toilet facilities around Millers Point could not cope with the extra demand. Council must take steps to ensure that new toilets are included in the Barangaroo Master Plan</p>	<p>facilities have been finalised.</p>	
<p>Signage and Maps (13)</p>	<p>General support for better signage (2)</p> <p>A survey of people in our office confirmed that many people have no idea where the nearest toilets are located. So – wayfinding signage is important.</p> <p>Very prominent signage is required to identify the toilet as a toilet – given the diversity of designs and settings (2)</p> <p>Signage at facilities should also indicate the name of the facility e.g. “Jubilee Park Oval Public Toilet” and contact details of the service provider to assist in reporting issues and identification (2).</p> <p>Public toilets within existing council buildings, eg Redfern Town Hall have no signage indicating there is a public toilet within.</p> <p>It is important that toilet signs are installed on streets and exterior of buildings to indicate the direction and location of public toilets within shopping centres for example. In</p>	<p>Noted</p> <p>Noted</p> <p>Noted</p> <p>Noted. The City acknowledges the benefit of including a toilet name and contact information on external and internal toilet signage. This will be incorporated in the design of toilet signage.</p> <p>The draft Strategy recommends that City will install prominent signage on the exterior of each public toilet and on the exterior of its public buildings which contain a public toilet.</p> <p>The draft Strategy notes that street signage will be used to show the direction of the nearest public toilet.</p>	<p>None</p> <p>None</p> <p>None</p> <p>The draft Strategy’s section on toilet signage has been modified to include the naming of each facility.</p> <p>None</p> <p>None</p>

Issue	Comment	Response	Recommended changes to Strategy
	<p>reality this is seldom present.</p> <p>Wayfinding signage should show location of public toilets on streets including in the village centres (3).</p> <p>It is important for toilet signage and wayfinding signage to have a consistent design to facilitate recognition particularly in the public domain which has a multitude of different signs.</p> <p>Maps, including portable maps, should provide information about toilets in a manner which is consistent; as simple and uncluttered as possible; and using fonts and colours which are in line with best practice in accessibility.</p> <p>SHFA is happy to assist the City in keeping its toilet maps current and updated.</p>	<p>The City will install signage on the exterior of its own public buildings which contain public toilets. We will advocate to other toilet providers to publicise their toilets in a similar manner.</p> <p>The draft Strategy notes that the City's wayfinding signage featuring maps of accessible facilities including public toilets will be progressively installed throughout the local government area, beginning within the CBD area from 2014.</p> <p>The City's planned way-finding signage, street signage and toilet signage will have a distinct and consistent design to facilitate recognition.</p> <p>The draft Strategy notes that the City will incorporate best practice accessible design principles.</p> <p>Noted</p>	<p>The Draft Strategy's section about wayfinding signage has been expanded to include a reference to areas beyond Central Sydney.</p> <p>None.</p> <p>None</p> <p>None</p>
Internet and Apps	Digital web based information about toilets should be	The City has committed to making its	None

Issue	Comment	Response	Recommended changes to Strategy
(2)	<p>provided on an accessible website meeting AA level web accessibility standards</p> <p>The City should take steps to ensure that app developers design their public toilet apps to accessible standards.</p>	<p>website comply with the AA level web accessibility standards.</p> <p>A number of public toilet apps have already been developed. Developers typically use the data available from the Federal Government's National Toilet Map website data.</p> <p>The City will ensure app developers working for the City design their products to accessible standards.</p>	None
Design and Management (8)	<p>The City's toilets have no facilities for children such as low-height sinks, dryers or other fixtures. This creates challenges for parents having to lift children. The City's toilet designs should take into account use by children, particularly toilets in parks and public buildings such as libraries and aquatic centres.</p> <p>The exterior design of some of the City's recent facilities, (including those pictured in the draft Strategy) may not facilitate recognition as a toilet, particularly by the older demographic. A case can be made that consistency of design throughout an area may facilitate recognition.</p>	<p>Acknowledged. The City will ensure that the needs of children are considered in the design and fitout of its new public toilets. The draft Strategy recommends that an access audit is conducted of existing facilities. The audit will include recommendations for future upgrades to accommodate the needs of children.</p> <p>The draft Strategy notes that public recognition is an important aspect of toilet provision. Ease of recognition will be considered in the design process for each new facility. However, numerous other factors influence exterior design including sympathy with surrounding environment and Crime Prevention Through Environmental Design</p>	<p>The draft Strategy has been modified to include a reference to access audits including, where appropriate providing facilities suitable for children.</p> <p>The draft Strategy Design and Management section has been modified to include a reference that toilets should be easy to identify.</p>

Issue	Comment	Response	Recommended changes to Strategy
	<p>Recessed buttons (for flushing) are easier for people with limited hand/finger dexterity to operate and should be used.</p> <p>Use highest quality, tamper proof fittings and finishes to deter and resist vandalism and save money on repairs.</p> <p>Install solar panels and solar lighting to illuminate public toilets.</p> <p>Evidence indicates that use of ultraviolet lighting reduces instances of drug taking activity. Request installation of ultraviolet lighting at automated public toilet within Ward Park and other City of Sydney facilities.</p> <p>There are often insufficient toilet facilities for women compared to men at entertainment complexes, events, transport stations and for tourist groups. The City should double the size (quantity) of facilities for women relative to males. A petition has been set up to gain support for this request (16 signatures as 13/02/2014)</p>	<p>(CPTED) principles.</p> <p>The draft Strategy recommend the use of accessible fixtures and fittings in accordance with Australian Standards.</p> <p>The strategy recommends high quality robust fittings and fixtures are used in the City's facilities.</p> <p>The City is committed to Environmentally Sustainable Design (ESD) principles and the draft Strategy notes their importance.</p> <p>The draft Strategy notes that the City does not support the use of ultraviolet (blue) lighting in its public toilets for reasons of public health and safety. Such lighting reduces visibility for all users which may lead to risk of disorientation and/or falls, and such lighting may increase risk of exposure to fluids.</p> <p>The Strategy requires new facilities to comply with the Building Code of Australia which specifies the number and ratio of toilets for men and women for specific classes of buildings, including public buildings. These requirements are incorporated into the</p>	<p>None</p> <p>None</p> <p>None</p> <p>None</p> <p>None</p>

Issue	Comment	Response	Recommended changes to Strategy
	<p>design of the City's new buildings. In public domain areas such as parks, the City commonly provides unisex facilities which can be used by either gender, or a combination of single sex and unisex facilities. Recent monitoring of toilet usage did not indicate increased numbers of females using or waiting to use public toilets compared to males.</p> <p>The draft Strategy does not refer to companion animals, however dogs can generally be taken into public toilets or tied up to existing public domain infrastructure.</p> <p>Toilets should include facilities for the tying up of dogs.</p>	<p>design of the City's new buildings. In public domain areas such as parks, the City commonly provides unisex facilities which can be used by either gender, or a combination of single sex and unisex facilities. Recent monitoring of toilet usage did not indicate increased numbers of females using or waiting to use public toilets compared to males.</p> <p>The draft Strategy does not refer to companion animals, however dogs can generally be taken into public toilets or tied up to existing public domain infrastructure.</p>	<p>None</p>
Decommissioning and Reuse (1)	<p>Support decommissioning of disused Hickson Road Toilet block.</p> <p>Suggestion to photograph the interior of old toilet blocks prior to re-use/demolition for prosperity, and offer to provide this service.</p>	<p>Noted</p> <p>The City's archives contain such documentation including photographs of the interior of former public toilets.</p>	<p>None</p> <p>None</p>
Inclusive Access (16)	<p>General support and recognition that inclusive access criteria and considerations were included in the draft Strategy.</p> <p>Support for recommendation to conduct access appraisals/audits of City's toilet facilities.</p>	<p>Noted</p> <p>Noted</p>	<p>None</p> <p>None</p>

Issue	Comment	Response	Recommended changes to Strategy
	<p>Throughout the strategy there're references to 'inclusiveness', 'accessibility', The Disability Discrimination Act, building codes and standards, but no clear statement as to the goal in relation to accessibility of public toilets across the city. Recommend that the Public Toilet Strategy includes a clear statement of the intended goal for the level of accessibility of public toilets across the city over time.</p> <p>Important to provide a Continuous Accessible Path of Travel connecting the public toilet to the public domain and public transport, which does not include loose surfaces (gravel) or grass.</p> <p>Accessible facilities must be designated unisex to enable equitable and dignified use by people and their carers of</p>	<p>The City's intent is for our public toilets to be available and accessible for use by all members of the community. This intent is articulated in the draft Strategy's Vision Statement "a highly regarded, safe and accessible network of public toilets to meet the current and future needs of a world class city."</p> <p>The draft Strategy makes reference to the provisions and requirements of the DDA, Building Code of Australia and relevant standards applicable to the construction of the recommended new facilities and upgrades of existing toilets. It is not the intent of the Strategy to reproduce the detailed requirements and specifications of these documents. The draft Strategy Action Plan notes that the City will conduct (access) audits of its public toilets noting that facilities with limited access will be replaced or upgraded.</p> <p>The draft Strategy's Inclusive Access section states that "The City is committed to ensure that barrier free paths of travel provide uninterrupted access to toilet facilities from the public domain...."</p> <p>Acknowledged. The City routinely provides unisex accessible facilities in</p>	<p>None</p> <p>None</p> <p>This information has been added to</p>

Issue	Comment	Response	Recommended changes to Strategy
	<p>any gender and combination of gender.</p> <p>All new facilities improvements need to comply with AS 1428 Part 1- Design for access and mobility, with a minimum circulation space of 1900mm X 2300mm</p> <p>Minimum standards of lux are specified in AS1428. It is important that the City's toilets incorporate and ensure these minimum lux levels are available for the benefit of all, including people with low vision.</p> <p>It is recommended that accessible public toilets be integrated into regular public toilets, rather than being constructed as stand alone facilities. This will eliminate the need for MLAK keys or the need to locate assistance to gain access to the toilet facilities, and will enhance crime prevention through environmental design.</p> <p>Where community events are being organised the provision of temporary portable public toilet facilities may be necessary to cater to the expected number of patrons. PDC NSW believes that providing a minimum of one accessible portable toilet per ten regular portable toilets is satisfactory, with the possibility of needing more for events where a greater number of people with disability are likely to attend, such as for International Day of Disability celebrations.</p> <p>Inclusive access including Continuously Accessible</p>	<p>its public buildings and public domain.</p> <p>The draft Strategy recommends all new facilities meet or exceed the Australian Standards.</p> <p>The draft Strategy recommends all new facilities meet or exceed the Australian Standards.</p> <p>The City's public toilets including accessible public toilets do not employ the MLAK lock system. The City considers that the MLAK system may create an access barrier for visitors and tourists from other countries.</p> <p>Noted. The draft Strategy recommends the provision of 1 accessible toilet per 10 portable toilets at events.</p> <p>Agreed.</p>	<p>the Inclusive Access section.</p> <p>None</p> <p>None</p> <p>The draft strategy has been modified to include the City's approach to the MLAK system.</p> <p>None.</p> <p>The following text</p>

Issue	Comment	Response	Recommended changes to Strategy
	<p>Paths of Travel with no loose surfaces or grass is also applicable and important for toilets at events.</p> <p>Improvements to Sydney Town Hall House need to comply with AS 1428- Design for access and mobility for the provision of inclusive access toilets for the general public. Additionally accessible toilet facilities for employees need to be considered as part of these Council improvements.</p> <p>Notes a trend for accessible sanitary facilities to incorporate visual cues such as flashing lights to signal when a facility is locked or open, buttons to control the locking/unlocking of the facility, and flushing mechanisms that rely on motion or other types of sensor. The employment of such devices has not taken into account the needs of people who are blind or have low vision.</p> <p>We recommend that the City addresses such access barriers by developing its own specifications, in consultation with the blindness sector, for the fit out and fixtures of public toilets that would supplement existing specifications of the BCA which do not address the fit out of a buildings.</p> <p>These specifications would ensure that non-visual alternatives are employed including for example braille,</p>	<p>Noted. The draft Strategy recommends all new facilities comply with the Australian Standards and building codes. Accessible toilets are available for the use of staff on a number of levels of Town Hall House.</p> <p>The draft Strategy recommends that City's facilities meet best practice standards of inclusive access, which includes the use of alternative fixtures and fittings which do not rely solely on visual cues.</p> <p>The City's new standard park signage, wayfinding signage and toilet signage includes tactile and Braille elements.</p>	<p>has been added to the Special Events Section. "Accessible toilets will be sited to ensure barrier free access." None None</p>

Issue	Comment	Response	Recommended changes to Strategy
	<p>tactile and audio signage and indicators in accessible sanitary facilities.</p> <p>Recommend that the City take steps to ensure that the toilets are free from any sharp edges that may pose a risk to people who are blind or have low vision, for example advertising structures affixed to automated public toilets.</p> <p>The siting of toilets in parks away from main pathways makes facilities difficult to locate for someone using a long cane. Recommend that the City consult with organisations in the blindness sector before making decisions about where to site toilets in parks and the public domain.</p> <p>SHFA owns many buildings in Fhe Rocks precinct and its periodic building upgrades often include bringing accessibility and toilet facilities up to current standards.</p>	<p>The draft Strategy recommends public toilets be safe, secure, hygienic facilities to provide for the needs of people of all genders and age including the needs of people with disabilities, and their carers.</p> <p>The City takes care to ensure that the design of fixtures and fittings do not present a hazard to the public.</p> <p>A key objective of the draft Strategy is that public toilets should be easy to find.</p> <p>Numerous other factors including CPTED principles, site topography and site layout influence the location of new public toilets.</p> <p>The City provides opportunity for public input into project design through its consultation processes.</p> <p>The City will take steps to ensure that the blindness sector have opportunity for input in the design of public domain projects.</p> <p>Noted. The City will liaise with SHFA to identify issues which could improve existing accessibility of its public toilets including for example, promotion of the</p>	<p>None</p> <p>None</p>

Issue	Comment	Response	Recommended changes to Strategy
		City of Sydney public toilet network through signage, way-finding and maps.	
Maintenance and Servicing (4)	<p>Use larger capacity litter bins within toilets. Ensure bins do not encroach on circulation space within accessible toilets.</p> <p>Current servicing/cleaning levels are insufficient at many City of Sydney facilities.</p> <p>Support enhanced cleaning and servicing of public toilets, given that people who are blind or have low vision are often not in a position to quickly assess the cleanliness of public toilet facilities before use.</p>	<p>The City aims to provide litter bins which meet user demand, while ensuring that the bins do not create access problems or risks for toilet users.</p> <p>The City has reviewed the adequacy of current service levels and service frequency has been enhanced at many sites to reflect patterns of use. The recommended new toilet signage that includes the contact details of service providers will assist in the provision of customer feedback to the City and its service providers to enable further improvements in service provision.</p> <p>Noted</p>	None None None
Security (2)	Install CCTV cameras inside and outside public toilets to prevent/deter vandalism and antisocial behaviour.	The Strategy recommends the use of best practice CPTED principles to deter vandalism and anti-social behaviour. Street safety cameras are installed in	None

Issue	Comment	Response	Recommended changes to Strategy
	<p>Support any efforts to improve safety of public toilets. People who are older or have disability, often feel more vulnerable. Further, if a person is not able to see potential danger, that feeling of vulnerability can be that much greater.</p>	<p>areas of the City that are subject to an adopted Policy and are installed at locations with high incidence of crimes against the person. The locations are initially determined on the basis of crime statistics provided by the Police.</p> <p>Noted – see above.</p>	<p>None</p>
<p>Other Comments (1)</p>	<p>The public are not made to feel welcome when seeking to use the City's public toilets located within licensed cafes in parks.</p>	<p>The Strategy recommends new and improved signage on the exterior of buildings containing public toilets. City staff will also talk to café operators about the provision of public toilets and the proposed City Cares scheme for businesses to make their toilets available for public use.</p>	<p>None</p>