

Attachment A

Recommended Conditions of Consent
--

CONDITIONS OF CONSENT

PART A – DEFERRED COMMENCEMENT CONDITIONS

(CONDITIONS TO BE SATISFIED PRIOR TO CONSENT OPERATING)

- The consent is not to operate until the following conditions are satisfied, within **24 months** of the date of this determination.

SCHEDULE 1

DEFERRED COMMENCEMENT CONDITIONS (CONDITIONS TO BE SATISFIED PRIOR TO CONSENT OPERATING)

The consent is not to operate until the following conditions are satisfied, within **24 months** of the date of this determination:

(1) VOLUNTARY PLANNING AGREEMENT

- (a) This consent is subject to Voluntary Planning Agreement (VPA) between the Council of the City of Sydney and Daniel Southcombe which was placed on exhibition between 2 May and 30 May 2018 and shall be executed and submitted to Council,
 - (b) The monetary contribution must be provided to Council in accordance with the Voluntary Planning Agreement.
-
- Evidence that will sufficiently enable Council to be satisfied as to those matters identified in deferred commencement conditions, as indicated above, must be submitted to Council within 24 months of the date of determination of this deferred commencement consent failing which, this deferred development consent will lapse pursuant to section 95(6) of the Environmental Planning and Assessment Act 1979.
 - The consent will not operate until such time that the Council notifies the Applicant in writing that deferred commencement consent conditions, as indicated above, have been satisfied.
 - Upon Council giving written notification to the Applicant that the deferred commencement conditions have been satisfied, the consent will become operative from the date of that written notification, subject to the conditions of consent, as detailed in Part B Conditions of Consent (Once the Consent is Operation) of the subject report.

PART B – CONDITIONS OF CONSENT

SCHEDULE 1A

APPROVED DEVELOPMENT/DESIGN MODIFICATIONS/COVENANTS AND CONTRIBUTIONS/USE AND OPERATION

Note: Some conditions in Schedule 1A are to be satisfied prior to issue of a Construction Certificate and some are to be satisfied prior to issue of Occupation Certificate, where indicated.

(1) APPROVED DEVELOPMENT

- (a) Development must be in accordance with Development Application No. D/2017/1754 dated 15 December 2017 and the following drawings:

Drawing Number	Drawing Name	Date
02 '11'	Ground Floor Plan	June 2018
03 '11'	First & Second Floor Plan	June 2018
04 '11'	Elevations	June 2018
05 '11'	Sections	June 2018
14 '11'	Windows & Doors Schedule	June 2018

and as amended by the conditions of this consent.

- (b) In the event of any inconsistency between the approved plans and supplementary documentation, the plans will prevail.

(2) DESIGN MODIFICATIONS

The design of the building must be modified as follows:

- (a) The second floor rear (western) elevation balustrades and balconies accessed off the master bedroom of each dwelling shall be deleted and replaced with a roof. The associated side blade walls, retractable blinds and sliding doors shall be deleted. The glazing to the rear (D11) is to be amended to a full height fixed and ventilating panel to a maximum of one (1) metre width adjacent to the common wall and the two remaining panels are to have a minimum sill height of 1.4m. Roof treatment such as crushed gravel or ballast be used in place of the second floor balcony and the retractable awnings be replaced with appropriate solar shading devices.
- (b) The proposed second storey 'Colorbond' facade treatment be provided to the side and rear elevations where exposed in order to differentiate the second storey from the storeys below.

- (c) The first floor rear western elevation windows to Bedroom 03 of each dwelling shall be amended to include an external privacy and solar treatment.
- (d) The mailboxes shall be redesigned or relocated to be wholly within the boundaries of the subject site and electricity metre boxes are to be integrated into the design and shown on the drawings.
- (e) The first floor west facing windows to Bedroom 1 (W21) in both dwellings are to be changed to translucent glazing for visual privacy reasons.
- (f) The first floor hallway windows facing into the atrium (W07 and W08) in both dwellings are to have translucent glazing.
- (g) One panel of the east facing windows to Bedroom 2 (W05 and W06) in both dwellings are to have clear glass operable louvres to improve ventilation.
- (h) All downpipes on the studio/garage structure must be located within the site boundary. Details are required to demonstrate how the rear facing roof to the studio/garage is drained from the property without being located outside the boundary.
- (i) The palisades at the lower (northern) end of the front fence at No. 220 must be reduced to a height of 1.2m. The balance of the fence must be reduced in height accordingly.

The modifications are to be submitted to and approved by Council's Director of City Planning Development and Transport prior to the issue of a Construction Certificate.

(3) BUILDING HEIGHT

- (a) The height of the building must not exceed RL 27.030 (AHD) to the top of the building and the laneway structure must not exceed RL 22.831 (AHD).
- (b) Prior to an Occupation Certificate being issued, a Registered Surveyor must provide certification that the height of the building accords with (a) above, to the satisfaction of the Principal Certifier.

(4) COMPLIANCE WITH VOLUNTARY PLANNING AGREEMENT

The terms of the planning agreement entered into in accordance with Deferred Commencement Condition 1 are to be complied with.

(5) FLOOR SPACE RATIO - ALL OTHER AREAS

The following applies to Floor Space Ratio:

- (a) The Floor Space Ratio must not exceed 1.24:1 calculated in accordance with the Sydney Local Environmental Plan 2012. For the purposes of the calculation of FSR, the Gross Floor Area is 418sqm.

- (b) Prior to an Occupation Certificate being issued, a Registered Surveyor must provide certification of the total Gross Floor Areas in the development to the satisfaction of the Principal Certifier.

(6) COMPLIANCE WITH SUBMITTED MATERIALS AND SAMPLES BOARD

The design details of the proposed building facade including all external finishes, colours and glazing must be in accordance with the materials schedule and sample board, and specifications prepared by Derek Raithby Architecture dated June 2018.

(7) LANEWAY STUDIOS

No consent is given or implied to the use of the first floor studio in the laneway structures as a secondary or independent dwelling. This studio space shall remain ancillary to the principal dwelling on each site at all times.

(8) AFFORDABLE HOUSING CONTRIBUTION - GREEN SQUARE - PAYMENT OF MONEY IN LIEU OF FLOOR SPACE

In accordance with Clause 7.13 of *Sydney Local Environmental Plan 2012* and prior to a Construction Certificate being issued, the applicant must provide evidence that a monetary contribution towards the provision of affordable housing has been paid at the office of the Department of Planning or a bank guarantee in favour of The Department of Planning to the value of the required contribution has been lodged. The contribution is \$119,555.12 based on the in lieu monetary contribution rate for residential development at \$244.99 per square metre of total residential floor area 488sqm. Contributions will be indexed in accordance with the formula set out below.

Prior to an Occupation Certificate being issued or the use commencing, whichever is earlier, the applicant must provide evidence that the bank guarantee referred to above has been redeemed as payment of this contribution. If the contribution is paid after the indexation period in which the consent is granted 1 March 2018 to 28 February 2019, the amount of the contribution will be indexed in accordance with the formula set out below.

Notes:

- (a) Applicants have two payment options:

Option 1 is payment by bank cheque using "Form B - Receipt to Release Certificate of Construction after payment by Bank Cheque". Form B must be obtained from the Green Square Project Team in the City Strategy and Design Unit at the City of Sydney, and then must be lodged with a bank cheque with the NSW Department of Planning.

Option 2 is lodgement of a bank guarantee using "Form A - Receipt to Release Certificate of Construction after lodgement of Bank Guarantee". Form A must be obtained from the Green Square Project Team GSPT@cityofsydney.nsw.gov.au in the City Strategy and Design Unit at the City of Sydney, and then must be lodged with a Bank Guarantee with the NSW Department of Planning.

Where Form A has been used, an occupation certificate will not be released until payment by bank cheque using "Form C - Receipt to Release Certificate of Occupancy after payment by Bank Cheque". Form C must be obtained from the Green Square Project Team GSPT@cityofsydney.nsw.gov.au in the City Strategy and Design Unit at the City of Sydney and then must be lodged with a bank cheque with the NSW Department of Planning.

- (b) Applicants are made aware that the contribution amount quoted in this condition may not be final and that a correct indexed affordable housing contribution amount can be obtained from the relevant Form A, B or C at time of payment.
- (c) Forms A, B or C for payment of the affordable housing contribution can only be obtained from the City of Sydney, 456 Kent Street Sydney. Quote the development application number and the relevant Council officer will provide the applicant with an indexed contribution amount which must be paid at the Department of Planning. To arrange payment, contact the Housing Policy Team, NSW Department of Planning on Ph: 9228 6111 or Fax: 9228 6455 to arrange a time for payment.
- (d) The contribution will be indexed on the basis of the Established House Price Index for Sydney as published by the Australian Bureau of Statistics.
- (e) Contributions at Time of Payment = $C \times \text{HPI2} / \text{HPI1}$, where:
 - (i) C is the original contribution amount as shown above;
 - (ii) HPI2 is the Established House Price Index: All Groups Index for Sydney available from the Australian Bureau of Statistics at the time of the payment; and
 - (iii) HPI1 is the Established House Price Index: All Groups Index for Sydney available from the Australian Bureau of Statistics that applied at the date of the consent 1 March 2018 to 28 February 2019.

The amount of the monetary contribution is calculated on the total floor area (not a percentage of it). Contribution = (total residential floor area (sqm) x residential rate (\$)) + (total non-residential floor area (sqm) x non-residential rate (\$)) + (total non-residential floor area (sqm) x non-residential rate (\$))

(9) CONTRIBUTION TOWARDS PUBLIC AMENITIES – CITY OF SYDNEY DEVELOPMENT CONTRIBUTIONS PLAN 2015 – SOUTH PRECINCT

Council has identified the development will increase demand for public amenities and facilities. Pursuant to Section 7.11 of the Environmental Planning and Assessment Act, 1979 (as amended), and the City of Sydney Section 94 Contributions Development Contributions Plan 2015 the following monetary contributions are required towards the cost of public amenities.

<u>Contribution Category</u>	<u>Amount</u>
Open Space	\$12,875
Community Facilities	\$2,563

Traffic and Transport	\$3,269
Stormwater Drainage	\$1,293
Total	\$20,000

The City of Sydney will index the above contribution for inflation at the time of payment using the following formula.

$$C_{\text{payment}} = C_{\text{consent}} \times (CPI_{\text{payment}} \div CPI_{\text{consent}})$$

where:

C_{payment}	is the contribution at time of payment;
C_{consent}	is the contribution at the time of consent, as shown above;
CPI_{payment}	is the Consumer Price Index (All Groups Index) for Sydney published by the Australian Bureau of Statistics that applies at the time of payment; and
CPI_{consent}	is the Consumer Price Index (All Groups Index) for Sydney at the date the contribution amount above was calculated being – 113.6 for the March 2018 quarter.

The contribution must be paid prior to the issue of any Construction Certificate in relation to this development.

Please contact Council's Planning Administration staff at planningsystemsadmin@cityofsydney.nsw.gov.au to request a letter confirming the indexed contribution amount payable.

Once the letter confirming the indexed contribution is obtained, payment may be made at any of the City's Neighbourhood Service Centres or the One Stop Shop at Town Hall House. Acceptable payment methods are EFTPOS (debit card only), cash or a bank cheque made payable to the City of Sydney. Personal or company cheques will not be accepted.

(10) AIR CONDITIONERS GENERALLY

No air-conditioning equipment is to be visible from the public domain. Equipment and associated wiring shall:

- (a) Not be located on awnings or attached to the street face of the building
- (b) Not be located on roofs in such a way that it is visible from any street, footpath or park
- (c) Be visually screened if located 1.8 metres above ground level in other locations
- (d) Wiring shall be fully concealed.

(11) CAR PARKING DESIGN

The design, layout, signage, line marking, lighting and physical controls of all off-street car parking facilities must comply with the *Australian Standard AS/NZS 2890.1 - 2004 Parking facilities Part 1: Off-street car parking*. The details must be submitted to and approved by the Certifying Authority prior to a Construction Certificate being issued.

(12) CHANGES TO KERB SIDE CAR PARKING RESTRICTIONS

A separate submission must be made for any changes to kerbside parking arrangements. There is no guarantee kerbside parking will be changed or that any change will remain in place for the duration of the development/use.

All costs associated with any parking changes including any signposting would be borne by the applicant.

Note: The applicant is to contact the Area Traffic Engineer to discuss the proposal before making a submission.

(13) ASSOCIATED ROADWAY COSTS

All costs associated with the construction of any new road works including kerb and gutter, road pavement, drainage system and footway shall be borne by the developer. The new road works must be designed and constructed in accordance with the City's "Development Specification for Civil Works Design and

(14) TRAFFIC WORKS

Any proposals for alterations to the public road, involving traffic and parking arrangements, must be designed in accordance with RMS Technical Directives and must be referred to and agreed to by the Local Pedestrian, Cycling and Traffic Calming Committee prior to any work commencing on site.

SCHEDULE 1B

PRIOR TO CONSTRUCTION CERTIFICATE/COMMENCEMENT OF WORK/HEALTH AND BUILDING

(15) SURVEY

- (a) **PRIOR TO FOUNDATION STAGE** - All footings and walls adjacent to a boundary or setback line must be set out by a surveyor registered under the Surveying & Spatial Information Act, 2002, and provided to the Principal Certifying Authority.
- b) **AT FOUNDATION STAGE** - Upon commencement of brickwork or wall construction, by the time 10 courses of perimeter brickwork have been laid, a survey and report must be submitted to the Principal Certifying Authority indicating the position of external walls in relation to the boundaries of the allotment, and the setbacks. Any encroachments of the subject building over the side boundaries of the site must be removed prior to continuation of building construction work, or alternatively a letter supplied from the registered proprietor(s) of the adjoining lot(s) confirming that they are aware of the nature & extent of the encroachment, and undertaking to execute all necessary documentation to permit the creation of an easement to permit the encroachment to remain.
- c) **AT COMPLETION** –Prior to the issue of any Interim or Final Occupation Certificate - A Final Identification Survey prepared and signed by a Surveyor registered under the Surveying & Spatial Information Act, 2002 must be submitted at the completion of the building work certifying the location of the building in relation to the boundaries of the allotment. Any encroachments of the building over the side boundaries must be removed, or alternatively appropriate easements under Section 88B of the Conveyancing Act, 1919, with terms to the satisfaction of Council, and the adjoining owner's consent, must be lodged with LPI-NSW, and evidence of lodgement provided to the PCA prior to the issue of any Interim or Final Occupation Certificate.

(16) SYDNEY WATER CERTIFICATE

A Section 73 Compliance Certificate under the Sydney Water Act 1994 must be obtained from Sydney Water Corporation.

Application must be made through an authorised Water Servicing Coordinator. Please refer to the Building Developing and Plumbing section on the web site www.sydneywater.com.au then refer to "Water Servicing Coordinator" under "Developing Your Land" or telephone 13 20 92 for assistance.

Following application a "Notice of Requirements" will advise of water and sewer infrastructure to be built and charges to be paid. Please make early contact with the Coordinator, since building of water/sewer infrastructure can be time consuming and may impact on other services and building, driveway or landscape design.

The Section 73 Certificate must be submitted to Council or the Principal Certifying Authority prior to a subdivision certificate being issued.

(17) SUBDIVISION CERTIFICATE

A separate application is to be made to Council to obtain approval of the final Plan of Subdivision and issue of the Subdivision Certificate under Part 4A of the Environmental Planning and Assessment Act 1979. The Subdivision Certificate cannot be issued until the Construction Certificate for the development has been issued, the external walls and party walls completed, and the roof and all guttering completed.

(18) EASEMENTS

The final Torrens title Plan of Subdivision is to include the creation of appropriate easements to address any services passing through one lot in the subdivision and benefiting another, pursuant to Section 88B of the Conveyancing Act 1919. The easements are to be created in appropriate terms, burdening each affected lot, and to the satisfaction of Council.

(19) SURVEY INFRASTRUCTURE

Prior to the issue of the subdivision certificate, sufficient survey infrastructure, including reference marks and permanent marks, must remain in place in order to satisfy the requirements of the Surveying and Spatial Information Regulation 2012, and to the satisfaction of Council.

(20) PARTY WALL

If the design includes a common wall separating the proposed new dwellings, it must be noted as a party wall on the plan of subdivision so as to automatically create cross-easements for support upon registration of the plan.

(21) STREET ADDRESSED OF LOTS

In accordance with Clause 60(c) of the Surveying and Spatial Information Regulation 2012, the street addresses for each lot must be shown on the final plan of subdivision. An application should be made to Council's Land Information Officer to obtain the correct street address for each lot prior to lodging an application for a subdivision certificate.

(22) ALIGNMENT LEVELS – MINOR DEVELOPMENT

- (a) Where ground floor levels of existing buildings are being retained, alignment levels for the buildings and site frontages of those buildings must be submitted to and approved by Council prior to a Construction Certificate being issued for public domain works or above ground building works, whichever is earlier. The submission must be prepared by a Registered Surveyor or suitably qualified engineer and must be submitted with a completed Alignment Levels checklist (available in the *Public Domain Manual*) and Footpath Levels and Gradients Approval Application form (available on the City's website).
- (b) If a *Public Domain Plan* condition applies to the development consent the *Public Domain Plan* submission must incorporate the approved Alignment

Levels. If the proposed detailed design of the public domain requires changes to any previously approved Alignment Levels, then an amended Alignment Levels submission must be submitted to and approved by Council to reflect these changes prior to a Construction Certificate being issued for public domain work.

(23) PHOTOGRAPHIC RECORD / DILAPIDATION REPORT - PUBLIC DOMAIN

Prior to an approval for demolition being granted or a Construction Certificate being issued, whichever is earlier, a photographic recording of the public domain site frontages is to be prepared and submitted to Council's satisfaction.

The recording must include clear images of the building facade adjoining the footpath, the footpath, nature strip, kerb and gutter, driveway crossovers and laybacks, kerb ramps, road carriageway, street trees and plantings, parking restriction and traffic signs, and all other existing infrastructure along the street.

The form of the recording is to be as follows:-

- (a) A PDF format report containing all images at a scale that clearly demonstrates the existing site conditions;
- (b) Each image is to be labelled to identify the elements depicted, the direction that the image is viewed towards, and include the name of the relevant street frontage;
- (c) Each image is to be numbered and cross referenced to a site location plan;
- (d) A summary report, prepared by a suitable qualified professional, must be submitted in conjunction with the images detailing the project description, identifying any apparent existing defects, detailing the date and authorship of the photographic record, the method of documentation and limitations of the photographic record;
- (e) Include written confirmation, issued with the authority of both the applicant and the photographer that the City of Sydney is granted a perpetual non-exclusive license to make use of the copyright in all images supplied, including the right to make copies available to third parties as though they were Council images. The signatures of both the applicant and the photographer must be included.

Any damage to the public way including trees, footpaths, kerbs, gutters, road carriageway and the like must immediately be made safe and functional by the applicant. Damage must be fully rectified by the applicant in accordance with the City's standards prior to a Certificate of Completion being issued for Public Domain Works or before an Occupation Certificate is issued for the development, whichever is earlier.

(24) PUBLIC DOMAIN PLAN

- (a) A detailed Public Domain Plan must be prepared by a suitably qualified architect, urban designer, landscape architect or engineer and must be lodged with Council's Public Domain Section and be approved by Council

prior to a Construction Certificate being issued for public domain work or above ground building work, whichever is later.

- (b) The Public Domain Plan must document all works required to ensure that the public domain complies with the City of Sydney's *Public Domain Manual*, *Sydney Streets Code* and *Sydney Streets Technical Specification*, including requirements for road pavement, traffic measures, footway pavement, kerb and gutter, drainage, vehicle crossovers, pedestrian ramps, lighting, street trees and landscaping, signage and other public domain elements. If an Alignment Levels condition applies to the development, the Public Domain Plan submission must incorporate the approved Alignment Levels. If the proposed detailed design of the public domain requires changes to any previously approved Alignment Levels, then an amended Alignment Levels submission must be submitted to and approved by Council to reflect these changes prior to a Construction Certificate being issued for public domain work.
- (c) The works to the public domain are to be completed in accordance with the approved Public Domain Plan and Alignment Levels plans and the *Public Domain Manual* before any Occupation Certificate is issued in respect of the development or before the use commences, whichever is earlier.
- (d) A Public Domain Works Deposit will be required for the public domain works, in accordance with the City of Sydney's adopted fees and charges and the *Public Domain Manual*. The Public Domain Works Deposit must be submitted as an unconditional bank guarantee in favour of Council as security for completion of the obligations under this consent.
- (e) Council's Public Domain section must be contacted to determine the guarantee amount prior to lodgement of the guarantee. The guarantee must be lodged with Council prior to a Construction Certificate being issued.
- (f) The Bank Guarantee will be retained in full until all Public Domain works are completed and the required certifications, warranties and works-as-executed documentation are submitted and approved by Council in writing. On satisfying the above requirements, 90% of the total securities will be released. The remaining 10% will be retained for the duration of the specified Defects Liability Period.

(25) PUBLIC DOMAIN WORKS - HOLD POINTS AND HANDOVER

- (a) Prior to a Construction Certificate being issued for public domain work, including civil, drainage and subsurface works, a set of hold points for approved public domain, civil and drainage work is to be determined with and approved by the City's Public Domain section in accordance with the City of Sydney's *Public Domain Manual* and *Sydney Streets Technical Specification*.
- (b) Prior to a Certificate of Completion being issued for public domain works and before the issue of any Occupation Certificate for the development or before the use commences, whichever is earlier, electronic works-as-executed (as-built) plans and documentation, certified by a suitably qualified, independent professional must be submitted to and accepted by Council for all public domain works. Completion and handover of the constructed public domain

works must be undertaken in accordance with the City of Sydney's *Public Domain Manual* and *Sydney Streets Technical Specification*, including requirements for as-built documentation, certification, warranties and the defects liability period.

(26) STORMWATER AND DRAINAGE - MAJOR DEVELOPMENT

- (a) Prior to an approval or Construction Certificate being issued for excavation, civil construction, drainage or building work (whichever is earlier), excluding approved preparatory or demolition work a detailed drainage engineering design, calculations and design for the stormwater overland flow path for the development must be:
 - (i) prepared by a suitably qualified hydraulic or civil engineer to show the proposed method of collection and disposal of stormwater; and
 - (ii) prepared in accordance with the City of Sydney's *Stormwater Drainage Manual*, technical specifications, standards and policies, as amended from time to time; and
 - (iii) submitted to and be approved by the City of Sydney and a copy of the City's letter of approval must be provided to the Principal Certifying Authority.
- (b) For approval of a connection into the City of Sydney's drainage system an "Application for Approval of Stormwater Drainage Connections" must be submitted to the City, together with an application fee in accordance with the City of Sydney's adopted Schedule of Fees and Charges.
 - (i) The application must be approved by the City of Sydney prior to an approval or Construction Certificate being issued for excavation, civil construction, drainage or building work (whichever is earlier), excluding approved preparatory or demolition work.
 - (ii) All proposed connections to the City's underground drainage system require the owner to enter into a Deed of Agreement with the City of Sydney and obtain registration on Title of a Positive Covenant prior to an Occupation Certificate being issued, including an Interim Occupation Certificate.

On-site Detention

- (c) The requirements of Sydney Water with regard to the on-site detention of stormwater must be ascertained and complied with.
 - (i) Evidence of the approval by Sydney Water of the detailed design of the on-site detention must be submitted to and be accepted by the City of Sydney and a copy of the City's letter of acceptance must be provided to the Principal Certifying Authority prior to a Construction Certificate being issued, excluding for any approved preparatory, demolition or excavation works.
 - (ii) Prior to the issue of an Occupation Certificate, including an Interim Occupation Certificate, a Positive Covenant must be registered on the property title for all drainage systems involving On-Site Detention

(OSD) to ensure maintenance of the approved OSD system regardless of the method of connection.

Stormwater Quality Assessment

- (d) Prior to a Construction Certificate being issued for any excavation, civil construction, drainage or building work (whichever is earlier), but excluding approved preparatory or demolition work, a stormwater quality assessment must be undertaken and must be approved by City of Sydney and a copy of the City's letter of approval must be provided to the Principal Certifying Authority.

A stormwater quality assessment must be undertaken by a suitably qualified drainage engineer to demonstrate how the development will be designed to ensure that the flow of post-development pollutants from the site due to stormwater will be reduced. The water quality assessment must be submitted to and be approved by the City of Sydney and a copy of the City's letter of approval must be provided to the Principal Certifying Authority prior to a Construction Certificate being issued for any excavation, civil construction, drainage or building work (whichever is earlier), excluding approved preparatory or demolition work.

Prior to the issue of an Occupation Certificate, maintenance schedules of the proposed water sensitive urban design and drainage measures must be submitted to and be approved by the Principal Certifying Authority and a copy provided to the City of Sydney.

Completion / Works-as-Executed Documentation

- (e) Prior to a Certificate of Completion being issued by the City of Sydney for stormwater drainage works:
 - (i) All works for the disposal of stormwater and drainage are to be implemented in accordance with the approved plans, City of Sydney technical specifications. Standards and policies, approval letters and the requirements of this consent.
 - (ii) a Works-As-Executed survey, prepared, signed and dated by a Registered Surveyor, must be submitted to and be accepted by the City of Sydney. The plan must be overlaid on a copy of the approved stormwater drainage plans issued with the Construction Certificate, with variations to locations, dimensions, levels and storage volumes clearly marked.
 - (iii) Electronic works-as-executed (as-built) details, certifications, warranties, inspection reports (including Closed Circuit Television reports) and associated documentation for the completed work must be prepared and certified by a suitably qualified hydraulic engineer, in accordance with the requirements of the City of Sydney's technical specifications, the *Public Domain Manual*, the *Stormwater Drainage Manual*, the conditions of this consent and all letters of approval issued by the City of Sydney for works in the public domain, and must be submitted to and be accepted by the City of Sydney.

- (f) Prior to the issue of the first Occupation Certificate, including an Interim Occupation Certificate, or before the use commences (whichever is earlier):
 - (i) A copy of the City's Certificate of Completion for all stormwater and drainage work undertaken in the public domain must be provided to the Principal Certifying Authority;
 - (ii) a Works-As-Executed survey, must be prepared, signed, dated and certified by a Registered Surveyor and must be submitted to and be accepted by the Principal Certifying Authority. The Works-as-Executed plan must be overlaid on a copy of the approved stormwater drainage plans issued with the Construction Certificate, with variations to locations, dimensions, levels and storage volumes clearly marked;
 - (iii) a Hydraulic Compliance Certificate and Calculation Sheet must be prepared by a suitably qualified hydraulic engineer (minimum NER), showing approved versus installed hydraulic calculations, and must be submitted to and be accepted by the Principal Certifying Authority;
 - (iv) evidence of Sydney Water's acceptance of the Works-As-Executed documentation, certification and Hydraulic Compliance Certificate and Calculation Sheet must be provided to the Principal Certifying Authority;
 - (v) The Principal Certifying Authority must submit a copy of the Works-As-Executed plans, certifications, Hydraulic Compliance Certificate and Calculation Sheet to the City of Sydney.

(27) DEFECTS LIABILITY PERIOD – PUBLIC DOMAIN WORKS

All works to the City's public domain, including rectification of identified defects, are subject to a **12 month defects liability period** from the date of final completion. The date of final completion will be nominated by Council on the Certificate of Completion for public domain works.

(28) PROTECTION OF STONE KERBS

- (a) The existing stone kerbs on the Victoria Street frontage of the site are to be retained and properly protected during excavation and construction works.
- (b) To avoid damage to stone kerbs during excavation and construction works for the development, temporary removal and storage of the stone kerbs may be approved by Council. Removed, serviceable stone kerbs (i.e. those that are in good condition as agreed by Council officers) must be re-installed in accordance with the City of Sydney's standard details and specifications after the construction works have been completed. Note: A temporary concrete kerb will need to be constructed to retain the footpath until the stone kerbs can be reinstalled. The removed stone kerbs are to be reinstalled prior to the issue of an Occupation Certificate. Note: all costs associated with the works are to be at no cost to the Council.
- (c) Damaged kerbs are to be replaced to match existing to Council's satisfaction or as otherwise advised by Council officers.

- (d) Where new crossings or temporary crossings are to be constructed to access the property, the affected kerb stones should be salvaged and reused wherever possible.
- (e) All new driveway laybacks and kerbs are to be constructed with stone kerbs to match existing stones or as specified by City officers. All unused stone kerbs are to be salvaged and returned to the City's store.
- (f) Council approval is required before kerbs are removed.
- (g) Council approval is required prior to the cutting of existing stone kerbs for stormwater kerb outlets.

(29) PUBLIC DOMAIN DAMAGE DEPOSIT

A Public Domain Damage Deposit calculated on the basis of 50 lineal metres of concrete site frontage must be lodged with Council in accordance with the City of Sydney's adopted Schedule of Fees and Charges. The Public Domain Damage Deposit must be submitted as an unconditional bank guarantee in favour of Council as security for repairing any damage to the public domain in the vicinity of the site.

The guarantee must be lodged with Council prior to an approval for demolition being granted or a Construction Certificate being issued, whichever is earlier.

The Bank Guarantee will be retained in full until the final Occupation Certificate has been issued and any rectification works to the footway and Public Domain are completed to Council's satisfaction. On satisfying the above requirements 90% of the total securities will be released, with the remaining 10% to be retained for the duration of the 12 months Defect Liability Period.

(30) FLOOD PLANNING LEVELS REQUIREMENT

All openings to the building shall be no less than 0.3m above the surrounding gutter invert at the Street frontage.

(31) BASIX CERTIFICATE - DETAILS TO BE LODGED WITH A CC

A copy of the required completed BASIX certificate accepted as part of this Development Consent with respect to the proposed residential building works, must be lodged with an application for a construction certificate and the items nominated as part of the subject BASIX certificate must be specified on the plans submitted with the construction certificate application. – See Note.

All commitments listed in the BASIX Certificate for the development must be fulfilled prior to an Occupation Certificate being issued.

IMPORTANT NOTE:

Any requirement detailed in the accompanying BASIX Certificate, MUST be included as a specific notation or inclusion on any future Construction Certificate plans and specification in accordance with Part 3 of Schedule 1 of the EP&A Regulation, 2000.

(32) DILAPIDATION REPORT – MINOR

Subject to the receipt of permission of the affected landowner, dilapidation report/s of adjoining buildings are to be prepared by an appropriately qualified practising structural engineer and submitted for the approval of the Principal Certifying Authority:

- (a) prior to the commencement of demolition/excavation works; and
- (b) on completion of construction demolition/excavation works.

(33) EROSION AND SEDIMENT CONTROL - BETWEEN 250 AND 2,500SQM

Prior to the commencement of demolition/excavation/construction work, an Erosion and Sediment Control Plan (ESCP) must be submitted to and be approved by the Principal Certifying Authority. The ESCP must:

- (a) Conform to the specifications and standards contained in Managing Urban Stormwater: Soils and Construction (Landcom, 2004); the Guidelines for Erosion and Sediment Control on Building Sites (City of Sydney, 2004); and the *NSW Protection of the Environment Operations Act 1997*.
- (b) Include a drawing(s) that clearly shows:
 - (i) location of site boundaries and adjoining roads
 - (ii) approximate grades and indications of direction(s) of fall
 - (iii) approximate location of trees and other vegetation, showing items for removal or retention
 - (iv) location of site access, proposed roads and other impervious areas
 - (v) existing and proposed drainage patterns with stormwater discharge points
 - (vi) north point and scale
- (c) Specify how soil conservation measures will be conducted on site including:
 - (i) timing of works
 - (ii) locations of lands where a protective ground cover will, as far as is practicable, be maintained
 - (iii) access protection measures
 - (iv) nature and extent of earthworks, including the amount of any cut and fill
 - (v) where applicable, the diversion of runoff from upslope lands around the disturbed areas
 - (vi) location of all soil and other material stockpiles including topsoil storage, protection and reuse methodology

- (vii) procedures by which stormwater is to be collected and treated prior to discharge including details of any proposed pollution control device(s)
- (viii) frequency and nature of any maintenance program
- (ix) other site-specific soil or water conservation structures.

(34) ROAD OPENING PERMIT

A separate Road Opening Permit under Section 138 of the *Roads Act 1993* must be obtained from Council prior to the commencement of any:

- (a) Excavation in or disturbance of a public way, or
- (b) Excavation on land that, if shoring were not provided, may disturb the surface of a public road (including footpath).

(35) ASBESTOS REMOVAL WORKS

- (a) All works removing asbestos containing materials must be carried out by a suitably licensed asbestos removalist duly licensed with Safework NSW, holding either a Friable (Class A) or a Non- Friable (Class B) Asbestos Removal Licence which ever applies.

A copy of the relevant licence shall be made available to any authorised Council officer on request within 24 hours.

- (b) Five days prior to the commencement of licensed asbestos removal, Safework NSW must be formally notified of the works. All adjoining properties and those opposite the development must be notified in writing of the dates and times when asbestos removal is to be conducted. The notification must identify the licensed asbestos removal contractor and include a contact person for the site together with telephone number and email address.
- (c) All work must be carried out in accordance with the *Work Health and Safety Regulation 2011* and the NSW Government and Work Cover document entitled *How to manage and control asbestos in the work place: Code of Practice (Safework NSW)* December 2011 and the *City of Sydney Managing Asbestos Policy dated 21 October 2013 and associated guidelines*.
- (d) The asbestos removalist must use signs and barricades to clearly indicate the area where the asbestos removal work is being performed. Signs must be placed in positions so that people are aware of where the asbestos removal work area is and should remain in place until removal is completed and clearance to reoccupy has been granted. Responsibilities for the security and safety of the asbestos removal site and removal must be specified in the asbestos removal control plan (where required). This includes inaccessible areas that are likely to contain asbestos.
- (e) Warning signs must be placed so they inform all people nearby that asbestos removal work is taking place in the area. Signs must be placed at all of the main entry points to the asbestos removal work area where asbestos is present. These signs must be weatherproof, constructed of light-weight

material and adequately secured so they remain in prominent locations. The signs must be in accordance with AS 1319 -1994 *Safety Signs for the Occupational Environment* for size, illumination, location and maintenance.

- (f) Asbestos waste must only be transported and disposed of at an EPA licensed waste facility.
- (g) No asbestos products are to be reused on the site (i.e. packing pieces, spacers, formwork or fill etc).
- (h) No asbestos laden skips or bins are to be left in any public place without the written approval of Council.
- (i) A site notice board must be located at the main entrance to the site in a prominent position and must have minimum dimensions of 841mm x 594mm (A1) with any text on the notice to be a minimum of 30 point type size.

The site notice board must include the following:

- (i) contact person for the site;
- (ii) telephone and facsimile numbers and email address; and
- (iii) site activities and time frames.

(36) UTILITY SERVICES

To ensure that utility authorities are advised of the development:

- (a) Prior to the issue of a Construction Certificate a survey is to be carried out of all utility services within and adjacent to the site including relevant information from utility authorities and excavation if necessary, to determine the position and level of services.
- (b) Prior to the commencement of work the applicant is to obtain written approval from the utility authorities (e.g. Energy Australia, Sydney Water, and Telecommunications Carriers) in connection with the relocation and/or adjustment of the services affected by the construction of the underground structure. Any costs in the relocation, adjustment or support of services are to be the responsibility of the developer.

(37) WASTE AND RECYCLING MANAGEMENT - RESIDENTIAL

- (a) A Waste Management Plan is to be submitted to and approved by Council's Area Planning Manager prior to a Construction Certificate being issued. The plan must comply with the Council's *Policy for Waste Minimisation in New Developments 2005*. All requirements of the approved Waste Management Plan must be implemented during construction of the development.
- (b) The building must incorporate designated areas or separate garbage rooms constructed in accordance with Council's *Policy for Waste Minimisation in New Developments 2005*, to facilitate the separation of commercial waste and recycling from residential waste and recycling.

UPON COMPLETION OF THE DEVELOPMENT

- (c) Prior to an Occupation Certificate being issued or the use commencing, whichever is earlier, the Principal Certifying Authority must obtain Council's approval of the waste and recycling management facilities provided in the development and ensure arrangements are in place for domestic waste collection by Council.

(38) APPLICATION FOR HOARDINGS AND SCAFFOLDING INSTALLED ON OR ABOVE A PUBLIC ROAD AND OPERATING HOISTING DEVICES INCLUDING BUILDING MAINTENANCE UNITS OVER A PUBLIC ROAD

- (a) A separate application under Section 68 of the *Local Government Act 1993* and Section 138 of the *Roads Act 1993* is to be made to Council to erect a hoarding and/or scaffolding (temporary structures) on or above a public road (footway and/or roadway).
- (b) Where an approval (Permit) is granted allowing the placement of temporary structures on or above a public road the structures must comply fully with Council's *Hoarding and Scaffolding Policy; Guidelines for Hoardings and Scaffolding*; and the conditions of approval (Permit) granted including:
 - (i) maintaining a current and valid approval for the full duration that the temporary structure/s is in place;
 - (ii) maintaining temporary structure/s in a structurally sound and stable condition for the full duration of installation (Clause 2.11.1);
 - (iii) bill posters and graffiti being removed within 24 hours of their placement (Clause 2.11.2);
 - (iv) maintaining temporary structures and the public place adjoining the work site in a clean and tidy condition including repainting and/or repair of graphics (Clauses 2.11.1, 2.11.4, 2.14.1 and 3.9.3);
 - (v) maintaining a watertight deck (Type B hoardings) to prevent liquids including rainwater, falling onto the footway/roadway surfaces (Clauses 3.9.1 and 3.9.4);
 - (vi) approved site sheds on the decks of a Type B hoarding being fully screened from the public place (Clause 3.9.5);
 - (vii) material and equipment not being placed or stored on the deck of Type B hoardings, unless specifically approved by Council (Clause 3.9.4);
 - (viii) providing and maintaining operational artificial lighting systems under Type B hoardings including at high-bay truck entry points (Clause 3.9.9); and
 - (ix) ensuring all required signage is provided and maintained (Clauses 3.9.3, 3.9.6, 3.9.8, 3.10.1 and 4.2).

If it is proposed to operate a hoisting device including a building maintenance unit above a public road which swings, hoists material/equipment and/or slews any part of the device over the public road, a separate application under Section 68 of

the *Local Government Act 1993* and Section 138 of the *Roads Act 1993* must be made to Council to obtain approval.

Note: 'Building maintenance unit' means a power-operated suspended platform and associated equipment on a building specifically designed to provide permanent access to the faces of the building for maintenance (*Work Health and Safety Regulation 2011*).

(39) WORKS REQUIRING USE OF A PUBLIC PLACE

Where construction/building works require the use of a public place including a road or footpath, approval under Section 138 of the *Roads Act 1993* is to be obtained from Council prior to the commencement of work. Details of any barricade construction, area of enclosure and period of work are required to be submitted to the satisfaction of Council.

(40) FLASHINGS TO BOUNDARY WALLS

A flashing must be provided to prevent water entering between the proposed and existing external boundary walls of the adjoining properties.

Note: Attachments or connections to party walls may require the consent of the adjoining property owner/s.

(41) CONSTRUCTION ACCESS DRIVEWAYS TO BE CONSTRUCTED

Approved driveways are to be constructed for all vehicular access to the construction site in accordance with the requirements of Council's "Driveway Specifications" to the satisfaction of Council.

(42) UTILITY SERVICES

To ensure that utility authorities are advised of the development:

- (a) Prior to the issue of a Construction Certificate a survey is to be carried out of all utility services within and adjacent to the site including relevant information from utility authorities and excavation if necessary, to determine the position and level of services.
- (b) Prior to the commencement of work the applicant is to obtain written approval from the utility authorities (e.g. Energy Australia, Sydney Water, and Telecommunications Carriers) in connection with the relocation and/or adjustment of the services affected by the construction of the underground structure. Any costs in the relocation, adjustment or support of services are to be the responsibility of the developer.

SCHEDULE 1C

DURING CONSTRUCTION/PRIOR TO OCCUPATION/COMPLETION

(43) OCCUPATION CERTIFICATE TO BE SUBMITTED

An Occupation Certificate must be obtained from the Principal Certifier and a copy submitted to Council prior to commencement of occupation or use of the whole or any part of a new building, an altered portion of, or an extension to an existing building.

(44) HOURS OF WORK AND NOISE – OUTSIDE CBD

The hours of construction and work on the development must be as follows:

- (a) All work, including building/demolition and excavation work, and activities in the vicinity of the site generating noise associated with preparation for the commencement of work (eg. loading and unloading of goods, transferring of tools etc) in connection with the proposed development must only be carried out between the hours of 7.30am and 5.30pm on Mondays to Fridays, inclusive, and 7.30am and 3.30pm on Saturdays, with safety inspections being permitted at 7.00am on work days, and no work must be carried out on Sundays or public holidays.
- (b) All work, including demolition, excavation and building work must comply with the City of Sydney Code of Practice for Construction Hours/Noise 1992 and Australian Standard 2436 - 2010 Guide to Noise Control on Construction, Maintenance and Demolition Sites.
- (c) Notwithstanding the above, the use of a crane for special operations, including the delivery of materials, hoisting of plant and equipment and erection and dismantling of on site tower cranes which warrant the on-street use of mobile cranes outside of above hours can occur, subject to a permit being issued by Council under Section 68 of the Local Government Act 1993 and/or Section 138 of the Roads Act 1993.

Note: Works may be undertaken outside of hours, where it is required to avoid the loss of life, damage to property, to prevent environmental harm and/or to avoid structural damage to the building. Written approval must be given by the Construction Regulation Unit, prior to works proceeding

The *City of Sydney Code of Practice for Construction Hours/Noise 1992* allows extended working hours subject to the approval of an application in accordance with the Code and under Section 4.55 of the *Environmental Planning and Assessment Act 1979*.

(45) ENCROACHMENTS – NEIGHBOURING PROPERTIES

No portion of the proposed structure shall encroach onto the adjoining properties.

(46) ENCROACHMENTS – PUBLIC WAY

No portion of the proposed structure, including gates and doors during opening and closing operations, shall encroach upon Council's footpath area.

(47) EROSION AND SEDIMENT CONTROL

The Soil and Water Management Plan (SWMP) or Erosion and Sediment Control Plan (ESCP) which has been approved by the Principal Certifying Authority must be implemented in full during the construction period.

During the construction period;

- (a) erosion and sediment controls must be regularly inspected, repaired and maintained in working order sufficient for a 10 year Average Recurrence Interval (ARI) rainfall event;
- (b) erosion and sediment control signage available from Council must be completed and attached to the most prominent structure visible at all times when entering the site for the duration of construction; and
- (c) building operations and stockpiles must not be located on the public footway or any other locations which could lead to the discharge of materials into the stormwater system.

(48) LOADING AND UNLOADING DURING CONSTRUCTION

The following requirements apply:

- (a) All loading and unloading associated with construction activity must be accommodated on site.
- (b) If, during excavation, it is not feasible for loading and unloading to take place on site, a Works Zone on the street may be considered by Council.
- (c) A Works Zone may be required if loading and unloading is not possible on site. If a Works Zone is warranted an application must be made to Council at least 8 weeks prior to commencement of work on the site. An approval for a Works Zone may be given for a specific period and certain hours of the days to meet the particular need for the site for such facilities at various stages of construction. The approval will be reviewed periodically for any adjustment necessitated by the progress of the construction activities.
- (d) In addition to any approved construction zone, provision must be made for loading and unloading to be accommodated on site once the development has reached ground level.
- (e) The structural design of the building must allow the basement and/or the ground floor to be used as a loading and unloading area for the construction of the remainder of the development.
- (f) Where hoisting activity over the public place is proposed to be undertaken including hoisting from a Works Zone, a separate approval under Section 68 of the Local Government Act 1993 must be obtained.

(49) NO OBSTRUCTION OF PUBLIC WAY

The public way must not be obstructed by any materials, vehicles, refuse, skips or the like, under any circumstances. Non-compliance with this requirement will result in the issue of a notice by Council to stop all work on site.

(50) USE OF MOBILE CRANES

The following requirements apply:

- (a) Mobile cranes operating from the road must not be used as a method of demolishing or constructing a building.
- (b) For special operations including the delivery of materials, hoisting of plant and equipment and erection and dismantling of on site tower cranes which warrant the on-street use of mobile cranes, permits must be obtained from Council for the use of a mobile crane. The permits must be obtained 48 hours beforehand for partial road closures which, in the opinion of Council will create minimal traffic disruptions and 4 weeks beforehand in the case of full road closures and partial road closures which, in the opinion of Council, will create significant traffic disruptions.
- (c) The use of a crane for special operations, including the delivery of materials, hoisting of plant and equipment and erection and dismantling of on site tower cranes which warrant the on-street use of mobile cranes outside of approved hours of construction can occur, subject to a permit being issued by Council under Section 68 of the Local Government Act 1993 and/or Section 138 of the Roads Act 1993.

(51) HAZARDOUS AND INDUSTRIAL WASTE

Hazardous and/or industrial waste arising from the demolition/operational activities must be removed and/or transported in accordance with the requirements of the NSW Work Cover Authority pursuant to the provisions of the following:

- (a) *Protection of the Environment Operations Act 1997*
- (b) *Protection of the Environment Operations (Waste) Regulation 2005*
- (c) *Waste Avoidance and Resource Recovery Act 2001*
- (d) *Work Health and Safety Act 2011*
- (e) *Work Health and Safety Regulation 2011.*

(52) COVERING OF LOADS

All vehicles involved in the excavation and/or demolition process and departing the property with demolition materials, spoil or loose matter must have their loads fully covered before entering the public roadway.

(53) VEHICLE CLEANSING

Prior to the commencement of work, suitable measures are to be implemented to ensure that sediment and other materials are not tracked onto the roadway by vehicles leaving the site. It is an offence to allow, permit or cause materials to pollute or be placed in a position from which they may pollute waters.

(54) STREET NUMBERING – SINGLE DWELLINGS/MINOR DEVELOPMENT

Prior to an Occupation Certificate being issued, a street number must be clearly displayed at in accordance with the *Policy on Numbering of Premises within the City of Sydney*. If new street numbers or a change to street numbers is required, a separate application must be made to Council.

(55) BASIX

All commitments listed in each relevant BASIX Certificate for the development must be fulfilled prior to an Occupation Certificate being issued.

(56) SITE NOTICE OF PROJECTS DETAILS AND APPROVALS

A site notice is to be prominently displayed at the boundary to each frontage of the site for the purposes of informing the public of appropriate project details and relevant approvals. The notice(s) is to satisfy all of the following requirements:

- (a) Minimum dimensions of the notice are to measure 841mm x 594mm (A1) with any text on the notice to be a minimum of 30 point type size;
- (b) The notice is to be durable and weatherproof and is to be displayed throughout the construction period;
- (c) A copy of the first page of the development approval, building approval (including any modifications to those approvals) and any civic works approvals is to be posted alongside the notice in weatherproof casing;
- (d) The approved hours of work, the Principal Certifier including contact address and certification details, the name of the site manager, the responsible managing company, its address and 24 hour contact phone number for any enquiries, including construction/noise complaint, and the estimated date of completion of the project are to be displayed on the site notice;
- (e) The notice(s) is to be mounted at eye level on the perimeter hoardings and is also to state that unauthorised entry to the site is not permitted.
- (f) All notices and signs must be displayed in locations as specified in the City's Guidelines for Hoardings and Scaffolding.

SCHEDULE 2

PRESCRIBED CONDITIONS

The prescribed conditions in accordance with Division 8A of the *Environmental Planning and Assessment Regulation 2000* apply:

- Clause 98 Compliance with *Building Code of Australia* and insurance requirements under the *Home Building Act 1989*
- Clause 98A Erection of signs
- Clause 98B Notification of *Home Building Act 1989* requirements
- Clause 98C Conditions relating to entertainment venues
- Clause 98D Conditions relating to maximum capacity signage
- Clause 98E Conditions relating to shoring and adequacy of adjoining property

Refer to the NSW State legislation for full text of the clauses under Division 8A of the *Environmental Planning and Assessment Regulation 2000*. This can be accessed at: <http://www.legislation.nsw.gov.au>