

Attachment A

Recommended Conditions of Consent
--

CONDITIONS OF CONSENT

SCHEDULE 1A

APPROVED DEVELOPMENT/DESIGN MODIFICATIONS/COVENANTS AND CONTRIBUTIONS/USE AND OPERATION

Note: Some conditions in Schedule 1A are to be satisfied prior to issue of a Construction Certificate and some are to be satisfied prior to issue of Occupation Certificate, where indicated.

(1) APPROVED DEVELOPMENT

- (a) Development must be in accordance with Development Application No. D/2019/274 dated 21 March 2019 and the following drawings prepared by Rick's Drafting:

Drawing Number	Drawing Name	Date
18/10/1	FLOOR PLANS	01/12/2018
18/10/2	SECTION & FRONT ELEVATIONS	01/12/2018

and as amended by the conditions of this consent.

- (b) In the event of any inconsistency between the approved plans and supplementary documentation, the plans will prevail.

(2) HOURS OF OPERATION

The hours of operation are restricted to between 9.00am and 2.00am the following day, Mondays to Sundays inclusive.

(3) NO SPEAKERS OR MUSIC OUTSIDE

Speakers and/or noise amplification equipment must not be installed and music must not be played in any of the outdoor areas associated with the premises including the public domain. Speakers located within the premises must not be placed so as to direct the playing of music towards the outdoor areas associated with the premises.

(4) NO SPRUIKING NOISE

No persons (such as those commonly known as spruikers) or recordings or other devices which have the effect of spruiking are to be located on Council owned property. Furthermore, the sound level of any spruiking generated within privately owned land must not be audible on any adjacent property with a shared boundary.

(5) NOISE – COMMERCIAL PLANT / INDUSTRIAL DEVELOPMENT

- (a) Noise from commercial plant and industrial development must not exceed a project amenity/intrusiveness noise level or maximum noise level in accordance with relevant requirements of the NSW EPA [Noise Policy for Industry 2017 \(NPfI\)](#) unless agreed to by the City's Area Planning Manager. Further:
- (i) Background noise monitoring must be carried out in accordance with the long-term methodology in [Fact Sheet B](#) of the NPfI unless otherwise agreed by the City's Area Planning Manager.
 - (ii) Commercial plant is limited to heating, ventilation, air conditioning, refrigeration and energy generation equipment.
- (b) An $L_{Aeq,15\text{ minute}}$ (noise level) emitted from the development must not exceed the $L_{A90, 15\text{ minute}}$ (background noise level) by more than 3dB when assessed inside any habitable room of any affected residence or noise sensitive commercial premises at any time. Further:
- (i) The noise level and the background noise level shall both be measured with all external doors and windows of the affected residence closed.
 - (ii) Background noise measurements must not include noise from the development but may include noise from necessary ventilation at the affected premise.
- (c) Corrections in [Fact Sheet C](#) of the NPfI are applicable to relevant noise from the development measured in accordance with this condition, however duration corrections are excluded from commercial noise.

(6) SURVEILLANCE CAMERAS

- (a) CCTV surveillance cameras shall be strategically installed, operated and maintained throughout the premises with particular coverage to:
- (i) principal entrance/s and exits;
 - (ii) all areas within the premise occupied by the public (excluding toilets);
 - (iii) staircases in multilevel premises; and
 - (iv) the area within a 10m radius external to the public entrance(s) to the premise.
- (b) Suitable and clearly visible signage shall be displayed at the principal entrance(s) to the premise and in a prominent position on each floor accessible to the public, in lettering not less than 50mm in height with the words "Closed Circuit Television in use on these premises".
- (c) All CCTV recording equipment and cameras shall be of high grade digital quality capable of establishing the population and identification of patrons, offenders and incidents within the depth of field view of the cameras. In this respect each surveillance camera shall be capable of recording a minimum rate of 10 frames per second and at high resolution.

- (d) CCTV recording discs or hard drive recordings shall be retained for 28 days before being re-used, destroyed or deleted. Time and date shall be auto recorded on the disc or hard drive. The CCTV recording equipment shall be capable of reproducing a CD, DVD, USB or other appropriate digital copy of recorded footage on demand of Council or Police Officers either immediately or within 12 hours of the request being made. Copy discs must be handed to Council, Police Officer or Special Inspectors as required.
- (e) All CCTV recording devices and cameras shall be checked daily to ensure the equipment is operating correctly. The Licensee shall record this daily checking activity in the security/incident register book that meets the standards required by the Licensing Police and Council. If it is discovered at any time that the equipment is not in full operating order all reasonable steps must be taken to repair the system as soon as practicable. Where the system will not be functioning in full operating order for a period of longer than 24 hours the manager/licensee is to notify the relevant Local Area Commander of the NSW Police.
- (f) All CCTV recording devices and cameras shall be operated at all times when the premises are open to the public and, where premises do not operate 24 hours a day, continuously for at least 1 hour prior to opening and closing times of the premises.
- (g) The CCTV recording device shall be secured within the premises and only be accessible to senior management personnel so as to maintain the integrity of the recorded footage. When the premises is operating there must be at least one staff member present at the premises who is authorised to access the CCTV system and able to immediately review recordings and produce copies.
- (h) Camera views are not to be obstructed by temporary or permanent structures, signage or other impediments.

(7) SIGNAGE GENERAL REQUIREMENTS

The design of the approved signage must comply with the following:-

- (a) The signage is not to contain highly reflective materials, colours and finishes.
- (b) The signage is not to incorporate sound, vibration, odour and other emissions.

(8) SIGN ILLUMINATION

- (a) At no time is the intensity, period of intermittency and hours of illumination of the sign to cause objectionable glare or injury to the amenity of the neighbourhood and as such must be designed, installed and used in accordance with AS4282-1997 Control of Obtrusive Effects of Outdoor Lighting.
- (b) The sign(s) must not flash. Signs with flashing, chasing, pulsating or flickering lights are not permitted.
- (c) The maximum night time luminance of any sign is not to exceed 300 cd/sqm.

- (d) Signage is only permitted to be illuminated while a premises is open.
- (e) Upward facing light sources onto the signage is not permitted.

SCHEDULE 1B

PRIOR TO CONSTRUCTION CERTIFICATE/COMMENCEMENT OF WORK/HEALTH AND BUILDING

(9) HEALTH SERVICES ACCESS

The proprietor must give access to health service providers to provide information and educational activities on disease transmission issues and any other issues.

(10) MANAGEMENT OF PREMISES

A maximum of 9 sex workers are allowed to be employed on the site at any one time.

(11) PLAN OF MANAGEMENT – SEX SERVICES PREMISES

The operation of the premises must be conducted in accordance with the Plan of Management written by Julie Bates of *Urban Realists Planning & Health Consultants*, dated January 2019 that has been approved by Council. Should there be any additional or altered activities/procedures to those specified in the approved plan of management that remain within the scope of the development consent, then the plan of management must be appropriately reviewed and submitted to and approved by Council.

(12) SEX INDUSTRY PREMISES – LIGHTING

- (a) All workrooms in sex service premises must be provided with an adequate level of lighting to allow sex workers to conduct health checks of their clients for any visible signs of sexually transmitted diseases, and/or a lamp is to be provided specifically for this.
- (b) All sex on premises cubicles, booths and sexual activity areas must be fitted with a local lighting system that achieves an adequate level of luminance for the purpose of allowing patrons to conduct examination of each other for visible evidence of sexual transmitted disease and to assist safe sexual practices. User adjustable dimmer switches may be installed to achieve this.
- (c) All sex on premises cubicles, booths and sexual activity areas must be fitted with lighting that achieves a minimum luminance of 80lx for the purpose of spot cleaning. This must be achieved either through the provision of a separate zoned lighting system or incorporated into the design of the local lighting system for sexual transmitted infection examination by patrons.
- (d) The premises must be capable of being illuminated with an adequate level of lighting so that the premises can be thoroughly cleaned when patrons are not on the premises.

(13) SEX ON PREMISES VENUE – CLEANING

- (a) The premises, including any booths, cubicles, walls, floors and 'glory holes' must be constructed of durable, impervious materials with smooth finishes that are able to be cleaned easily.
- (b) A cleaning register is to be kept on the premises at all times and must be available for inspection by authorised officers on demand. The register must include but not be restricted to: date/time of all cleaning activities; printed name and signature of the employee(s) conducting the cleaning; and notation of specific areas requiring spot cleaning attention.
- (c) Spot cleaning must be conducted on as a minimum hourly basis or more frequently if needed and during peak periods.
- (d) There must be a minimum of 2 staff available at all times at the premises so as cleaning and security can be maintained.

(14) SEX SERVICES PREMISES – SHARPS WASTE DISPOSAL EQUIPMENT

A least one sharps container of a one litre or more capacity is to be provided and kept on premises at all times for use by clients or staff as required.

The container(s) are to comply with the requirements of AS4261:1994 and/or AS4031:1992 and be disposed of in accordance with the Department of Environment and Conservation's requirements.

(15) SEX SERVICES PREMISES DATABASE

Prior to the issue of an Occupation Certificate, Councils Health and Building Unit must be notified that the premises is being used for the purposes of a 'sex service premises' and the business registered on Council's database. The premises will then be subject to Council inspection.

(16) SEX SERVICES PREMISES STAFF FACILITIES

Staff facilities must be provided within the premises, in an area which is not accessible by clients and is adjacent to and accessible from work areas. The facilities must have controlled access and appropriate facilities including: a rest area with seating; fully equipped bathroom (shower, toilet and hand basin); sink with running water, water boiling facilities and fridge; food and drink preparation areas; staff lockers and health information noticeboard.

(17) SYDNEY DCP COMPLIANCE

The premises must comply with the health provisions contained in *Sydney DCP 2012 4.4.6*

(18) SIGNS/GOODS IN THE PUBLIC WAY

No signs or goods are to be placed on the footway or roadway adjacent to the property.

(19) SIGNS – SEPARATE DA REQUIRED

A separate development application for any proposed signs additional to those approved as part of this consent must be submitted to and approved by Council prior to the erection or display of any such signs.

(20) NEIGHBOURHOOD AMENITY

- (a) Signs must be placed in clearly visible positions within the sex premise requesting patrons upon leaving the premises to do so quickly and quietly, having regard to maintaining the amenity of the area. The signage shall be in bold letters not less than 25mm in height on a contrasting background.
- (b) The management/licensee must ensure that the behaviour of patrons entering and leaving the premises does not detrimentally affect the amenity of the neighbourhood.

(21) VENTILATION MINOR WORKS

The premises must be ventilated in accordance with the *Building Code of Australia* and AS1668.1-1998 and AS1668.2-1991.

(22) SHARPS WASTE MANAGEMENT CONTRACT

The operator must have a contract for the disposal of the sharps waste from the premises which:

- (a) identifies that the waste contractor is licensed to dispose of sharps waste; and
- (b) provides evidence that sharps waste has been disposed.

A copy of this contract must be retained on the premise at all times and produced to Council upon request.

(23) CLINICAL WASTE

Suitably constructed waste disposal containers with securely fitting lids must be kept on the property for the storage of any clinical, or related waste prior to final disposal of the material at a facility approved by the NSW EPA.

A licensed clinical waste contractor must be engaged to collect and dispose of all clinical waste generated on site and their contact details produced to Council upon request. Receipts of service must be kept on site specifying the volume collected and the dates of service.

(24) WASTE/RECYCLING COLLECTION

- (a) The collection of waste and recycling must only occur between 7.00am and 8.00pm weekdays and 9.00am and 5.00pm weekends and public holidays, to avoid noise disruption to the surrounding area.

- (b) Garbage and recycling must not be placed on the street for collection more than half an hour before the scheduled collection time. Bins and containers are to be removed from the street within half an hour of collection.

(25) ASBESTOS REMOVAL WORKS

- (a) All works removing asbestos containing materials must be carried out by a suitably licensed asbestos removalist duly licensed with Safework NSW, holding either a Friable (Class A) or a Non- Friable (Class B) Asbestos Removal Licence which ever applies.

A copy of the relevant licence shall be made available to any authorised Council officer on request within 24 hours.

(26) WASTE AND RECYCLING MANAGEMENT - MINOR

The proposal must comply with the relevant provisions of Council's *Guidelines for Waste Management in New Developments 2018* which requires facilities to minimise and manage waste and recycling generated by the proposal.

SCHEDULE 1C

DURING CONSTRUCTION/PRIOR TO OCCUPATION/COMPLETION

(27) OCCUPATION CERTIFICATE TO BE SUBMITTED

An Occupation Certificate must be obtained from the Principal Certifier and a copy submitted to Council prior to commencement of occupation or use of the whole or any part of a new building, an altered portion of, or an extension to an existing building.

(28) HOURS OF WORK AND NOISE – CBD

The hours of construction and work on the development must be as follows:

- (a) All work, including demolition, excavation and building work, and activities in the vicinity of the site generating noise associated with preparation for the commencement of work (eg loading and unloading of goods, transferring of tools etc) in connection with the proposed development must only be carried out between the hours of 7.00am and 7.00pm on Mondays to Fridays, inclusive, and 7.00am and 5.00pm on Saturdays, and no work must be carried out on Sundays or public holidays.
- (b) All work, including demolition, excavation and building work must comply with the *City of Sydney Code of Practice for Construction Hours/Noise 1992* and Australian Standard 2436-2010 *Guide to Noise Control on Construction, Maintenance and Demolition Sites*.
- (c) Notwithstanding the above, the use of a crane for special operations, including the delivery of materials, hoisting of plant and equipment and erection and dismantling of on site tower cranes which warrant the on-street use of mobile cranes outside of above hours can occur, subject to a permit being issued by Council under Section 68 of the Local Government Act 1993 and/or Section 138 of the Roads Act 1993.

Note: Works may be undertaken outside of hours, where it is required to avoid the loss of life, damage to property, to prevent environmental harm and/or to avoid structural damage to the building. Written approval must be given by the Construction Regulation Unit, prior to works proceeding.

The *City of Sydney Code of Practice for Construction Hours/Noise 1992* allows extended working hours subject to the approval of an application in accordance with the Code and under Section 4.55 of the *Environmental Planning and Assessment Act 1979*.

(29) NO OBSTRUCTION OF PUBLIC WAY

The public way must not be obstructed by any materials, vehicles, refuse, skips or the like, under any circumstances. Non-compliance with this requirement will result in the issue of a notice by Council to stop all work on site.

SCHEDULE 2

PRESCRIBED CONDITIONS

The prescribed conditions in accordance with Division 8A of the *Environmental Planning and Assessment Regulation 2000* apply:

- Clause 98 Compliance with *Building Code of Australia* and insurance requirements under the *Home Building Act 1989*
- Clause 98A Erection of signs
- Clause 98B Notification of *Home Building Act 1989* requirements
- Clause 98C Conditions relating to entertainment venues
- Clause 98D Conditions relating to maximum capacity signage
- Clause 98E Conditions relating to shoring and adequacy of adjoining property

Refer to the NSW State legislation for full text of the clauses under Division 8A of the *Environmental Planning and Assessment Regulation 2000*. This can be accessed at: <http://www.legislation.nsw.gov.au>