

# **Attachment A**

**Recommended Conditions of Consent**

## CONDITIONS OF CONSENT

### SCHEDULE 1A

#### APPROVED DEVELOPMENT/DESIGN MODIFICATIONS/COVENANTS AND CONTRIBUTIONS/USE AND OPERATION

**Note:** Some conditions in Schedule 1A are to be satisfied prior to issue of a Construction Certificate and some are to be satisfied prior to issue of Occupation Certificate, where indicated.

#### (1) APPROVED DEVELOPMENT

- (a) Development must be in accordance with Development Application No. D/2018/1138 dated 21 September 2018 and the following drawings::

Drawing Number	Drawing Name	Date
SHEET 01	SITE PLAN	18/4/19
SHEET 03	PROPOSED FLOOR PLANS	18/4/19
SHEET 04	ROOF PLAN	18/4/19
SHEET 05	ELEVATIONS N & S	18/4/19
SHEET 06	ELEVATIONS E & W	18/4/19
SHEET 07	SECTIONS	18/4/19
SHEET 08	FINISHES SCHEDULE	18/4/19
SHEET 09	PARKING PLAN	18/4/19

and as amended by the conditions of this consent.

- (b) In the event of any inconsistency between the approved plans and supplementary documentation, the plans will prevail.

#### (2) USE OF THE NEW PRAYER HALL

The use of the new prayer hall must only commence from the date of issue of the Occupation Certificate for the proposed works.

#### (3) ON-GOING USE

The on-going use of the site is to be in accordance with Development Consent No. DU/1990/27.

#### (4) AFFORDABLE HOUSING CONTRIBUTION - GREEN SQUARE - PAYMENT OF MONEY IN LIEU OF FLOOR SPACE

In accordance with Clause 7.13 of *Sydney Local Environmental Plan 2012* and prior to a Construction Certificate being issued, the applicant must provide evidence that a monetary contribution towards the provision of affordable housing has been paid at the office of the Department of Planning or a bank guarantee in favour of The Department of Planning to the value of the required contribution has been lodged. The contribution is \$12,155.52 based on the in lieu monetary contribution rate for non-residential development at \$77.92 per square metre of

total non-residential floor area 156sqm. Contributions will be indexed in accordance with the formula set out below.

Prior to an Occupation Certificate being issued or the use commencing, whichever is earlier, the applicant must provide evidence that the bank guarantee referred to above has been redeemed as payment of this contribution. If the contribution is paid after the indexation period in which the consent is granted 1 March 2019 to 29 February 2020, the amount of the contribution will be indexed in accordance with the formula set out below.

Notes:

- (a) Applicants have two payment options:

Option 1 is payment by bank cheque using "Form B - Receipt to Release Certificate of Construction after payment by Bank Cheque". Form B must be obtained from the Green Square Project Team in the City Strategy and Design Unit at the City of Sydney, and then must be lodged with a bank cheque with the NSW Department of Planning.

Option 2 is lodgement of a bank guarantee using "Form A - Receipt to Release Certificate of Construction after lodgement of Bank Guarantee". Form A must be obtained from the Green Square Project Team [GSPT@cityofsydney.nsw.gov.au](mailto:GSPT@cityofsydney.nsw.gov.au) in the City Strategy and Design Unit at the City of Sydney, and then must be lodged with a Bank Guarantee with the NSW Department of Planning.

Where Form A has been used, an occupation certificate will not be released until payment by bank cheque using "Form C - Receipt to Release Certificate of Occupancy after payment by Bank Cheque". Form C must be obtained from the Green Square Project Team [GSPT@cityofsydney.nsw.gov.au](mailto:GSPT@cityofsydney.nsw.gov.au) in the City Strategy and Design Unit at the City of Sydney and then must be lodged with a bank cheque with the NSW Department of Planning.

- (b) Applicants are made aware that the contribution amount quoted in this condition may not be final and that a correct indexed affordable housing contribution amount can be obtained from the relevant Form A, B or C at time of payment.
- (c) Forms A, B or C for payment of the affordable housing contribution can only be obtained from the City of Sydney, 456 Kent Street Sydney. Quote the development application number and the relevant Council officer will provide the applicant with an indexed contribution amount which must be paid at the Department of Planning. To arrange payment, contact the Housing Policy Team, NSW Department of Planning on Ph: 9228 6111 or Fax: 9228 6455 to arrange a time for payment.
- (d) The contribution will be indexed on the basis of the Established House Price Index for Sydney as published by the Australian Bureau of Statistics.
- (e) Contributions at Time of Payment =  $C \times \text{HPI2} / \text{HPI1}$ , where:
- (i) C is the original contribution amount as shown above;

- (ii) HPI2 is the Established House Price Index: All Groups Index for Sydney available from the Australian Bureau of Statistics at the time of the payment; and
- (iii) HPI1 is the Established House Price Index: All Groups Index for Sydney available from the Australian Bureau of Statistics that applied at the date of the consent 1 March 2019 to 29 February 2020.

The amount of the monetary contribution is calculated on the total floor area (not a percentage of it). Contribution = (total residential floor area sqm) x residential rate (\$) + (total non-residential floor area (sqm) x non-residential rate (\$) + (total non-residential floor area (sqm) x non-residential rate (\$)

#### **(5) HOURS OF USE**

The hours of operation are regulated as follows:

- (a) The hours of use must be restricted to between 7.00am and 10.00pm, Monday to Sunday.
- (b) Notwithstanding (a) above, the use may operate between 6.00am and 7.00am, Monday to Sunday, for a trial period of 1 year from the date of issue of the Occupation Certificate. Council's Health and Building Unit is to be informed in writing of the date of commencement of the trial hours. Email notification is to be sent to [liquor@cityofsydney.nsw.gov.au](mailto:liquor@cityofsydney.nsw.gov.au)
- (c) A further application may be lodged to continue the operating hours outlined in (b) above not less than 30 days before the end of the trial period. Council's consideration of a proposed continuation and/or extension of the hours permitted by the trial will be based on, among other things, the performance of the operator in relation to the compliance with development consent conditions, any substantiated complaints received and any views expressed by the Police.

#### **(6) PLAN OF MANAGEMENT**

The use must always be operated / managed in accordance with the Plan of Management, prepared by Juniper Lane Heritage and Planning dated 9 August 2019 (2019/399545) and the operational measures within section 6.3 of the acoustic report by Telemetrix PTY LTD dated 9 August 2019, Project number 17081901J version 6 (2019/399545) that has been approved by Council.

In the event of any inconsistency, the conditions of this consent will prevail over the Plan of Management.

#### **(7) COMPLIANCE WITH THE ACOUSTIC REPORT PRIOR TO CONSTRUCTION AND OR OCCUPATION CERTIFICATES**

- (a) All relevant performance parameters (including but not limited to requirements, engineering assumptions and recommendations) in the updated DA Acoustic Report Environmental Noise Assessment, prepared by Telemetrix PTY LTD dated April 2019, Project number 17081901J

version 6 (2019/399545) must be implemented in the development prior to the commencement of the use of new prayer hall.

- (b) Prior to the issue of any relevant Construction Certificate, the final construction drawings and final construction methodology must be assessed and reported to be in accordance with the requirements of the DA Acoustic Report in (a) above, with reference to relevant documentation. This must be done by a Suitably Qualified Acoustic Consultant\* (see definition below). This work will be to the satisfaction of the certifier.
- (c) Prior to the issue of an Occupation Certificate, a Suitably Qualified Acoustic Consultant\* is to provide a written Acoustic Verification Report to the satisfaction of the Principal Certifier that the development complies with the requirements set out in the Report and in (a) and (b) above.

Note: *Suitably Qualified Acoustic Consultant* means a consultant who possesses the qualifications to render them eligible for membership of the Australian Acoustics Society, Institution of Engineers Australia or the Association of Australian Acoustic Consultants at the grade of member.

- (d) All physical aspects of the building's structure installed in order to meet performance parameters in accordance with this condition must be maintained at all times.

## **(8) NOISE**

- (a) The  $L_{A10, 15 \text{ minute}}$  noise level emitted from the use must not exceed the background noise level ( $L_{A90, 15 \text{ minute}}$ ) in any Octave Band Centre Frequency (31.5 Hz to 8 kHz inclusive) by more than 5dB between the hours of 7.00am and 12.00 midnight when assessed at the boundary of any affected residence.
- (b) The  $L_{A10, 15 \text{ minute}}$  noise level emitted from the use must not exceed the background noise level ( $L_{A90, 15 \text{ minute}}$ ) in any Octave Band Centre Frequency (31.5 Hz to 8 kHz inclusive) between the hours of 12.00 midnight and 7.00am when assessed at the boundary of any affected residence.
- (c) Notwithstanding compliance with (a) and (b) above, noise from the use when assessed as an  $L_{A10, 15 \text{ minute}}$  enters any residential use through an internal to internal transmission path is not to exceed the existing internal  $L_{A90, 15 \text{ minute}}$  (from external sources excluding the use) in any Octave Band Centre Frequency (31.5 Hz to 8 kHz inclusive) when assessed within a habitable room at any affected residential use between the hours of 7am and 12midnight. Where the  $L_{A10, 15 \text{ minute}}$  noise level is below the threshold of hearing,  $T_f$  at any Octave Band Centre Frequency as defined in Table 1 of International Standard ISO 226 : 2003- Normal Equal-Loudness-Level Contours then the value of  $T_f$  corresponding to that Octave Band Centre Frequency shall be used instead.
- (d) Notwithstanding compliance with (a), (b) and (c) above, the noise from the use must not be audible within any habitable room in any residential use between the hours of 12.00 midnight and 7.00am.
- (e) The  $L_{A10, 15 \text{ minute}}$  noise level emitted from the use must not exceed the background noise level ( $L_{A90, 15 \text{ minute}}$ ) in any Octave Band Centre Frequency

(31.5 Hz to 8 kHz inclusive) by more than 3dB when assessed indoors at any affected commercial premises.

Note: The  $L_{A10, 15 \text{ minute}}$  noise level emitted from the use is as per the definition in the Australian Standard AS1055-1997 Acoustics – Description and measurement of environmental noise. The background noise level  $L_{A90, 15 \text{ minute}}$  is to be determined in the absence of noise emitted by the use and be representative of the noise sensitive receiver. Background noise monitoring must be carried out in accordance with the long-term methodology in Fact Sheet B of the NPfl unless otherwise agreed by the City's Area Planning Manager.

## **(9) NOISE – COMMERCIAL PLANT / INDUSTRIAL DEVELOPMENT**

- (a) Noise from commercial plant and industrial development must not exceed a project amenity/intrusiveness noise level or maximum noise level in accordance with relevant requirements of the NSW EPA [Noise Policy for Industry 2017 \(NPfl\)](#) unless agreed to by the City's Area Planning Manager. Further:
- (i) Background noise monitoring must be carried out in accordance with the long-term methodology in [Fact Sheet B](#) of the NPfl unless otherwise agreed by the City's Area Planning Manager.
  - (ii) Commercial plant is limited to heating, ventilation, air conditioning, refrigeration and energy generation equipment.

### **For internal residential and commercial amenity only**

- (b) An  $L_{Aeq, 15 \text{ minute}}$  (noise level) emitted from the development must not exceed the  $L_{A90, 15 \text{ minute}}$  (background noise level) by more than 3dB when assessed inside any habitable room of any affected residence or noise sensitive commercial premises at any time. Further:
- (i) The noise level and the background noise level shall both be measured with all external doors and windows of the affected residence closed.
  - (ii) Background noise measurements must not include noise from the development but may include noise from necessary ventilation at the affected premise.

## **(10) NO SPEAKERS OUTSIDE**

Speakers and/or noise amplification equipment must not be installed and amplified voices must not be played in any of the outdoor areas associated with the premises including the public domain. Speakers located within the premises must not be placed so as to direct the playing of amplified voices towards the outdoor areas associated with the premises.

## **(11) ALLOCATION OF PARKING**

The number of car parking spaces to be provided for the development shall not exceed the table below. Details confirming the parking numbers shall be submitted

to the satisfaction of the Certifying Authority prior to the issue of a Construction Certificate.

Car Parking Type	Number
Place of public worship/entertainment facility car parking	11
Accessible place of public worship/entertainment facility car parking	1
Total	11

## (12) PARKING DESIGN

The design, layout, signage, line marking, lighting and physical controls of all off-street parking facilities must comply with the *Australian Standard AS/NZS 2890.1 - 2004 Parking facilities Part 1: Off-street car parking* and *Australian Standard AS/NZS 2890.6 - 2009 Parking facilities Part 6: Off-street parking for people with disabilities*. The details must be submitted to and approved by the Principal Certifier prior to a Construction Certificate being issued.

## (13) SMALL CAR PARKING SPACES AND DIMENSIONS

The design and layout of all off-street small car parking spaces must comply with the minimum requirements of Australian Standard AS/NZS 2890.1 - 2004 Parking facilities Part 1: Off-street car parking and Council's Development Control Plan. The details must be submitted to and approved by the Principal Certifying Authority prior to a Construction Certificate being issued.

All small car spaces must be clearly marked and identifiable as small car spaces. The signs or line markings must be in place and approved by the Principal Certifier prior to an Occupation Certificate being issued and must be maintained in good order at all times.

## (14) COST OF SIGNPOSTING

All costs associated with signposting of kerbside parking restrictions and traffic management measures associated with the development shall be borne by the developer.

## (15) BICYCLE PARKING AND END OF TRIP FACILITIES

The minimum number of bicycle parking spaces and end of trip facilities to be provided for the development must comply with the table below.

User	Quantity	Requirements
Staff	2	Class B bicycle parking facility in accordance with AS2890.3
Visitor/users of the site	8	Class C bicycle parking facility in accordance with AS2890.3
End of Trip Facility Type	Number	

Personal lockers	2	
------------------	---	--

The layout, design and security of bicycle facilities must comply with *Australian Standard AS 2890.3:2015 Parking Facilities Part 3: Bicycle Parking Facilities*. The details must be submitted to and approved by the Principle Certifier confirming prior to the Construction Certificate being issued.

**(16) SERVICE VEHICLE SIZE LIMIT**

The size of vehicles servicing the property must not exceed 5.2 m.

**(17) TRANSPORT ACCESS GUIDE**

The Transport Access Guide submitted with this application must be implemented and maintained (updated/revised from time to time) by the operators of the premises and be made available to staff, clients, customers and visitors at all times. TAG should specially refer to the users of the site in the case of full capacity gathering / function/ special prayers through the booking system and/or all sorts of communication (electronic and printed) media.

**(18) BIG EVENTS AND PRAYERS TRAFFIC AND PARKING MANAGEMENT PLAN**

The Traffic, Parking and associated Vehicle Queue Management plans and strategies as outlined in the Plan of Management that is submitted with this application must be implemented and maintained by the operators of the premises for *all the full capacity event/prayer occasions* at all times.

Any change in the traffic, parking and vehicle queue management from the approved POM must be submitted to the Council and approved by the Council's Director City Planning, Development and Transport prior to grant the consent to continue the current use of the site.

## **SCHEDULE 1B**

### **PRIOR TO CONSTRUCTION CERTIFICATE/COMMENCEMENT OF WORK/HEALTH AND BUILDING**

#### **(19) ASBESTOS REMOVAL WORKS**

- (a) All works removing asbestos containing materials must be carried out by a suitably licensed asbestos removalist duly licensed with Safework NSW, holding either a Friable (Class A) or a Non- Friable (Class B) Asbestos Removal Licence which ever applies.

A copy of the relevant licence shall be made available to any authorised Council officer on request within 24 hours.

#### **(20) STORMWATER AND DRAINAGE - MINOR DEVELOPMENT**

- (a) The drainage system is to be constructed in accordance with the City's standard requirements as detailed in the City of Sydney's Stormwater Drainage Manual, as amended from time to time.

The development is to be designed so that the flow of pollutants from the site due to stormwater is reduced.

#### **(21) WASTE AND RECYCLING MANAGEMENT - MINOR**

The proposal must comply with the relevant provisions of Council's *Guidelines for Waste Management in New Developments 2018* which requires facilities to minimise and manage waste and recycling generated by the proposal.

#### **(22) ACCESS AND FACILITIES FOR PERSONS WITH DISABILITIES**

The building must be designed and constructed to provide access and facilities for people with a disability in accordance with the *Building Code of Australia*.

If, in complying with this condition, amendments to the development are required, the design changes must be submitted to and approved by Council prior to a Construction Certificate being issued.

#### **(23) STRUCTURAL CERTIFICATION FOR EXISTING BUILDING – ALTERATIONS AND ADDITIONS**

A qualified practising certified structural engineer must provide structural certification to Council (where Council is the Principal Certifier) verifying that the existing structure can adequately support the proposed new loads and the structural design complies with the Structural Provisions of Part B1 (Vol 1) and Part 2.1 (Vol 2) of the *Building Code of Australia* prior to a Construction Certificate being issued. The proposed additional loads and/or alterations must not cause a decrease in the existing structural performance of the building including its performance under earthquake actions (AS1170.4).

## **(24) GENERAL HERITAGE**

- (a) The proposed works are to be carried out in a manner that minimises demolition, alterations and new penetrations/fixings to the significant fabric of the existing building which is listed as a Heritage Item.
- (b) The fabric and features to be retained by the proposal must be properly protected during the process of demolition and construction. The protection measures are to be specified in the construction management plan.
- (c) All conservation and adaptation works are to be in accordance with the Articles of the Australian ICOMOS Burra Charter 2013.
- (d) New services are to be surface mounted rather than chased-in to existing walls to minimise impact on heritage fabric.
- (e) Appropriately qualified tradespersons (as appropriate) are to be commissioned who are skilled in traditional building and engineering trades to carry out the proposed scope of works.

## **(25) STREET TREE PROTECTION**

Street trees must be protected in accordance with the Australian Standard 4970 Protection of Trees on Development Sites. All street trees must be protected during the construction works as follows:

- (a) Tree trunk and major limb protection must be undertaken prior to or during the installation of any hoarding or scaffoldings. The protection must be installed by a qualified Arborist (AFQ 2 or 3) and must include:
  - (i) An adequate clearance, minimum 250mm, must be provided between the structure and tree branches, limbs and truck at all times;
  - (ii) Tree trunk/s and/or major branches, located within 500mm of any hoarding or scaffolding structure, must be protected by wrapped hessian or similar material to limit damage, and
  - (iii) Timber planks (50mm x 100mm or similar) must be placed around tree trunk/s. The timber planks must be spaced at 100mm intervals, and must be fixed against the trunk with tie wire, or strapping. The hessian and timber planks must not be fixed to the tree in any instance, or in any fashion,
  - (iv) Tree trunk and major branch protection is to remain in place for the duration of construction and development works, and must be removed at the completion of the project.
- (b) All hoarding support columns are to be placed a minimum of 300mm from the edge of the existing tree pits/setts, so that no sinking or damage occurs to the existing tree setts. Supporting columns must not be placed on any tree roots that are exposed.
- (c) Materials or goods, including site sheds, must not be stored or placed:
  - (i) around or under the tree canopy; or

- (ii) within two (2) metres of tree trunks or branches of any street trees.
- (d) Protective fencing (1.8 metre chain wire mesh fencing) must be erected on top of the hoarding [Tree Management Team to insert location of hoarding and affected trees] to protect branches during the construction works.
- (e) Any damage sustained to street tree/s as a result of the erection of hoardings, scaffolding, or due to the loading/unloading of vehicles adjacent the site, must be immediately reported to the Council's Street Tree Contract Coordinator on 9265 9333, in order to determine the appropriate action for maintaining the health and structural integrity of any damaged street tree.

## **(26) WASTE AND RECYCLING COLLECTION CONTRACT**

Prior to an Occupation Certificate being issued and/or commencement of the use, whichever is earlier, the building owner must ensure that there is a contract with a licensed contractor for the removal of **all waste**. No garbage is to be placed on the public way, e.g. footpaths, roadways, plazas, reserves, at any time.

## **SCHEDULE 1C**

### **DURING CONSTRUCTION/PRIOR TO OCCUPATION/COMPLETION**

#### **(27) OCCUPATION CERTIFICATE TO BE SUBMITTED**

An Occupation Certificate must be obtained from the Principal Certifier and a copy submitted to Council prior to commencement of occupation or use of the whole or any part of a new building, an altered portion of, or an extension to an existing building.

#### **(28) HOURS OF WORK AND NOISE – OUTSIDE CBD**

The hours of construction and work on the development must be as follows:

- (a) All work, including building/demolition and excavation work, and activities in the vicinity of the site generating noise associated with preparation for the commencement of work (eg. loading and unloading of goods, transferring of tools etc) in connection with the proposed development must only be carried out between the hours of 7.30am and 5.30pm on Mondays to Fridays, inclusive, and 7.30am and 3.30pm on Saturdays, with safety inspections being permitted at 7.00am on work days, and no work must be carried out on Sundays or public holidays.
- (b) All work, including demolition, excavation and building work must comply with the City of Sydney Code of Practice for Construction Hours/Noise 1992 and Australian Standard 2436 - 2010 Guide to Noise Control on Construction, Maintenance and Demolition Sites.
- (c) Notwithstanding the above, the use of a crane for special operations, including the delivery of materials, hoisting of plant and equipment and erection and dismantling of on site tower cranes which warrant the on-street use of mobile cranes outside of above hours can occur, subject to a permit being issued by Council under Section 68 of the Local Government Act 1993 and/or Section 138 of the Roads Act 1993.

Note: Works may be undertaken outside of hours, where it is required to avoid the loss of life, damage to property, to prevent environmental harm and/or to avoid structural damage to the building. Written approval must be given by the Construction Regulation Unit, prior to works proceeding

The *City of Sydney Code of Practice for Construction Hours/Noise 1992* allows extended working hours subject to the approval of an application in accordance with the Code and under Section 4.55 of the *Environmental Planning and Assessment Act 1979*.

#### **(29) LOADING AND UNLOADING DURING CONSTRUCTION**

The following requirements apply:

- (a) All loading and unloading associated with construction activity must be accommodated on site.

- (b) If it is not feasible for loading and unloading to take place on site, a Works Zone on the street may be considered by Council.
- (c) A Works Zone may be required if loading and unloading is not possible on site. If a Works Zone is warranted an application must be made to Council at least 8 weeks prior to commencement of work on the site. An approval for a Works Zone may be given for a specific period and certain hours of the days to meet the particular need for the site for such facilities at various stages of construction. The approval will be reviewed periodically for any
- (d) Where hoisting activity over the public place is proposed to be undertaken including hoisting from a Works Zone, a separate approval under Section 68 of the Local Government Act 1993 must be obtained.

**(30) NO OBSTRUCTION OF PUBLIC WAY**

The public way must not be obstructed by any materials, vehicles, refuse, skips or the like, under any circumstances. Non-compliance with this requirement will result in the issue of a notice by Council to stop all work on site.

**(31) USE OF MOBILE CRANES**

The following requirements apply:

- (a) Mobile cranes operating from the road must not be used as a method of demolishing or constructing a building.
- (b) For operations warranting the on-street use of mobile cranes (such as delivery of materials, hoisting of plant/equipment, erection and dismantling of onsite tower cranes, etc), permits must be obtained from Council for the use of a mobile crane. The permits must be obtained 48 hours beforehand for partial road closures which, in the opinion of Council will create minimal traffic disruptions and 4 weeks beforehand in the case of full road closures and partial road closures which, in the opinion of Council, will create significant traffic disruptions.
- (c) Special operations and the use of mobile cranes must comply with the approved hours of construction. Mobile cranes must not be delivered to the site prior to 7.30am without the prior approval of Council.

**(32) USE OF HIGH NOISE EMISSION APPLIANCES / PLANT**

- (a) The operation of high noise emission appliances, plant and/or machinery such as pile – drivers, rock breakers and hydraulic hammers and those which are not listed in Groups B, C, D, E or F of Schedule 1 of the *City of Sydney Code of Practice for Construction Hours/Noise 1992* and Australian Standard 2436-2010 *Guide to Noise Control on Construction, Maintenance and Demolition Sites* is restricted to the hours of 9am to 12.30pm and 2pm to 4.30pm Mondays to Fridays and 9pm to 1.30pm Saturdays.
- (b) All reasonable and feasible steps must be undertaken to ensure that the work, including demolition, excavation and building complies with the *City of Sydney Code of Practice for Construction Hours/Noise 1992* and Australian

Standard 2436- 2010 *Guide to Noise Control on Construction, Maintenance and Demolition Sites.*

## SCHEDULE 2

### PRESCRIBED CONDITIONS

The prescribed conditions in accordance with Division 8A of the *Environmental Planning and Assessment Regulation 2000* apply:

- Clause 98 Compliance with *Building Code of Australia* and insurance requirements under the *Home Building Act 1989*
- Clause 98A Erection of signs
- Clause 98B Notification of *Home Building Act 1989* requirements
- Clause 98C Conditions relating to entertainment venues
- Clause 98D Conditions relating to maximum capacity signage
- Clause 98E Conditions relating to shoring and adequacy of adjoining property

Refer to the NSW State legislation for full text of the clauses under Division 8A of the *Environmental Planning and Assessment Regulation 2000*. This can be accessed at: <http://www.legislation.nsw.gov.au>