Attachment A22

RFI Response - 15 October 2021- Part One 757-763 George Street, Haymarket



15 October 2021

Graham Jahn Director of City Planning, Development and Transport City of Sydney Town Hall House Level 2, 456 Kent Street, SYDNEY, NSW 2000

Attention: Sally Peters

Dear Sally,

RE: RESPONSE TO REQUEST FOR FURTHER INFORMATION - 757 - 763 GEORGE STREET, HAYMARKET

This letter has been prepared on behalf of Samprian Pty Ltd (the Applicant) in relation to their land at 757 – 763 George Street, Haymarket (the site). The site is the subject of a Planning Proposal (PP ref no PP-2020-1110.) that seeks to amend the height of buildings and floor space ratio (FSR) development standards that apply to the site under the *Sydney Local Environmental Plan 2012* (Sydney LEP 2012). The purpose of this letter is to respond to the issues raised by the City of Sydney (Council) in their Request for Information letter dated 22 February 2021.

The Planning Proposal for site was submitted to Council on 31 October 2020 and sought to facilitate the delivery of a commercial / hotel tower that adaptively reuses the heritage item contained within the site. Since the lodgement of the application, the Applicant has worked in close consultation with Council to revise the design and address a range of concerns.

This letter should be read in conjunction with the following supporting attachments:

- Amended Architectural Design Report prepared by Grimshaw (Attachment 1);
- Revised Planning Proposal Report prepared by Mecone (Attachment 2);
- Revised Landscape Plans and Public Domain Plan prepared by Site Image (Attachment 3);
- Wind Impact Assessment Prepared by Windtech (Attachment 4);
- Revised Preliminary Public Art Strategy prepared by Site Image (Attachment 5);
- Updated Traffic Impact Assessment prepared by Traffix (Attachment 6);
- Revised Stormwater Concept Plans prepared by Telford Civil (Attachment 7);
- Flood Statement prepared by Teleford Civil (Attachment 8); and
- Amended Site Specific DCP prepared by Mecone (Attachment 9).

A response to each of the issues raised is set out in the sections below.

1. Relevant Project Background

Level 12, 179 Elizabeth St, Sydney NSW 2000 | ABN: 37 1488 46806 T: 02 8667 8668 | F: 02 8079 6656 E: info@mecone.com.ag4dW: mecone.com.au On the 31 October 2020, the Applicant submitted a Planning Proposal to Council requesting LEP amendments to the maximum building height and FSR development standards. The proposed amendments include the introduction of a site specific clause within Division 5 of the SLEP 2012 to establish a maximum:

- Building height of RL 117.87 (105.87m from ground level);
- FSR of 12:1 above ground; and
- FSR of 2.0 below ground for specific ancillary uses.

Following the lodgement of the Planning Proposal, Council provided the applicant with a formal written Request for Further Information letter dated 22 February 2021. The request raised concern with the following key issues:

- Building separation to Capitol Terrace;
- Wind impacts in the public domain resulting from the building envelope; and
- Vertical separation between the proposed envelope overhang and the heritage Sutton Forest Meat building.

Subsequently, the Applicant attended a meeting with Council on 22 March 2021 where a range of possible amendments to the Planning Proposal were discussed. The suggested **amendments were proposed in response to the issues raised in Council's** letter. Following this meeting, further correspondence from Council was issued on 16 April 2021. This correspondence identified the following key issues:

- The increased building separation of the upper level setback of 3m should be maintained;
- The minimum northern building separation to Capitol Terrace be increased to a minimum of 2.8m;
- The minimum southern boundary setback of 8m be maintained as per the initial plans; and
- The western boundary setback of 4m be maintained as per the initial plans;

Following the receipt of this email correspondence, the Applicant and project team sought to amend the setbacks in response to Council's comments. The Applicant issued correspondence to Council on the 19 May 2021 outlining and illustrating the proposed setbacks. Council responded to this correspondence via an email dated 2 June 2021 which provided further guidance on the proposed setbacks.

Council's commentary from 2 June 2021 can be summarised as follows:

- Council confirmed their support for the 3m setback subject to the outcome of public domain environmental testing;
- That a minimum 2.8m separation between the proposal and Capitol Terrace be maintained; and
- Where the setback is not large enough to accommodate a building maintenance unit, then there is to be no windows included on that elevation.

Following the receipt of this advice, the Applicant's proposal has adopted the recommended setbacks and has been the subject of wind tunnel testing. Further discussion is provided below along with a response to each of the items raised by Council in their correspondence dated 22 February 2021.



2. Amended Design

The Planning Proposal continues to seek approval for the introduction of a site specific clause to Division 5 of the SLEP 2012 to increase the site's permissible:

- Building height from 50m to RL 117.87 (105.87m) from ground level; and
- FSR from 7.5:1 to 12:1.

The Planning Proposal is accompanied by a site-specific DCP and indicative design concept which reflects the built form potential capable of being delivered within the parameters of the proposed LEP amendments.

The preferred scheme as amended comprises the following:

- Demolition of the existing building located at 757 759 George Street;
- Adaptive reuse of the heritage listed building located 761 763 George Street and demolition of its non-significant fabric;
- Construction of a 30 storey mixed use hotel building with a gross floor area of 12,146.89m² (FSR 11.8:1) comprising:
 - A maximum height of RL 117.87 or 105.87m measured from ground level;

280 hotel rooms of a 3.5-star grade;

- Hotel amenity rooms;
- A podium containing 324m² of retail floor space;
- Construction of a two (2) level basement accessible from Valentine Street, comprising:
 - Seven (7) valet vehicle spaces accessible from a car lift;
 - End-of-trip facilities;
 - Services, BOH and plant;
 - Bike storage and
- Public domain upgrades.

The preferred scheme is illustrated in the revised Architectural Design Report prepared by Grimshaw at Attachment 1.

In light of the above, the following design changes have been made

- The GFA associated with the preferred scheme has been reduced from 12,318m (FSR 12:1) to 12,145m² (FSR 11.8:1) to accommodate the revised setbacks;
- The through-site link is proposed to be deleted;
- The setbacks have been revised as follows:
 - North east: Increased from 1.8m to 3m;
 - North west: has been increased from 0.4m to 1.6m;
 - West: reduced from 4m 4.4m to 3m; and
- The indicative locations for public art have been amended.
- 3. Response to Issues



A response to the issues raised by Council in their written correspondence dated 22 February 2021 is provided in the section below under the relevant headings.

3.1 Building Separation to Capitol Terraces

Issue: The proposed envelope has a 1.6m setback from the apartments in the Capitol Terrace building to the north. The setback is insufficient and will result in the loss of daylight and outlook from the apartments. It is recommended that the setback from the northern boundary is increased to mirror Capitol Terrace's setback from its southern boundary and the upper level setback increased to a minimum of 3m.

Response

In response to Council's feedback, the northern setbacks have been revised. Specifically, the following amendments have been made:

- The north eastern setback to Capitol Terrace has been increased from 1.8m to 3m;
- The north western setback to Capitol Terrace has been increased from 0.4m to 1.6m; and
- The western setback to 187 Thomas Street has been reduced from 4m 4.4m to 3m.

For a building of the proposed height (105.87m) located in the Haymarket / Chinatown Special Character Area, the Draft DCP requires that 4m northern and western setbacks be provided for the full height of the tower. Notwithstanding the numerical requirement, the Draft DCP permits variations to the setback controls where the preferred envelope complies with the equivalence testing requirements set out by Procedure B, Schedule 11 of the draft CSPS DCP. In light of this, Council has issued formal email correspondence (dated 16 April 2021) outlining that the proposed setback arrangement may be considered appropriate subject to environmental testing.


In accordance with Council's written request as outlined in the Request for Information letter (dated 22 February 2021), the northern setback has been revised to reflect the setbacks provided by Capitol Terrace. At its narrowest point, the northern setback to the common boundary reaches 1.6m. The building known as Capitol Terrace provides a 1.2m setback to its boundary. Combined, the total building separation between the two developments amounts to 2.8m.

The western setback to 187 Thomas Street has been reduced from 4.4m to 3m. The setback complies with the Sydney DCP 2012, however, contravenes the Draft CSPS DCP which nominates a 4m setback for a building of the proposed height. The reduced setback has been determined with reference to the setback associated with the scheme proposed for 187 Thomas Street which initially proposed a 1m setback to its eastern common boundary. Council has confirmed via written correspondence dated 16 April 2021 that a 3m setback may be considered reasonable if the scheme is able to satisfy the environmental equivalence testing set out by Procedure B, Schedule 11.

Further discussion regarding the environmental equivalence testing is provided in Section 3.3 and the Wind Impact Assessment at Attachment 4 which confirms the scheme complies with the pedestrian wind comfort requirements of Procedure B.

A comparison between the former and revised setbacks is provided in the figures below and the Amended Architectural Plans at Attachment 1.







Source: Grimshaw (Urban Design Report Dated October 2020)



Figure 2 – Revised Setback Arrangement Source: Grimshaw (Urban Design Report Dated October 2021)



3.2 Vertical Separation Between the Tower and Heritage Item

Issue: While the southern setback may be acceptable as it maintains views towards Christ Church St Laurence along Valentine Street (to be confirmed), the vertical separation between the heritage item is insufficient and not supportable as an appropriate setting for the item. It is recommended the vertical separation between the heritage item and the tower be substantially increased. Studies should be made to increase this space.

Response

The vertical separation between the tower and the heritage building measured from the ridge line of the heritage item to the underside of the tower's canopy measures 2.6m for both the preferred scheme and the DCP envelope.

It is noted that the DCP envelope has been updated to account for the 2.6m vertical separation (refer to Figure 3). A comparison between the previous DCP envelope submitted alongside the Planning Proposal dated October 2020 and the amended DCP envelope is provided below. The DCP envelope has been revised to ensure that a future detailed design provides a minimum vertical separation of at least 2.6m measured from the heritage **building's ridge line and 5.4**m measured from the Floor to Floor Level (FFL) of the Sutton Forest Meat Building to the underside of the canopy.

The Heritage Impact Statement prepared by Weir Phillips (dated October 2020) that accompanied the Planning Proposal at *Appendix 14* identifies that the proposed vertical separation is sufficient and would not have any unreasonable impacts on the heritage significance or fabric of the heritage item. The report notes that the cantilevering element above the heritage item is minor in extent and elevated above the heritage item so as to not overwhelm it. The report concludes that the heritage item will continue to be the dominant form at street level.




Figure 3 – Former DCP Envelope (Left) and Revised DCP Envelope (Right) Source: Grimshaw



The site is located within a *Heritage Conservation Area*. In accordance with Section 5.1.3 of the Draft CSPS DCP, the future development will be subject to a Heritage Conservation Management Plan approved by Council which will confirm the minimum required separation distance.

3.3 Wind Impact Assessment

Issue: While no location in the public domain exceeds the safety standard (25m/s), concerns are raised about locations where the proposed envelope results in conditions that come close to the safety standard (22 – 24m/s) and are worse than the base case envelope conditions, particularly locations on Valentine Street. Further, it is recommended additional locations are tested, including George Street south of the subject site, close to the Christ Church St Laurence.

Response

A revised Wind Impact Assessment has been prepared by Windtech and is included at Attachment 4. The assessment has been informed by Council's Draft DCP as exhibited alongside the Draft CSPS. It has been prepared to address the pedestrian wind testing requirements established by Procedure B of Schedule 11 and to assess whether the non-compliant northern and western setbacks result in worsened wind conditions relative a compliant envelope.

The wind assessment has been revised in response to Council's feedback. The assessment now accounts for additional testing locations that have been used to assess the pedestrian wind impacts at the southern end of George Street. These testing points relate to points 20 and 21 as shown in Attachment 4 and the figures below.

In consultation with Council, other testing points have been excluded because they do not form part of the public domain as defined by the *Local Government Act* 1993 which is referenced in the Draft CSPS DCP. These points include Point 1, 2 and 13 which are depicted in Figure 4. Council have confirmed via written email correspondence dated 29 July 2021 that the revised testing points are acceptable.

Schedule 11 of the Draft DCP requires that a proposed scheme:

'Demonstrate equivalent (improved) wind comfort and wind safety in adjacent Public Places relative to the base case building massing. For wind speed the comfort values should be averaged and compared'.

The results associated with the comparative wind testing against the base case envelope and preferred envelope demonstrate that the proposal exhibits comfortable wind conditions relative to the base case when using a comparison of the average wind speed of equivalent 5% exceedance wind speeds. Specifically, the results are as follows:

- The average equivalent 5% wind speed is 6.3m/s for the proposed scheme and 6.4m/s for the base case;
- The average safety wind speed is 18.7m/s for the proposed scheme and 18.8m/s for the base case.

In light of the above, the proposal satisfies the wind testing requirements nominated by Procedure B of Schedule 11 by achieving improved wind comfort results and wind safety speeds when averaged.

As outlined in the Amended Architectural Design Report at Attachment 1, the proposal continues to comply with the Sky View Factor testing requirements. The results indicate that the proposal is able to achieve improved sky view factor testing results relative a compliant base case envelope.






Figure 5 – Pedestrian Wind Environment Study

Source: Wind Tech (20 October 2020)




Figure 6 – Pedestrian Wind Environment Study

Source: Wind Tech (20 October 2020)

Issue: If the current proposal is unable to achieve compliance, the proposed envelope is to



be amended so that compliance is achieved. It is recommended an amended Pedestrian Wind Environment Study that addresses the non-compliance and provides wind speed results in a m/s format expressing the 5% exceedance wind speed. Please note the inclusion of awnings, landscaping and other wind calming methods, such as vertical fins, cannot be considered at the planning proposal stage.

Response

As noted above, the wind testing results confirm that the proposal is able to achieve compliance. Accordingly, further amendments to the envelope are not required. In accordance with Council's commentary, the wind tunnel testing does not account for awnings, landscaping and other elements.

3.4 Clarification of Below Ground Floor Space

Issue: The request includes 2:1 FSR for ancillary uses below ground, however, details of the uses and the strategic need are not provided. Further information is required on what uses are proposed below ground, their strategic justification and the amount of gross floor area sought calculated in accordance with the definition.

Response

The proposal has been revised and seeks consent for a minor amount of gross floor area (GFA) within the basement amounting to147.19m² of GFA. The GFA schedules within the Amended Architectural Design Report included at Attachment 1 and the Planning Proposal included at Attachment 2 have been updated to reflect the proposed amendment. It is noted that the proposed site-specific provision set out in Section 7.1.2 of the Planning Proposal does no longer seeks consent for a set quantity of FSR below ground. The rationale for this is to allow flexibility in the distribution of GFA at the detailed design phase.

The GFA within the basement relates to back-of-house (BOH) facilities will support the proposed hotel uses. It is envisaged that the area designed for BOH facilities will support uses such as a laundry room(S), business offices, employment areas and the like. In accordance with the definitional requirements of the SLEP 2012, the BOH facilities contribute to GFA. The precise uses have not been defined on the architectural plans as the proposal relates to a Planning Proposal and seeks consent only for the building envelope. The type of BOH facilities/uses and their location will be determined at the detailed design phase.

3.5 Clarification of GFA Calculations

Issue: The submitted envelope plans and floor plans do not align with the quantum of floor space requested, as the plans show plant, storage and car parking which are typically not included in gross floor area (GFA) calculations. The GFA will need to be reduced for these areas.

Response

GFA plans have been prepared by Grimshaw and are included at Attachment 1. The GFA has been calculated in accordance with the definition of 'gross floor area' provided by the SLEP 2012. Plant, storage and car parking are not included in the calculation of GFA.

3.6 Traffic and Transport

Issue: The proposal should enable all vehicles to enter and exit the site in a forward-in and forward-out direction.

Response



The proposal incorporates a turntable within the basement adjacent to the service bay. The turntable will permit vehicles to enter and exit the site in a forward direction. Further discussion is provided within Section 8.1.1 of the Traffic Statement at Attachment 6.

Issue: The width of the driveway on Valentine Street is to be minimised as practically possible due to the pedestrian environment of the surrounding area.

Response

The Updated Traffic Statement at Attachment 6 confirms that the proposal is required to provide a Category 1 driveway under AS 2890.1 (2004). The proposed driveway width of 3.5m is consistent with the relevant Australian Standards (AS 28990.1) and the design principles of Figure 3.21 Vehicular Crossing Layout within Section 3 of the Sydney DCP 2012.

Issue: The Traffic Impact Assessment prepared by Traffic recommended a 'loading dock management plan' to manage site servicing, deliveries, the car lift and queuing of vehicles on Valentine Street to access the site. Vehicles queuing and reversing into the street is not supported and the proposal is to be updated to ensure appropriate vehicle waiting bays and sufficient space for servicing and deliveries is provided on site.

Response

The Updated Traffic Impact Assessment at Appendix 6 confirms that vehicles will not be required to que on Valentine Street. Specifically, the results of the queuing analysis included at *Appendix D* of the updated traffic report demonstrate that zero vehicles will be required to que on the street, assuming three vehicle arrivals within an hour.

The development makes provision for a turntable and consequently vehicles will not be required to reverse onto the street.

3.6 Public Domain

Issue: The planning proposal notes its responsibility to ensure future development delivers sufficient active frontages to future public domain projects. Additional detail is requested to demonstrate how future development on the subject site would contribute towards and interact with an upgraded public domain, in particular, to accommodate the future conversion of adjacent Valentine Street into shared zone and any associated stormwater works.

Response

There is an opportunity for the future development to contribute to the activation of the public domain around the site. As shown in the plans contained within the Amended Architectural Design Report at Attachment 1, retail uses are proposed along the Valentine Street frontage. These uses combined with potential spill out dining areas have the potential to contribute to the activation of the future pedestrian share way along Valentine Street. Other public domain improvements such as paving upgrades and the like have the potential to be delivered at the detailed DA phase.

The stormwater works have now been revised and are wholly contained within the site. Accordingly, the development's stormwater infrastructure will not encroach no Valentine Street and will not impact its conversion to a share way.

The proposal seeks to provide a vehicular access point from Valentine Street. The width of this vehicular access point has been reduced to the greatest extent possible to minimise potential impacts to the pedestrian share way. The proposal does not seek to accommodate visitor / occupant parking. The proposed parking spaces instead relate to valet spaces. The



development's parking is limited to seven spaces. As demonstrated by the Traffic Impact Statement that accompanied the Planning Proposal, the development will result in a minimal amount of traffic generation. Specifically, the proposal will result in 11 trips during the morning peak period and 15 trips during the evening peak period in addition to the traffic generation associated with the existing buildings contained within the site.

3.7 Through-Site Link

Issue: The provision of a through-site link that connects George Street with 187 Thomas Street is not supported.

Response

In accordance with Council's feedback the through-site links no longer forms part of the proposal. The Architectural Design Report included at Attachment 1 and Planning Proposal at Attachment 2 has been updated to reflect the proposed amendment.

3.8 Public Art

Issue: The proposed public art centres around the proposed laneway from George Street, the majority of which falls outside the subject site. The plan nominates a canopy element over the laneway, for which the building separation above the first floor is 1.6m and does not provide sufficient clearance to be considered a suitable location.

An alternative proposal is to be considered and should be prepared with respect to the City's Guidelines for Public Art in Private Developments, noting that this requires art to be located in areas that are highly accessible or highly visible from the public domain

Response

Site Image Public Art Consultants have prepared a Preliminary Public Art Plan which is included at Attachment 5. It nominates three alternative opportunities for public art across the site. The three opportunities and their associated locations are as follows:

- Elevated artwork above the laneway presenting to George Street;
- Ceiling of the tower lobby; and
- Tower soffit / canopies over the Level 3 terrace.

The three locations / opportunities listed above are illustrated at Attachment 5 and are each located in areas that are highly visible from the public domain.

Issue: The Preliminary Art Plan is to be amended to include a budget that is commensurate with the scale and nature of the development.

Response

The Preliminary Public Art Plan included at Attachment 5 establishes a project budget of \$400,000. The budget has been developed in accordance with Council's Guidelines for Public Art in Private Developments which identifies that a project's public art budget is to be between 0.5 – 1% of the total project value.

3.9 Flood Management

Issue: It is recommended that the proposal is amended to ensure compliance with the City's Flood Risk Management Policy and the relevant provisions of the Sydney DCP 2012. In particular, the ground floor level and any potential water ingress points to the basement shall be set at 0.3m above the adjacent road gutter invert.



Response

A Flooding Statement has been prepared by Telford Civil and is included at Attachment 8 The Flooding Statement confirms that the stormwater system for the site has been designed in accordance with Council's requirements. It notes that the site is not impacted by flooding as per the Darling Harbour Catchment Flood Study. In accordance with Council's requirements, the minimum flood level has been designed to be a minimum of 300mm above the invert level.

Issue: The proposed stormwater pipe and drainage pit in Valentine Street is not acceptable. The stormwater pipe shall remain within the property boundary and connect into the public stormwater network through the shortest possible path.

Response

The water cycle management system for the site has been revised. The proposed pit and pipe system is wholly contained within the site and is no longer located within Valentine Street. Further information is provided within the updated Civil Plans at Attachment 7.

We trust the information provided as part of this response fully satisfies Council's queries as raised in their letter dated 22 February 2021. Should you wish to discuss, please do not hesitate to contact Alicia Desgrand on 8667 8668, or the undersigned.

Yours sincerely

Hina Regrow

Alicia Desgrand Associate

Tom Cook Director



757—763 George Street Planning Proposal

Urban Design Report October-2021



GRIMSHAW

Preface

Acknowledgment of Country



Grimshaw acknowledges the Gadigal of the Eora Nation as the traditional custodians of this place we now call Sydney.

We acknowledge and celebrate the continuation of a living culture that has a unique role in this region. We also acknowledge Elders past and present as well as our emerging leaders of tomorrow and thank them for their wisdom and guidance as we walk in their footsteps.

Our Approach to Design and Place Experience

Grimshaw, in collaboration with the broader design team, have been engaged to provide an Urban Design Report for 757-763 George Street, Haymarket. Planners Mecone are leading the submission of the Planning Proposal with the Urban Design Report forming a key component of the submission.

The site offers great development opportunity and can provide the catalyst for the rejuvenation- not only the site and its heritage- but also the re-visioning of the broader Central Precinct Innovation Hub.

The design methodology adopted for the site uses an iterative approach which tests and modifies proposed schemes seeking balance between environmental impact, heritage, amenity, public benefit, quality, economic viability and development surety.

The planning proposal seeks to redevelop the subject site into a hotel tower with ground level retail activation to Valentine Street and George Street.



Left: Sketch Tower and Heritage Relationship

Far Left: Photograph 757-763 George Street, 2020



Contents

Part	Part 01 — Executive Summary		
Part 02 — Site Context			
Part	Part 03 — Urban Design 2		
Part 04 — Development Proposal		34	
Part	06 — Appendices	48	
(a)	Survey		
(b)	Preferred Indicative Scheme 11.8:1 FSR		
(c)	Proposed DCP Envelope Drawings		
(d)) Varying Setback Controls and Base Case Massing		
(e)	Sky View Factor Analysis		
(f)	Design Excellence Strategy		
	- Alternative Massings and Sky View Factor Analysis		
	- Indicative FSR		
	- Facade Zone and Architectural Articulation		
(g)	Wind Analysis		
(h)	Capitol Terrace Apartments Study		

(i) Overshadowing Analysis

Executive Summary

Samprian Pty Ltd propose to redevelop 757 - 763 George Street Haymarket for a tower development accommodating retail floor space at ground level and 3.5 star hotel accommodation floor space above. Samprian's objective is to retain and adaptively reuse the existing heritage building contained within the site and introduce a tower element that responds to the emerging built form context in the immediate surrounds.

The proposal has been prepared under the guise of the draft Central Sydney Planning Strategy [draft CSPS]. The draft CSPS situates the site within a Tower Cluster Area and provides an impetus for the proposed density. It establishes that future development within Tower Cluster Areas should provide employment generating floorspace. In accordance with this requirement, the proposal will deliver additional employment generating floorspace on a site that is well serviced by amenities, in proximity to public transport and less constrained by sun access controls.

The site is located a short distance from Central Precinct, which is earmarked by the NSW Government to emerge as a technology and innovation precinct. Central Precinct is divided into sub-precincts. The Western Gateway sub-precinct represents the first stage of Central Precinct's redevelopment. The sub-precinct is earmarked to accommodate a number of tower developments reaching in excess of RL 200 that are currently progressing through the planning approval process.

In this context, the redevelopment of the site provides a unique opportunity to revitalise the site's heritage building and deliver a new tower element reaching 105.87m (AHD 117.87m) that will sit comfortably in the context of these future surrounding developments. The intended mix of uses comprising retail and hotel uses are complementary to the emerging innovation and technology precinct and will support the growing workforce.

The purpose of the Planning Proposal is to establish an envelope for the site that will deliver an appropriate built form outcome, exhibit design excellence and meet the objectives and intended outcomes of the draft CSPS as well as the broader strategic planning framework. This approach has informed the Indicative Reference Scheme prepared by Grimshaw Architects put forward in this Concept Design Report prepared by Grimshaw Architects.



Above: Drawing Location of the Western Gateway sub-precinct Draft CSPS

Above: Drawing Location of Tower Cluster Areas Draft CSPS



Draft Central Sydney Planning Strategy

The draft Central Sydney Planning Strategy (draft CSPS) comprises a suite of documentation, including a Planning Proposal to amend the Sydney LEP 2012 and a Development Control Plan (DCP) that together propose a range of planning control amendments for the Central Sydney Planning Area. The draft CSPS was recently granted Gateway Determination on the 11 March 2020 and was publicly exhibited between 1 May to 10 July.

Tower Cluster Areas

865

The CSPS and accompanying planning control amendments will assist in unlocking 2.9million sqm of new floor space, which will predominantly be delivered across four Tower Cluster Areas. Sites located within Tower Cluster Areas are eligible for the Design Excellence – Tower Cluster Approval Pathway and a 50% FSR bonus for exhibiting design excellence provided the requirements set out under subclause 6.21(7A) are met, including the minimum site area provision of 2,000sqm.

The site forms part of the Haymarket/Central Tower Cluster Area. However, having an area of only 1,030sqm, the site is not eligible for the 50% FSR bonus afforded by subclause Design Excellence – Tower Cluster Approval Pathway. Accordingly, the submission of a Development Application pursuant to subclause 6.21(7A) is not a viable planning pathway. It has been determined that a Planning Proposal represents the best alternative planning approval pathway option.

The draft CSPS establishes that the Design Excellence – Tower Cluster Pathway is predicated on need to provide a streamlined approval process for sites in Tower Cluster Areas to facilitate employment growth; encourage innovative design; and unlock opportunities for the delivery of cultural infrastructure and improved spaces.


Whilst the site does not meet the minimum site area requirements, which preclude it from benefiting from the Design Excellence - Tower Cluster Pathway, it is ideally suited to accommodate a tower development and has the potential to deliver on the objectives that underpin the rationale for Tower Cluster Areas. Through the submission of a Planning Proposal that seeks to realise the density afforded to larger cluster tower sites, the proposal will achieve the following:

- \rightarrow Make an exceptional contribution to the Sydney skyline.
- → Promote employment growth in a Tower Cluster Area.
- \rightarrow Make a positive contribution to the ground plane.
- → Promote the adaptive renewal and revitalisation of the heritage building contained within the site.
- \rightarrow Exhibit design excellence.
- → Provide commercial floorspace that will support the emergence of the Innovation Precinct in and around Central Station.
- → Provide accommodation floorspace that will support the visitor economy and provide a complementary use to the commercial tower developments in the locality.

Svdnev LEP Amendments under the draft CSPS

Under the draft CSPS, the existing Sydney LEP 2012 provisions continue to apply. The key controls are as follows:

Zoning	B8 Metropolitan Centre
FSR	A base maximum FSR control of 7.5:1 applies. Additional FSR up to 1.5:1 is available for accommodation floorspace. This amounts to an overall FSR of 9:1.
	Note: In the instance clause 6.21(7A) were to apply, the maximum FSR inclusive of the FSR bonus would increase to 13.5:1.
Height	50m



Maximum Building Height for Tower Clusters

The site is located within the Haymarket/Central Tower Cluster Area. The maximum height is constrained by the sun access controls and airspace operations controls. The maximum height for the site established by these controls is approximately 264m.

Special Character Area

Under the draft CSPS, the site forms part of the Haymarket / Chinatown Special Character Area. The built form requirements are in part governed by the associated Special Character Area Map. This map applies a range of planning controls that have been prepared under a scenario where the site forms part of an amalgamated block.


Setbacks

An 8m street setback is required to George Street. The heritage item known as the 'Sutton Forest Meat' building is earmarked for retention and removes the requirement for an eastern street setback.

Street frontage height

A minimum street frontage height of 15m or the street frontage height of the nearest heritage item to, or within, the subject site (whichever is smaller).

map shown below.



Far Right: Havmarket Tower Cluster & relationship with CBD

A maximum street frontage height of 20m as illustrated by the Special Character Area

Justification for the Planning Proposal

Relationship to the Strategic Planning Framework

The Planning Proposal for new hotel accommodation and commercial space is justified through its strategic merit and consistency with the GSRP, the Eastern City District Plan, the draft LSPS and Visitor Accommodation Action Plan.

The Eastern City District Plan will implement *A Metropolis of Three Cities – the Greater Sydney Region Plan* (GSRP Region Plan) at the district level. As defined in the Eastern City District Plan, the George Street, Haymarket site sits at the intersection between the Harbour CBD and Innovation Corridor precincts. The diagram below highlights the significance of the location strategically within the City, with Central Station close-by and forming a critical sustainable transport connection to tie the two precincts together.

The Plan recognises the need to grow the tourism sector and its significance to the growth of the district economy.

Objective 22 in the Greater Sydney Region Plan refers to investment and business activity in centres. Strong encouragement is given to new health and tertiary education facilities – and for these to evolve into more mature innovation precincts. "A mix of retail and other services including hotel type accommodation adjacent to the precinct should be supported".

In terms of building upwards, Page 30 of the Greater Sydney Region Plan refers to Greater Sydney's future. Characteristics flagged include:

- → The economy may change with a greater reliance on knowledge-intensive jobs. Tertiary education and health care are already significant growth precincts; and
- → "Development will need to better capitalise on air rights rather than making space by expanding the urban footprint".

institutions; enabling close link: hand diagram.

Objective 24 identifies the economic sectors which are targeted for success. The Jobs for the Future report identifies eleven segments that NSW should target to create 1 million new jobs in NSW by 2036. These segments include: **Tourism**.

At page 140 of the Greater Sydney Region Plan it states that "Linking business and leisure visits provides better experiences and has widespread benefits".


Strategy 24.2 specifies the issues to be addressed when preparing plans for tourism and visitation. These include: *"encouraging the development of a range of well-designed and located facilities"*; and *"incorporating transport planning to serve the transport access needs of tourists"*.


Giving effect to the Eastern City District Plan

The Greater Sydney Commission's Eastern City District Plan will implement the GSRP at the district level. The Planning Proposal is consistent with the following Planning Priorities of the Eastern City District Plan:

- → Planning Priority E7: Growing a stronger and more competitive Harbour CBD
- → Planning Priority E8: Growing the Innovation Corridor
- → Planning Priority E11: Growin strategic centres
- \rightarrow Planning Priority E13 Supporting growth of targeted industry sectors
- → Planning Priority E19: Reducing carbon emissions and managing energy, water and waste efficiently

The site is in a strategically significant location between the Harbour CBD and Innovation Corridor precinct with close proximity to business and numerous healthcare, tertiary education and visitor attractions. It will provide visitor and overnight accommodation needed to directly support and enhance the link between business and tourism.





 Highway
 HH:•HH
 Train Station

 Local Road
 HH:•HH
 Underground Train Station

 CBD & South East Light Rail & stations currently under construction
 Waterway

 IIIIIGIIIII
 Inner West Light Rail
 Harbour CBD

 IIIIIGIIIII
 Future Metro Station
 Innovation Corridor



Site

Above: Innovation Corridor and Harbour CBD precincts Figure 17, Eastern Sydney District Plan The close proximity of the development site to existing education and healthcare institutions; enabling close links to the Innovation Corridor precinct is shown in the right

- $\rightarrow~$ Planning Priority E8: Growing and investing in health and education precincts and
- \rightarrow Planning Priority E11: Growing investment, business opportunities and jobs in

Giving effect to the City of Sydney Local Strategic Planning Statement

The City Plan 2036 – Draft Local Strategic Planning Statement (draft LSPS) establishes that the demand for hotels in Sydney is projected to grow by 4.7% annually to 2020, with a greater demand for 3-star hotel accommodation. A key priority nominated by the draft LSPS is the need to support the tourism sector by providing a diversity of accommodation types that respond to different market segments.

The tourism sector is a priority for the City. We must continue to support it by providing a diversity of accommodation opportunities that respond to the different levels of demand in the market (draft LSPS).

The proposal will deliver on this objective by providing a mix of 3.5-star accommodation.

The draft LSPS locates the site within the Central Sydney South Precinct. The Precinct is identified as a strategically important employment area. A key challenge for the area is the conversion of commercial floorspace to accommodation and student housing.

Whilst this may be a challenge for the area, a number of large-scale office towers are proposed for the locality. These developments will create a demand for complementary uses such as hotel accommodation. The proposal will assist in addressing this demand and will also provide high quality commercial floor space to facilitate the shift towards higher-order employment uses.

City of Sydney Visitor Accommodation Action Plan

Also relevant to the consideration of the Planning Proposal at George Street, Haymarket, is the City of Sydney Visitor Accommodation Action Plan. It recognises that:

"Accommodation is important to the success of the visitor economy. Visitors need appropriate places to stay if they are to visit Sydney to carry out business or see its attractions; and then for the city's retail, hospitality and transport sectors to capture the flow on spend."

It forecasts that there will be a growing demand for more affordable low-rated / mid-range accommodation options (e.g. 3.5-stars) that will need to be delivered outside of the Sydney CBD where there is already a large concentration of 5-star accommodation.

The proposal provides an opportunity to deliver a mix of 3.5-star accommodation that will cater to the demand for mid-range affordable hotel rooms.

The Action Plan notes that there is a correlation between the demand for hotel floorspace and office sectors due to the flux of corporate travellers which require short stay accommodation. The site is located within the Innovation Corridor and in proximity to Central Precinct which is earmarked to delivery significant office floorspace growth. The site is consequently ideally located to delivery hotel accommodation and will respond to the opportunities established by the Action Plan.

Hotel Need and Benefits

The city has demonstrated its attractiveness as a visitor destination through many years of growth in visitor numbers and spending.


In the 10 year period to 2018/19, the number of international and domestic overnight visitors staying annually in commercial accommodation increased by 53.7% (from 4.36 to 6.70 million). The number of guest nights increased by 24.2% in the same period – as also stated in the Visitor Accommodation Monitor 2018/19.

In their Hotel Futures 2019 report, Dransfield forecast an annual demand growth of 4.7% for Sydney hotels over the long term to 2027. Growth in demand opportunities "are expected through the medium and longer term as enabling supply arrives". Therefore, the stance is that supply of accommodation assists in actually driving demand.

The combined business, holiday and education attractors and reasons for travel to Sydney are unlikely to change in the medium to long term. Whilst the assessments and forecasts may need to be reviewed in light of current restrictions on travel, these restrictions are temporary and cities like Sydney have bounced back quickly from downturns.

specific.

grow.



l eft: Central Sydney South: Future focus Draft CSPS

Education, healthcare, technology hubs and innovation clusters are successful because of agglomeration benefits. The accommodation needs they generate are location-

The proposed hotel and commercial scheme at George Street, Haymarket has clear strategic merit, on the basis of the above and is at a strategic location to serve both the Harbour CBD and Innovation Corridor precincts, highly accessible by sustainable transport modes and ideally positioned as the future needs arising at those precincts

The Site

Description

The subject site at 757-763 George Street is approximately 1,030 sq.m and has been owned outright by Samprian Pty Ltd since 2014. The site has consent for a hotel development that was granted in 2017.

The site has a prime location on George Street, 300m from Central Station. It was identified under the Draft Central Sydney Planning Strategy [Draft CSPS] as lying within the 'Haymarket activity node', an area of Sydney that has the potential to accommodate increased density without overshadowing any of Sydney's premier open spaces.

The corner lot, 761-763 George Street, is a heritage item of local significance under the Sydney LEP 2012. The former Sutton Forest Meat Company building is a two-storey structure which dates back to 1897. The shopfronts and interiors were altered after suffering extensive fire damage in 1985. The northern portion of the site, 757-759 George Street, contains a low-level concrete frame building of no historical significance.

To the north of the site is the Capitol Terrace Apartments building, a 50m Strata property built to the boundary line and faces the subject site with a predominantly south facing blank wall. To the west of the site is a 10-storey commercial building at 187 Thomas Street also with a blank wall facing the site.





Above: Site Plan Central Station Area

Streetscape

Site views


The existing George St streetscape follows a predominantly straight line from Town Hall to Railway Square, gently descending to Hay Street before climbing more steeply at the southern end towards Central Station. The immediate surrounding area is characterised by low-medium rise buildings up to 50m height, with larger 120m buildings within a 100m radius of the site. Heritage items regularly punctuate the streetscape, particularly between the site and Central Station where heritage items line both sides of George Street creating a consistent street wall.

To the east of the site is the Christ Church of St. Laurence, which is situated on the axis created by Valentine Street.















Site










8

Heritage

Sutton Forest Meat Company

The Sutton Forest Meat Company building is considered of local significance as a legacy of the historical wholesale meat trade in Sydney, and due to the quality of the building form and its application of ceramic tiles. It is described as an "example of Federation Free Style architecture with Arts & Crafts influences, distinguished by the use of ceramic wall tiles."

Changes made to the building since the 1960s have included the introduction of more partitions and the upgrade of services. In 1985, the restaurant was extended to include 761 George Street. In the same year the building suffered severe fire damage which destroyed much of the interiors and all the original shopfronts. The building was subsequently adapted as accommodation and restaurants, leaving only the façade as the remaining original fabric.





Above:



Above:



Drawing, Original architectural design drawings for Sutton Forest Meat Co building by E. Lindsay Thompson, 1910



870





Above: Site Plan East facing view along Valentine Street prior to resumption and street widening in 1910

Above: Photograph 759-763 George Street, Haymarket, 1979

Above: Photograph 757-763 George Street, Haymarket, 2020

Photograph, N-W view showing Valentine Lane and 761-765 George Street in 1910

Approved DA Scheme

Baker Kavanagh Architects, 2017

On 23 October 2017, Council granted consent to a Development Application (D/2017/353) for the construction of a 15-storey hotel building comprising 174 hotel rooms.


The consent provides approval for the adaptive re-use of the Sutton Forest Meat Company building through the demolition of all non-significant interior fabric and retention of the heritage façade. It permits a tower development above the heritage item that reaches a compliant height of 50m.

The approval permits a 0m setback to the northern boundary which interfaces with Capitol Terrace apartments for the full height of the building. Above the street frontage, the tower provides a 10m setback to the southern boundary fronting Valentine Street. From Level 8 to 14 the setback reduces to 7.3m (including facade articulation), permitting the tower element to cantilever over the heritage item.

Stamped Plans









Above: Render Approved Hotel DA Scheme, Baker Kavanagh Architects

Context Analysis

Transport Connectivity

The subject site is located at one of the primary transport hubs in Sydney, and a gateway between wider New South Wales and Sydney's CBD. Central Station, a major bus interchange and Rawlson Street Light Rail are all within 300m of the site boundary ensuring that any development at 757-763 George Street will benefit from high footfall and a desirable location.



01. Central Station




02. Light Rail



03. Railway Square Bus Terminal



04. George Street Pedestrianisation



Surrounding Heritage

The subject site is situated in the Special Character Area of Haymarket and has a significant number of heritage items in its locality including Central Station and Christ Church St. Laurence. There is a public protected view of the Church of St. Laurence from Valentine Street which includes reference to the low street wall height of the Sutton Forest Meat Company building. The strong heritage base around Central Station is a key reason why the precinct was identified as suitable for redevelopment, due to the existing building stock being able to support and add richness to the proposed tech hub.



01. Central Station

873



02. Sutton Forest Meats Company



03. Church of St. Laurence




04. Marcus Clark Tower



05. Flat Iron Building



06. Adina Hotel




Context Analysis

Tower Cluster Area


Sydney's tower cluster areas were proposed as part of the Draft CSPS in 2016. The identified cluster zones are situated in areas of the city where height and density can be accommodated without resulting in a loss of solar amenity to Sydney's key public spaces. The subject site falls within the Haymarket Tower Cluster.

The closest major open space to the subject site is Belmore Park, which lies approximately 200m to the East. The site is also located 100m from Railway Square, which has been earmarked for redevelopment and expansion as a key component of the new Central Station Technology Hub. This new public space at Central Station was recommended as part of Jan Gehl's 2007 urban review of Sydney Public Space/ Public Life. The solar access planes for both Belmore Park and Railway Square do not impact the subject site as per diagram 4_23 'Sun Protection Controls Heights Map' from the Draft CSPS.





02. Central Station Forecourt



Above: CSPS Tower Cluster Map Potential Haymarket Sites Highlighted

Haymarket Activity Node

The site is located to the north west of the future Central Station Precinct and is earmarked by the NSW Government to emerge as a technology and innovation precinct. The Western Gateway sub-precinct forms part of the Central Station Precinct and is envisaged to accommodate a number of substantial tower developments currently progressing through the planning approval process. In this context, the redevelopment of the site provides a unique opportunity to revitalise an important heritage building whilst simultaneously delivering an appropriate scale tower for the Central Station Precinct. The intended mix of uses are complementary to the emerging innovation and technology precinct. The proposed uses will provide short stay accommodation and amenity to support the growing workforce.



01. Central Station Redevelopment



02. Atlassian, BVN & Shop



03. Dexus, Fender Katsalidas & SOM



04. Railway Square Redevelopment

Site



Site Response

Urban Design Principles

01. Heritage site revitalisation

The subject site sits within the Special Character Area of Chinatown/ Haymarket. Critical to the successful development of the site is careful consideration of the impact of the scheme on both the heritage items within the site boundary and in the immediate context. The scheme seeks to add value to the area through the revitalisation of the Sutton Forest Meat Company building and protection of views to surrounding heritage through analysis of setbacks and views.


02. Active frontage

876

A key objective of the scheme is the maximisation of active frontage to both George and Valentine Street. Minimising the area of façade required for loading and the careful conservation of the Sutton Forest Meat Company building will invigorate the public domain and provide a new destination for the rapidly growing area around Central Station.

03. Environmentally driven envelope

The site's location within the Haymarket tower cluster area provides the opportunity for high-density development to cater for Sydney's growing demands while protecting solar amenity to the public spaces that distinguish Sydney's urban fabric. The mass and setbacks of the tower have been established through streetscape massing analysis and interrogated through detailed environmental testing of the impacts on daylight and wind conditions in the surrounding public domain. This iterative process has followed the procedures outlined in Schedule 11.



Right: Site Opportunities Concept Sketch

Streetscape Setback Analysis

George Street

Proposed Setback: 6m - 6.2m

Careful analysis of the surrounding streetscapes has been undertaken to establish appropriate massing setbacks for the proposed development. This section of George Street is characterised by a strong yet inconsistent heritage street wall between Quay Street and Valentine Street. Although the DCP 2012 allows for a maximum street wall height of 20m at 757-759 George Street, the proposed massing seeks to align with the lower height of the Sutton Forest Meat Company building to provide a consistent relationship with the existing heritage item.

A setback of 6m is proposed above street wall height on George Street. This is critical to enable a viable floorplate while allowing a larger setback above the heritage building on Valentine Street. The massing images (right) indicate an equivalent bulk and scale above the heritage item when compared against the compliant 8m DCP required setback.


The proposed massing also includes an increased 6.2m setback in the façade on George Street aligned with the heritage item. This both increases the perceived setback at the corner of George Street and Valentine Street and ensures that the tower element has a relationship with the mass of the Sutton Forest Meat Company building.



Above: Figure E49, CSPS Appendix E, Special Character Areas




Above: Current Condition, Google Images






Above: DCP Compliant Setbacks and maximum/ minimum Street Wall Height



Above: Proposed Setbacks

ALIGN STREET WALL WITH HERITAGE





Above: George Street Elevation


Streetscape Setback Analysis

Valentine Street

Valentine Street is defined by the axial view to Christ Church St. Laurence and the Central Station Clock Tower. This view is protected under Appendix E of the Draft CSPS with special reference to the low-scale street wall to protect the amount of sky that frames the Church of St. Lawrence's spire.

The proposed massing looks to protect the view of the church by retaining the existing street wall height of the Sutton Forest Meat Company building. An 8m setback is proposed above the heritage item which maintains the sky space around the Church Spire and increases the setback of the approved DA from 7.3m. The corner is further pulled away from the church spire due to the notch on George Street which aligns with the heritage form. This notch is repeated on the west, creating an 11m setback adjacent to 187 Thomas Street at podium level to create building separation between the tower element and the adjoining property.


Proposed Setback: 8m-11m




Above: Figure E18, CSPS Appendix E, Special Character Areas




Above: Current Condition, Google Images






Above: Corner of Valentine Street and Quay Street

Above: Midpoint of Valentine Street towards George Street







Streetscape Setback Analysis

Side Setback: 187 Thomas Street Setback (West)


In line with the DCP setback requirements for buildings under 120m, the proposed tower setback to 187 Thomas Street is 3m. This allows for adequate building separation to 187 Thomas Street which has a site area of approximately 2350 sq.m and is eligible to benefit for additional height/FSR under the Draft CSPS.


The proposed massing has an increased setback of 3.2m to the north and south, which on the latter is drawn below the height of the adjacent buildings to heritage level to further increase the visible building separation from the public domain.

Proposed West Setback: 3-3.2m




Above: Current Condition, Google Images





Above: DCP Compliant Setbacks and maximum/ minimum Street Wall Height



Above: Proposed Setbacks

ADJACENT SITE

PROVIDE BUILDING SEPERATION WITH



Rear Setback: Capitol Terrace Apartment (North)

The proposal interfaces with a residential flat building to the direct north known as 'Capitol Terrace'. At this interface, this development's southern facade incorporates a limited number of windows which largely relate to secondary habitable living spaces such as bedrooms and bathrooms. A limited number of windows relate to living areas. The floorplans for the Capitol Terrace building and a detailed Solar Access Study showing equivalence with the approved DA scheme can be found in the Appendices.

The existing DA was approved with a Om setback for the full extent of the northern boundary. The proposed massing provides a better outcome by increasing this setback to 1.6m, creating a 3m lightwell around the affected windows, creating a 1.0-1.2m wide lightwell. The tower element is setback 1.6m from the northern boundary to the west. When compared against a compliant massing with 4m setback to the side and rear boundaries, the massing implications are negligible when viewed from George Street as shown (right).


For additional studies regarding the interface with Capitol Terrace apartments please refer to the appendices.




Proposed North Setback: 1m - 3m

882

Above: Current Condition, Google Images





Above: DCP Compliant Setbacks and maximum/ minimum Street Wall Height

domain



Above: Proposed Setbacks




Active Frontage

CSPS Active Frontages

As part of the Central Sydney Planning Strategy, a paper was included in the appendices entitled 'Erection of Tall Buildings in Central Sydney'. This document outlined common mistakes in the design of tall buildings on small sites. A previous scheme for 757-763 George Street was included within the analysis.

The paper highlights the importance of active street frontages in creating successful developments on small sites. According to the report, a development achieves 'Excellent Activation' when over 70% of the street frontages are activated. This has formed the target for our development proposal.

Final extent of active frontage to be confirmed by detailed DA submission.





Above: Valentine Street Current Condition, Google Images

Above: Proposed Valentine Street Elevation




Above: George Street Current Condition, Google Images




Above: Proposed George Street Elevation

PROVIDE > 80% ACTIVE FRONTAGE



Above: Sydney DCP 2012, Active Frontage Map

Far Right: Render Proposed indicative scheme from George Street









Maximum Building Height

The draft Central Sydney Planning Strategy uses solar access planes and airspace controls to determine maximum buildable height. At 757-763 George Street, the solar plane for the proposed square at Central Station misses the site to the East, and the plane for Prince Alfred Park crosses the site higher than the airspace controls. Allowing for a 25m construction zone, the maximum height is constrained at RL 275.

The site ranges in elevation from RL 11- RL 12, providing a maximum allowable building height of 264m.



885



ower tide line

Far Right: Diagram 757-763 George Street Maximum Height

Right: Diagram Draft CSPS, Sun Protection Controls Heights Map

Left:

Diagram Draft CSPS, Sun Protection Controls Heights Map


MAXIMUM BUILDING HEIGHT = 264m


Proposed Building Height

A building height of 105.87m (Top of Building: RL 117.87m) is proposed, significantly below the maximum as defined by the Draft CSPS. This height has been established through a consideration of the site area, setbacks to adjacent plots and commercial viability of the floorplate. In line with the Draft CSPS, the massing has been verified against a compliant base case massing to ensure that it provides an improved wind comfort and sky view factor condition for the surrounding public domain.

The proposed height sits comfortably within the existing urban fabric of Haymarket, with two towers of similar scale (Market City 130m and 10 Barlow Street 125m) within a short distance of the site boundary. The development should also be considered in context of the proposed Atlassian and Dexus Towers at Central Station which have a suggested height of 180m and 150m respectively.







Above: Analysis Sky View Factor Mapping with proposed envelope

PROPOSED BUILDING HEIGHT = 105.87m V TOP OF BUILDING RL = 117.87m


Development Summary


Proposed DCP Envelope

The proposed DCP Envelope for 757-763 George Street has been developed through careful analysis of the existing historic character and future development opportunity for Haymarket and the Central Station Precinct. The site provides an opportunity for the revitalisation of the Sutton Forest Meat Company building and surrounding public domain, and the provision of a considered 3.5* hotel tower at a contextual scale to facilitate Council's vision for a new Innovation Hub and third public square at Central Station.

The proposed setbacks and building height are the result of in-depth urban analysis and extensive environmental testing as set out by Council's Draft CSPS. A detailed summary of these can be found in the Appendices.







Preferred Scheme

The preferred indicative scheme interrogates the possible yield available within the proposed DCP envelope, taking into consideration an appropriate development strategy for the existing heritage item, hotel requirements, building services, and architectural articulation during the design excellence phase.

Building Height:



Development GFA:




Ground Floor Retail GFA:




Keys:

888



FSR:








Building Design Principles

The preferred scheme for 757-763 George Street sits within the proposed massing envelope as outlined in the previous chapter. This section of the report investigates the proposed indicative scheme to illustrate that an FSR of 11.8:1 can be comfortably achieved within the DCP envelope allowing for adequate plant, vertical circulation and architectural articulation.


Heritage item




Central bar core + services





Activated north facing core wall






Vertical bars of rooms





Flexible system





Public Benefit Opportunities

Providing the best outcome for the site and surrounding area has been the primary objective of this proposal. A key responsibility of any development at 757-763 George Street is the successful revitalisation of the existing heritage item and activation of Valentine Street and George Street through active frontage and an improved public domain.

Heritage revitalisation

The proposed regeneration of the Central Station precinct is founded not only on its connectivity, but also on the rich heritage that surrounds the Station and contributes to its unique character. The conservation of this heritage is crucial for the future resilience of the precinct. The Sutton Forest Meat Company building has the potential to provide richness and activation to the surrounding public domain, and the proposed development is committed to the respectful conservation and revitalisation of the item.

Public domain upgrade


Jan Gehl recommended the pedestrianisation of George Street as part of his 2007 Urban Study into Sydney. Recently, the Draft CSPS and indicative plans for a third public square at Central Station also indicated the staged widening of the pedestrian realm at George Street surrounding the site. There is an opportunity for the development at 757-763 George Street to contribute to the upgrading of the public domain around the site.

Highly activated heritage podium


the proposed hotel.



Above: Proposed indicative scheme from George Street



Above: Render, George Street Pedestrianisation



Render, Barrack Lane

The restoration of the Sutton Forest Meat Company building, in concert with a highly active podium will provide the public with a unique amenity that will be intensified by

Public Realm Strategy

The site occupies a prominent corner on George Street and is primarily defined by the Sutton Forest Meats Company heritage item. The site is set to be impacted by the future pedestrianisation of George Street and Valentine Street, and has the potential to provide a key destination on this route.

The public realm strategy hinges on the activation of the heritage item, providing a new retail offering and revitalisation of existing facade. The minimisation of the service entrance has been a key consideration of the proposal and has been refined with the traffic consultant to provide a reduced opening so as to maximise the area of active frontage while removing any requirement for on street parking.

The propoed hotel scheme allows for entrances to the lobby from both George Street and Valentine Street, providing level access and enhanced permeability through the site whilst maintaining the coveted George Street address.

The proposal highlights the opportunities afforded by both the pedestrianisation of the surrounding streetscape and activation of the heritage, which will be maximised through the provision of high quality and durable materials and furniture.

George Street pedestrianisation

<image>

Suggested public reality



Granite paving



Outdoor seating



Above: Visualisation showing George Street pedestrianisation & Christ Church St Laurence City of Sydney, Proposed pedestrian boulevard

Central Square Structuring Principles, p.14

38 GRIMSHAW

Above:

Diagram

892

Suggested public realm treatments (Site Image)




Trough planters





Textural planning palette





Building Arrangement

Ground Floor

- (0) Reception
 (02) Retail/Amenity
 (03) BOH
 (04) Car Park
 (05) Plant
 (06) Circulation
- 07 External Terrace
- 08 3.5* Hotel Room










3 06-1011

Hotel Amenity Floor









757-763 GEORGE STREET DRAFT URBAN DESIGN REPORT 41

Typical Podium Floor

- Reception
 Retail/Amenity
 BOH
 Car Park
 Plant
- 06 Circulation
- 07 External Terrace
- 08 3.5* Hotel Room









A06-1011

Typical Floor







757-763 GEORGE STREET DRAFT URBAN DESIGN REPORT 43

Building Elevations

North

North East

East

South East










South

South West

West







North West





Indicative Views


Views have been taken of the proposed indicative scheme from significant locations in the surrounding area. The views include potential towers within the Central Station precinct that may be developed under the Draft CSPS.

01. Belmore Park










03. George Street North










06. George Street tower view





05. George Street



07. Valentine and Quay Street


903








Appendix A - Survey



BAR SCALE PLOTTED SCALE 1:100 (A1 SIZE SHEET)

TABLE OF BOUNDARY COORDINATES				
POINT ID	EASTING	NORTHING		
A	333937.86	6249491.98		
В	333900.75	6249510.36		







Appendix B - Preferred Indicative Scheme 11.8:1 FSR

Drawing List

GA Plans

Schedule of Accomodation

GA	Plans	LEVEL	USE	GBA (m2)	GFA (m2)	Keys	F2F (m)	Height (m)	AHD (m)
01	Basement Level 02	ROOF						105.12	117.12
02	Basement Level 01	LEVEL 31	PLANT + LIFT OVERRUN	467.8			3.18	101.94	113.94
03	Level 01 - Ground Floor	LEVEL 30	HOTEL AMENITY + PLANT	467.8	161.6		3.18	98.76	110.76
04	Level 02 - Heritage First Floor	LEVEL 29	3.5* HOTEL	467.8	359.4	12	3.18	95.58	107.58
05	Level 03 - Heritage Terrace	LEVEL 28	3.5* HOTEL	467.8	359.4	12	3.18	92.40	104.40
06	Level 05 - Podium Typical	LEVEL 27	3.5* HOTEL	467.8	359.4	12	3.18	89.22	101.22
07	Level 10 - Podium Terrace	LEVEL 26	3.5* HOTEL	467.8	359.4	12	3.18	86.04	98.04
		LEVEL 25	3.5* HOTEL	467.8	359.4	12	3.18	82.86	94.86
08	Level 11 - Void	LEVEL 24	3.5* HOTEL	467.8	359.4	12	3.18	79.68	91.68
09	Level 20 - Typical Hotel	LEVEL 23	3.5* HOTEL	467.8	359.4	12	3.18	76.50	88.50
10	Level 30 - Roof Plant/ Amenity	LEVEL 22	3.5* HOTEL	467.8	359.4	12	3.18	73.32	85.32
11	Level 32 - Roof Plan	LEVEL 21	3.5* HOTEL	467.8	359.4	12	3.18	70.14	82.14
		LEVEL 20	3.5* HOTEL	467.8	359.4	12	3.18	66.96	78.96
GA	Elevations	LEVEL 19	3.5* HOTEL	467.8	359.4	12	3.18	63.78	75.78
		LEVEL 18	3.5* HOTEL	467.8	359.4	12	3.18	60.60	72.60
12	George Street Podium Elevation	LEVEL 17	3.5* HOTEL	467.8	359.4	12	3.18	57.42	69.42
13	Valentine Street Podium Elevation	LEVEL 16	3.5* HOTEL	467.8	359.4	12	3.18	54.24	66.24
		LEVEL 15	3.5* HOTEL	467.8	359.4	12	3.18	51.06	63.06
14	North/East/South//West Elevation	LEVEL 14	3.5* HOTEL	467.8	359.4	12	3.18	47.88	59.88
15	Section AA/ Section BB	LEVEL 13	3.5* HOTEL	467.8	359.4	12	3.18	44.70	56.70
		LEVEL 12	3.5* HOTEL	467.8	359.4	12	3.18	41.52	53.52
		LEVEL 11	3.5* HOTEL + VOID	340.4	236.0	8	3.18	38.34	50.34
		LEVEL 10	3.5* HOTEL + TERRACE	340.4	432.7	8	3.18	35.16	47.16
		LEVEL 09	3.5* HOTEL + AMENITY	547.0	432.7	8	3.18	31.98	43.98
		LEVEL 08	3.5* HOTEL + AMENITY	547.0	432.7	8	3.18	28.80	40.80
		LEVEL 07	3.5* HOTEL + AMENITY	547.0	432.7	8	3.18	25.62	37.62
		LEVEL 06	3.5* HOTEL + AMENITY	547.0	432.7	8	3.18	22.44	34.44
		LEVEL 05	3.5* HOTEL + AMENITY	547.0	432.7	8	3.18	19.26	31.26
		LEVEL 04	3.5* HOTEL + AMENITY	547.0	432.7	8	3.18	16.08	28.08
		LEVEL 03 Mezz	HOTEL AMENITY LEVEL	460.0	351.0		3.18	12.90	24.90
		LEVEL 03	HOTEL AMENITY LEVEL	473.0	362.0		3.18	9.72	21.72
		LEVEL 02	COMMERCIAL LOBBY + RETAIL	964.0	805.0		4.32	5.40	17.40
		LEVEL 01 (Ground)	HOTEL LOBBY + RETAIL	964.0	584.0		5.40	0	12
		BASEMENT 01	BOH/ AMENITY/ PLANT	938.0	147.0		4.5	-4.5	7.5
		BASEMENT 02	BOH/ PLANT	938.0			4.5	-9	3
		GBA TOTAL (sq.m) (excluding B1/B2) GFA TOTAL (sq.m) (excluding B1/B2)		18056	12145				
		SITE AREA			1030				

REA			


HOTEL KEYS

FSR

280

11.8


A06-1000 1 1 **★**-(F) 05 --E \geq -(D) -03-L. -C A06-1000 4 2 ·.γ ſ 05 -(B) 04 T -(A)(05) 03 05 3900 01 05 06 08 09 1 07 04 406-1000



2 406-1000

GA PLAN - LEVEL B2 - BASEMER					
SCALE	00 @ A	41	STATUS For Information		
drw FD	CH GAS	APPR GAS	DRW DATE 13.10.21		

REV 6





GRIMSHAW ARCHITECTS LLP T +61 2 9253 0200 Level 2, 333 George Street, www.grimshaw.global Sydney, NSW 2000, AUS

INTELLECTUAL PROPERT

- 01 Reception
- (02) Retail/ Amenity
- O3BOHO4Car Park
- 05 Plant
- 06 Circulation
- 07 External Terrace
- 08 3.5* Hotel Room
- CLIENT Samprian Pty Ltd

CONSULTANTS

PROJECT NAME 757-763 GEORGE ST

PROJECT NO. 19287


ADDRESS 757-763 GEORGE ST SYDNEY, NSW, AUSTRALIA

- REV BY 1 2 3 4 5 6
 - DATE DESCRIPTION 16.10.20 Issue for Inform 12.02.21 Issue for Inform 11.06.21 Draft Issue 20.08.21 Draft Issue 05.10.21 Draft Issue 13.10.21 Planning Propor Issue


KEY PLAN

DRAWING TITLE GA PLAN - LEVEL B1 - BASEMENT 01

	SCALE 1:100 @ A1		STATUS For Informatio	n
DRW	CH	APPR GAS	DRW DATE 13.10.21	REV 6









910


T +61 2 92	W ARCHITECTS L 253 0200 shaw.global	LP Level 2, 333 Geo Sydney, NSW 20	rge Stree
www.giuie	siaw.giobai	Syuney, NSW 20	100, 700
	all rights to use this i full of all Grimshav ed for the express p created and delivere This document ma y unauthorised use risk and without in ees and indemnifies	, acts. Unless otherwid document are subje v charges. This docu urpose and project d, as notified in writi y not be otherwise u of this document is niting Grimshaw's rig Grimshaw from and	se agree ct to iment m for which ng by ised, or at the hts the I against
	NOTICES	o be checked on sit	
Grimshaw and specia conjunctio information	drawings to be rea list specifications. E n with m&e, structu	d in conjunction with Drawings to be read ral, fire and acoustic	i grimsha in
01	Receptio	n	
02	Retail/ A	menity	
03	BOH		
04	Car Park		
05	Plant		
06	Circulatio	on	
07	External	Terrace	
(08)	3.5* Hote	el Room	
CLIENT			
	an Pty Ltd		
CONSULT	ANTS		
CONSULT PROJECT 757-763	NAME 3 GEORGE S	T	
CONSULT	NAME 3 GEORGE S		BE ST,
CONSULT PROJECT 757-76: PROJECT 19287 REV B	NAME 3 GEORGE S NO.	ADDRESS 757-763 GEORG SYDNEY, NSW, AUSTRALIA DESCRIPTION	
Sampri CONSULT PROJECT 757-76; PROJECT 19287 12 3	NAME 3 GEORGE S NO. Y DATE 16/0.20 12/0.21 11/0.21	ADDRESS 757-763 GEORG SYDNEY, NSW, AUSTRALIA DESCRIPTION Issue for Inform Issue for Inform Issue for Inform	nation
CONSULT PROJECT 757-76: PROJECT 19287 REV B 1 2	NAME 3 GEORGE S NO. Y DATE 1610.20 12.02.21	ADDRESS 757-763 GEORG SYDNEY, NSW, AUSTRALIA DESCRIPTION Issue for Inform Issue for Inform	nation
CONSULT PROJECT PROJECT 19287 REV B 1 2 3 4 5 6	ANTS NAME 3 GEORGE S NO. Y DATE 1610.20 1202.21 1106.21 20.82.1 05.10.21	ADDRESS 757-763 GEORG SYDNEY, NSW, AUSTRALIA DESCRIPTION Issue for Inform Draft Issue Draft Issue Draft Issue Draft Issue	nation
Sampri CONSULT PROJECT 757-76: PROJECT 19287 REV B 1 2 3 4 5	ANTS NAME 3 GEORGE S NO. Y DATE 1610.20 1202.21 1106.21 20.82.1 05.10.21	ADDRESS 757-763 GEORG SYDNEY, NSW, AUSTRALIA DESCRIPTION Issue for Inform Draft Issue Draft Issue Draft Issue Draft Issue	nation
Sampri CONSULT PROJECT PROJECT 19287 REV 8 6 6 KEY PLAN NORTH	ANTS NAME 3 GEORGE S NO. Y DATE 1610.20 1202.21 1106.21 20.82.1 05.10.21	ADDRESS 757-763 GEORG SYDNEY, NSW, AUSTRALIA DESCRIPTION Issue for Inform Draft Issue Draft Issue Draft Issue Draft Issue	nation
Sampri CONSULT PROJECT T57-76: PROJECT 19287 REV 1 2 4 5 6 NORTH DRAWING	ANTS NAME 3 GEORGE S NO. Y DATE 16.0.20 17.0.21 10.021 10.	ADDRESS 757-763 GEORG SYDNEY, NSW, AUSTRALIA DESCRUTION Issue for inform Issue Draft Issue Planning Propo Issue	nation nation sal
Sampri CONSULT PROJECT 757-76: PROJECT 19287 REV 12 2 3 5 6 KEY PLAN NORTH DRAWDAL SCALE	ANTS ANTS ANTS O GEORGE S O O O O O O O O O O O O O O O O O O O	ADDRESS 577-R3 GEORG SYDNEY, NSW, AUSTRALIA DESCRIPTION Issue for Inform Bissue for Inform Draft Issue Pianning Prope Issue 2 • MEZZANI	nation nation
Sampri CONSULT PROJECT 757-76: PROJECT 19287 PROJECT 19287 PROJECT 19287 REV B 6 6 6 6 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	ANTS ANTS ANTS ANTS NO. Y DATE 16.10.20 15.10.21 10.06.21 13.10.21 13.10.21 TILE TITLE TITLE AN - LEVEL (@ A1	ADDRESS 577-R3 GEORG SYDNEY, NSW, AUSTRALIA DESCRIPTION Issue for Inform Jordt Issue Planning Propo Issue Planning Propo Issue 2 - MEZZANI STATUS For Information	nation nation




911














914



2 (406-1010 807-1000

CONSULTANTS

PROJECT NAME 757-763 GEORGE ST

PROJECT NO. 19287

ADDRESS 757-763 GEORGE ST, SYDNEY, NSW, AUSTRALIA

REV	BY
1	
2	
3	
4	
5	
6	

DATE DESCRIPTION 16.10.20 Issue for Information 12.02.21 Issue for Information 11.06.21 Draft Issue 20.08.21 Draft Issue 05.10.21 Draft Issue 13.10.21 Planning Proposal Issue


KEY PLAN

DRAWING TITLE GA PLAN - LEVEL 11 - HOTEL VOID

SCALE STATUS 1:100@A1 For Information

DRW CH APPR DRW DATE REV AuthoCheck&pprover13.10.21 6

DRAWING NO. A03-1012



ARCHITECT GRIMSHAW GRIMSHAW ARCHITECTS LLP T +61 2 9253 0200 Level 2, 333 George Street, www.grimshaw.global Sydney, NSW 2000, AUS NTELLECTUAL PROPERTY © Copyright Grinstean Architects: Unless otherwise payment in Mil of al Grantware charges. This document only be used for the express puppose and project for optical and the express puppose and project for Grantware. This document may not be otherwise us optical and the express puppose and optical for copied. Any manufactives due of this document is a user research and indemnifies Grantware how and the set of the express puppose. The otherwise us the expression of the express puppose of the expression of the document of the expression of the expression of the document of the expression of the expression of the document of the expression of the expression of the expression of the document of the expression of the expression of the expression of the document of the expression of the expression of the expression of the document of the expression of the expression of the expression of the document of the expression of the expression of the expression of the document of the expression of the expression of the expression of the document of the expression of the expression of the expression of the document of the expression of the expression of the expression of the document of the expression of the 01 Reception 02 03 вон 04) Car Park 05 Plant 06 Circulation 07 External Terrace 08 3.5* Hotel Room CLIENT Samprian Pty Ltd CONSULTANTS PROJECT NAME 757-763 GEORGE ST PROJECT NO. 19287 ADDRESS 757-763 GEORGE ST, SYDNEY, NSW, AUSTRALIA
 REV
 BY
 DATE
 DESCRPTION

 1
 16.10.20
 Issue for Information


 2
 12.22.11
 Issue for Information

 3
 11.06.21
 Draft Issue

 4
 20.82.11
 Draft Issue

 5
 66.10.21
 Draft Issue

 6
 13.10.21
 Planning Proposal
 KEY PLAN DRAWING TITLE GA PLAN - LEVEL 20 - HOTEL -TYPICAL SCALE STATUS 1 : 100 @ A1 For Information DRW CH APPR DRW DATE REV FD GAS GAS 13.10.21 6 DRAWING NO. A03-1021





GRIMSHAW ARCHITECTS LLP T +61 2 9253 0200 Level 2, 333 George Street, www.grimshaw.global Sydney, NSW 2000, AUS

NTELLECTUAL PROPERT writing, all rights to use thi ayment in full of all Grimsha

2 405-1000 407-1000

CLIENT Samprian Pty Ltd

CONSULTANTS

PROJECT NAME 757-763 GEORGE ST

PROJECT NO. 19287

ADDRESS 757-763 GEORGE ST, SYDNEY, NSW, AUSTRALIA

REV BY 1 2 3 4 5 6 DATE DESCRIPTION 16.10.20 Issue for Information 12.02.21 Issue for Information 11.06.21 Draft Issue 20.06.21 Draft Issue 05.10.21 Draft Issue 13.10.21 Planning Proposal Issue


KEY PLAN

ORTH	\square
	(•)


DRAWING TITLE GA PLAN - LEVEL 30 - HOTEL - ROOF PLANT SCALE STATUS 1:100@A1 For Information

DRW CH APPR DRW DATE REV AuthoCheckApprover13.10.21 6


DRAWING NO. A03-1031















CREMENAN ARCHITECTS LP Tel 2233 202 Service Service Service Tel 2233 202 Service Serv	vise agree lect to cument m t for which ling by used, or s at the ights the id against
Copyright Offendiae Architects. Unless of early http://www.internet.org.org.org.org.org.org.org.org.org.org	ect to sument m t for whici ling by used, or s at the ights the id against
Do not scale – all dimensions to be included and and appendix specifications. Drawing to be read and and specifications. Drawing to be read without the and accose efforts and accose ef	ite. J in imaha J ic
Samprian Pty Ltd	
CONSULTANTS	
PROJECT NAME 757-763 GEORGE ST	
PROJECT NO. ADDRESS 19287 33-743 JOEON AUSTRALIA	GE ST, I,
REV BY DATE DESCRIPTION 1 16.10.20 Issue for Inform 2 10.6.21 Draft Issue 3 13.10.21 Plasming Propr.	mation
KEYPLAN	
NORTH DRAWING TITLE PODIUM - VALENTINE STREET ELEVATION	
SCALE STATUS 1:100 @ A1 For Information	n
DRW CH APPR DRW DATE FD GAS GAS 13.10.21	
FU GAO GAO 13.10.21	REV 3











921



GRIMSHAW ARCHITECTS LLP

T +61 2 9253 0200 Level 2, 333 George Street, www.grimshaw.global Sydney, NSW 2000, AUS

INTELLECTUAL PROPERTY © Copying Grimbaw Architeck. Unless otherwise agreed in writing, all rights to use this document are subject to many and the subject of the subject of the subject of role to use for the express purpose and project for which has been created and delivered, as notified in writing by Grimbaw. This document may not be otherwise used, or copied. Any mushimored use of the document is at the user's subject in a download and the subject of the subject by the subject of the subject o

AWING NOTIC

Do not scale - all dimensions to be checked on site. Grimshaw drawings to be read in conjunction with grimshar and specialist specifications. Drawings to be read in conjunction with m&e, structural, fire and acoustic

CLIENT Samprian Pty Ltd

CONSULTANTS

PROJECT NO. 19287

PROJECT NAME 757-763 GEORGE ST

> ADDRESS 757-763 GEORGE ST, SYDNEY, NSW, AUSTRALIA

 REV
 BY
 DATE
 DESCRIPTION

 1
 16.10.20
 Issue for Information

 2
 12.02.21
 Issue for Information

 3
 11.06.21
 Draft Issue

 4
 13.10.21
 Planning Poposal Issue


 Issue
 Issue
 Issue


KEY PLAN

NORTH

GA ELEVATIONS - NORTH / EAST / SOUTH / WEST SCALE STATUS 1 : 500 @ A1 For Information DRW CH APPR DRW DATE REV FD GAS GAS 13.10.21 4

DRAWING NO. A06-1000-01





922



GRIMSHAW ARCHITECTS LLP T +61 2 9253 0200 Level 2, 333 George Street, www.grimshaw.global Sydney, NSW 2000, AUS

INTELLECTUAL PROPERTY

INTELLECTUAL PROPERTY © Copyright Ginamawa Architeck. Unless otherwise ag in writing, all rights to use this document are subject to payment in full of all Ginamawa changes. This document only be used for the express purpose and project for w has been created and delivered, as collided in writing be Grinnlawa. This document may not be otherwise used user's sole risk and writing a limit of grinnlawa's rights for user's sole risk and writing a limit of grinnlawa's rights user releases and indemnifies Grinnlawa's rights for so so arising.

CLIENT Samprian Pty Ltd

CONSULTANTS

PROJECT NAME 757-763 GEORGE ST

PROJECT NO. 19287

ADDRESS 757-763 GEORGE ST, SYDNEY, NSW, AUSTRALIA

REV BY DATE DESCRIPTION 1 16.10.20 Issue for Information

KEY PLAN

NORTH

DRAWING TITLE GA SECTIONS (AA NORTH-SOUTH / BB EAST-WEST) STATUS For Information SCALE 1:500 @ A1

FD	CH	APPR	DRW DATE
	GAS	GAS	16.10.20
	ING NO. 1000		

REV 1


Appendix C - Proposed DCP Envelope Drawings


Basement Level 02 Basement Level 01 Level 01 - Ground Floor Level 05 - Podium Typical Level 20 - Typical Hotel Level 32 - Roof Plan

North/East/South//West Elevation

Section AA/BB

_







GRIMSHAW ARCHITECTS LLP T +61 2 9253 0200 Level 2, 333 George Street, www.grimshaw.global Sydney, NSW 2000, AUS



CLIENT Samprian Pty Ltd

CONSULTANTS

PROJECT NAME 757-763 GEORGE ST

PROJECT NO. 19287


. 4

REV	BY	DATE

KEY PLAN DRAWING TITLE GA PLAN - LEVEL B2 - BASEMENT 02

SCALE STATUS 1:100@A1 For Information DRW CH APPR DRW DATE REV FD GAS GAS

DRAWING NO. A03-1000 -01



925



GRIMSHAW ARCHITECTS LLP T +61 2 9253 0200 Level 2, 333 George Street, www.grimshaw.global Sydney, NSW 2000, AUS

INTELLECTUAL PRO

Copyright Grimshau writing, all rights to sument in full of all C

CLIENT Samprian Pty Ltd

CONSULTANTS

PROJECT NAME 757-763 GEORGE ST

PROJECT NO. 19287

REV BY DATE DESCRIPTION


KEY PLAN





. 5







GRIMSHAW ARCHITECTS LLP T +61 2 9253 0200 Level 2, 333 George Street, www.grimshaw.global Sydney, NSW 2000, AUS

INTELLECTUAL PROPE

Copyright Grimshaw Ar n writing, all rights to use avment in full of all Grim



5

GEORGE STREET



CONSULTANTS

PROJECT NAME 757-763 GEORGE ST

ADDRESS
757-763 GEORGE ST
SYDNEY, NSW,
AUSTRALIA


PROJECT NO. 19287


REV BY DATE DESCRIPTION


KEY PLAN













GRIMSHAW ARCHITECTS LLP T +61 2 9253 0200 Level 2, 333 George Street, www.grimshaw.global Sydney, NSW 2000, AUS

NTELLECTUAL F Copyright Grim writing, all right



CONSULTANTS

PROJECT NAME 757-763 GEORGE ST

PROJECT NO. 19287

ADDRESS 757-763 GEORGE ST, SYDNEY, NSW, AUSTRALIA

DESCRIPTION

REV	BY	DATE

KEY PLAN

NORTH

DRAWING TITLE ENVELOPE SECTIONS (NORTH-SOUTH) SCALE ST/ 1:500 @ A1 For

STATUS For Inform DRW DATE

DRW CH APPR FD GAS GAS

DRAWING NO. A07-1100

Appendix D - Planning Controls to Vary Setbacks

Minimum Street Setbacks

Section 5.1.1.1

(3) Where noted in Table 5.2 Minimum Street Setbacks and on the Special Character Area maps, variation to Street Setbacks may be permitted to building massing that provides:

encroachment(s) 2m forward of the minimum Street Setback within (a) the middle third of the frontage to a Public Place and provision of compensating recess(es) of equal to or greater area up to 4m behind the minimum Street Setback: or

equivalent or improved wind comfort, wind safety and daylight (b) levels in adjacent Public Places relative to a base case building massing with complying Street Frontage Heights and Street Setbacks (i.e. variation to massing is governed by achieving equal or better performance). Procedures for demonstrating compliance with 5.1.1.1(3)(a) and (b) are set out in Schedule 11.

Side and Rear Setbacks and Building Form Separations

93 Section 5.1.1.3

(5) Variation to Side and Rear Setbacks and Building Form Separations may be permitted to building massing that provides equivalent or improved wind comfort, wind safety and daylight levels in adjacent Public Places relative to a base case building massing with complying Side and Rear Setbacks (i.e. variation to massing is governed by achieving equal or better performance).

Procedures for demonstrating compliance with 5.1.1.3(4) are set out in Schedule 11.

Schedule 11


Procedures for demonstrating compliance with variation provisions for setbacks, separations and tapering in Central Sydney.

Procedure B: Equivalent or improved wind comfort and wind safety and daylight levels in adjacent Public Places

In order to demonstrate compliance with Section 5.1.1.1(3)(b) and Section 5.1.1.3(5) in regards to varying Minimum Street Setbacks and Side and Rear Setbacks, Building Form Separations and Tapering provisions respectively, the following procedure must be followed:

(1) Procedure B can only be used to vary setbacks for sites larger than 1000m2.

(2) Where (1) is satisfied, variation to relevant setbacks may be permitted to building massing that provides equivalent or improved wind comfort, wind safety and daylight levels in adjacent Public Places relative to a base case building massing with complying Height, Street Frontage Heights, Street Setbacks,





Above: Diagram Figure 1.9, Sydney DCP 2012 Schedule 11 Amendment

Method

Grimshaw have undertaken Sky View Factor analysis in line with the requirements of Schedule 11. The study looks to understand the proposed development's impact on the amount of visible sky over a 1m grid to a radius of 250m from the centre of the subject site at 757-763 George Street, when compared against a compliant base case massing. The base case massing is explained further on the following page.

Station.





Above Diagram Figure 1.10, Sydney DCP 2012 Schedule 11 Amendment

The test radius was chosen specifically to include the proposed public space at Central



Base Case Modelling

The base case envelope has been generated in line with Schedule 11 requirements and with input from council from a meeting held on 29.04.20. Previous iterations of the base case massing included the approved planning envelope, which was contested by Council at the April pre-lodgment meeting. During a subsequent meeting with council on 29.04.20, it was suggested to that a compliant base case massing could be achieved using Table 5.4 (right) from the DCP. The resulting compliant base case massing has a maximum building height of 121.667m.

Podium compliance

Heritage item modelled at existing height	\checkmark
Street wall modelled in compliance with lower of heights on Table 5.3	Podium aligned with heritage item
Podium aligns with the minimum street wall height	\checkmark

<u>Setbacks</u>

The setbacks applied to the subject site were taken from the DCP 2012 Table 5.4 Minimum Side and Rear Setbacks and Building Form Separations as suggested by council on 29.04.20. The site allows 4.05m setback to then northern boundary before the resultant massing width falls below

Sydney DCP 2012 - Central Sydney Planning Review Amendment

Minimum Side	Proposed total height of building			
and Rear Setbacks and Building Form Separations	Up to 55m	Greater than 55m up to 120m	Greater than 120m up to 240m	Greater than 240m
Side and Rear Setback above Street Frontage Height	0m	4m	3.33% of the proposed total height of building	8m
Building Form Separations on the same site	0m	8m	6.66% of the proposed total height of building	16m

the required separation.

4.05m

*Area over heritage item excluded


6m

8m

291 sq.m

4.05m

4.05n



Envelope

Max RL 134.40m

(varies around site)

Building Height 121.667m




Awnings/ canopies removed over public place

Tower compliance


932

Compliant street, side and rear setbacks	\checkmark
Area over heritage item excluded	\checkmark
No tower component under 6m width	\checkmark
Tower extruded to 121.667m maximum height as it varies around the site (defined by 4.05m side/rear setbacks at 3.33%)	\checkmark
Tower scaled by 95% at 120m	\checkmark


Above: Plan Base case massing setbacks




Appendix E - Sky View Factor Analysis



SVF= 0.437040




Calculated using a test radius from site of 250m to include Railway Square
Calculated as integer between 0-1 (where 0= no sky visible, and 1= sky fully visible)




Sky View Factor


- Calculated using a 1m Grid





934





IMPROVED SKY VIEW FACTOR FOR PUBLIC DOMAIN \checkmark

SVF= 0.437041 +0.000001

- Calculated using a test radius from site of 250m to include Railway Square - Calculated as integer between 0-1 (where 0= no sky visible, and 1= sky fully visible)

Appendix F - Design Excellence Strategy

Massing Alternatives


The Design Excellence Strategy Amendment requires the preparation of an options analysis which documents at least three different site development envelopes. These alternatives have been verified through sky view factor and wind comfort analysis. The options will inform the Site-Specific DCP and the Design Excellence Process.

Alternative Envelope A


Alternative Envelope B

Alternative Envelope C

















+0.00002

Appendix F - Design Excellence Strategy

Massing Alternatives - Indicative FSR

In addition to environmental equivalence, the Design Excellence Strategy requires an indicative FSR to be applied to each massing envelope.

Proposed DCP Envelope

Total GBA (before exlusions): **17,865sq.m** GFA (after exlusions): **12,359 sq.m**

FSR: 12.0

Alternative Envelope A

GBA (before exlusions): **19,061 sq.m** GFA (after exlusions): **13,156 sq.m**

FSR: 12.8


Alternative Envelope B


Total GBA (before exlusions): **17,862 sq.m** GFA (after exlusions): **12,352 sq.m**

FSR: 12.0

Design Excellence FSR Checklist

15m Architectural Roof Feature Zone	\checkmark
5m clear floor to floor for ground and first floors	\checkmark
3.85 metres floor to floor for typical commercial floors	\checkmark
3.3 metres floor to floor for typical hotel floors	\checkmark
A full floor for every 20 occupied levels at minimum 6m floor to floor with no floor space	1x 6m plant floor assumed in tower, remaining plant assumed in Basement
15% of the design envelope for architectural articulation	12.5% design envelope for architectural articulation
750mm facade depth for facade and external shading elements	200mm closed cavity facade zone assumed
16 per cent floor space exclusions allocated to building core	\checkmark
Vehicle access, servicing, services, balconies, voids or other areas are not counted as floor space	60 sq.m excluded at ground level for vehicle access






Alternative Envelope C

Total GBA (before exlusions): **15,995 sq.m** GFA (after exlusions): **11,041 sq.m**





Closed Cavity Facade

The Design Excellence Procedure Amendment suggests the inclusion of a 750mm façade zone for sites over 2000 m2. Due to the constrained nature of the site and predominantly south facing orientation, a 200mm façade zone has been included for FSR calculations. This zone is suggested to maximise the efficiency of the floorplate and provides adequate space for either a DGU or Closed Cavity Façade System depending on requirements.

Architectural Articulation

The proposed indicative scheme illustrates how architectural articulation can be accommodated within the proposed DCP envelope while maintaining an FSR of 12:1. The green below indicates volume of the proposed DCP envelope that is not utilised for GFA. Due to the constrained nature of the site, 12.5% of the volume has been allowed for architectural articulation.



ARCHITECTURAL ARTICULATION 12.5% 🗸

Appendix G - Wind Analysis

A wind tunnel study has been undertaken to assess wind speeds at selected outdoor trafficable areas within and around the subject development. The test procedures followed for this wind tunnel study were based on the guidelines set out in the Australasian Wind Engineering Society Quality Assurance Manual (AWES-QAM-1-2019), ASCE 7-16 (Chapter C31), and CTBUH (2013).

Testing was performed at Windtech's boundary layer wind tunnel facility. The wind tunnel has a 3.0m wide working section and a fetch length of 14m, and measurements were taken from 16 wind directions at 22.5 degree increments. Testing was carried out using a 1:300 detailed scale model of the development. The effects of nearby buildings and land topography have been accounted for through the use of a proximity model which represents an area with a radius of 375m.

Testing was performed for five massing variations of the development, as well as for the existing site conditions, which are denoted by the following scenarios:

- \rightarrow With the existing surrounding buildings and the inclusion of the Base Case Massing
- \rightarrow With the existing surrounding buildings and the inclusion of Proposed DCP Envelope
- \rightarrow With the existing surrounding buildings and the inclusion of Alternative Envelope A
- With the existing surrounding buildings and the inclusion of Alternative Massing B \rightarrow
- With the existing surrounding buildings and the inclusion of Alternative Massing C
- development site.

Peak gust and mean wind speeds were measured at selected critical outdoor trafficable locations within and around the subject development. Wind velocity coefficients representing the local wind speeds are derived from the wind tunnel and are combined with a statistical model of the regional wind climate (which accounts for the directional strength and frequency of occurrence of the prevailing regional winds) to provide the equivalent full-scale wind speeds at the site. The wind speed measurements are compared with criteria for pedestrian comfort and safety, based on Gust-Equivalent Mean (GEM) and annual maximum gust winds, respectively.

The model was tested in the wind tunnel without the effect of any forms of wind ameliorating devices. The results of the study indicate that wind conditions for the majority of trafficable outdoor locations within and around the development will be suitable for their intended uses. The effect of vegetation was also excluded from the testing.


Wind Tunnel

Right: Model

Right: Model Base Case Massing Envelope



Test Point Location



Proposed Massing Envelope



Target Criteria

City of Sydney DCP in accordance with Draft Sydney DCP 2012 - Central Sydney Planning - Wind Comfort Standard for Walking criterion of 8m/s (5% exceedance) for walking - Safety criterion of 24m/s (gust - 0.1% exceedance) for safety



Wind Speed Safety Criteria Results

Legend		
Comfort Criteria Wind Speed range (m/s)		
Pedestrian Sitting	2 - 4	
Pedestrian Standing	4 - 6	
Pedestrian Walking 6 - 8		
Uncomfortable	> 8	

Table 6: Equivalent 5% Exceedance Wind Speeds and Target Criteria

Equivalent 5% exceedance wind speeds (m/s)			
Test Location	Criteria	Proposed Envelope Scenario	Base Case
P01	6 - 8	7.7	7.9
P02	6 - 8	5.5	5.7
P03	6 - 8	5.3	5.8
PO4	6 - 8	7.6	7.4
P05	6 - 8	4.3	4.0
P06	6 - 8	5.4	5.5
P07	6 - 8	5.4	5.7
P08	6 - 8	6.8	7.1
P09	6 - 8	6.4	6.5
P10	6 - 8	8.3	8.2
P11	6 - 8	5.4	6.1
P12	6 - 8	9.1	9.1
P13	6 - 8	5.4	5.4
P14	6 - 8	6.2	6.0
P15	6 - 8	7.4	7.5
P16	6 - 8	5.2	5.1
P17	6 - 8	5.9	6.1
P18	6 - 8	6.0	6.1
Average		6.3	6.4

Wind Speed Comfort Results

Legend		
Safety Criteria (m/s)	Result	
<24	Pass	
≥24	Fail	

Table 8: Annual Gust Wind Speed and Safety Criteria

Safety - Annual Gust Speed (m/s)			
Test Location	Criteria	Proposed Envelope Scenario	Base Case
P01	24	22	22
P02	24	15	16
P03	24	14	15
PO4	24	21	22
P05	24	13	12
P06	24	17	16
P07	24	17	18
P08	24	21	21
P09	24	18	19
P10	24	24	24
P11	24	16	18
P12	24	28	28
P13	24	17	16
P14	24	18	18
P15	24	22	22
P16	24	18	18
P17	24	18	18
P18	24	17	16
Average		19	19

The results of the study indicate that wind conditions for the majority of trafficable outdoor locations within and around the development will be suitable for their intended uses. However, some areas will experience strong winds which will exceed the relevant criteria for comfort and/or safety. In the areas where the wind conditions of the Proposed Envelope exceed the wind conditions of the Existing Scenario, these concerns will be addressed with wind tunnel testing during the detailed design stage and recommendations of mitigation measures. Given the assessment is currently limited to a sheer massing envelope, the detailed design is also expected to introduce building elements that may further improve the wind conditions within and around the site. As a general note, the use of loose glass-tops and light-weight sheets or covers (including loose BBQ lids) is not appropriate on high-rise outdoor terraces and balconies. Furthermore, lightweight furniture is not recommended unless it is securely attached to the balcony or terrace floor slab.

IMPROVED WIND CONDITIONS FOR PUBLIC DOMAIN \checkmark

Appendix H - Capitol Terrace Apartments Impact Analysis

Capitol Terrace Apartments

This section investigates the proposed envelope's impact and relationship with the residential building to the north. The plans and elevations shown indicate the apartments affected by the proposal. Due consideration has been given to the draft CSPS objective nominated under Section 5.1.2 which provides the following:

'Ensure that development does not unreasonably borrow amenity from neighbouring sites including access to views and sunlight'.

For the reasons addressed below, the proposal is consistent with the objective.

Visual Privacy

The Indicative Concept Scheme does not provide windows and balconies along the portion of its northern façade that orientates towards the windows of the Capitol Terrace building. This precludes the opportunity for sightlines and demonstrates that the redevelopment of the site as envisaged by the Indicative Concept Scheme has the potential to prevent additional visual and acoustic privacy impacts to the adjacent northern property.


o Private View Impacts

With regards to private view impacts, the proposed northern setbacks will not give rise to additional view impacts beyond that of a complying scheme. The draft CSPS permits the delivery of a building that provides a 4m northern setback. As such, even under a complying scheme, the affected apartments would experience view loss and their view corridors altered to comprise a new tower element. In light of this, the extent of the view loss impacts when comparing both a complying and a non-complying scheme will be commensurate.

In addition, it should be acknowledged that the development approval for the site permits a nil northern setback. Given a nil setback is considered acceptable from an approvals perspective in the context of the site's conditions, the proposed setback which actually increases the building separation should be deemed appropriate.

Access to Solar

A Solar Access Study included on the following page confirms that the preferred envelope is capable of maintaining equivalent solar access for the Capitol Terrace apartments when compared against the approved DA scheme.



1


Unit 2 11 x floors affected

Capitol Terrace South Elevation



Unit 8 9 x floors affected





Existing

The site located at 757 – 759 is occupied by a four (4) storey mixed use building. the site located at 761 – 763 George Street contains a two storey heritage listed building identified as the Sutton Forest Meat Building (1843) under the Sydney Local Environmental Plan 2012 (SLEP 2012).

The proposal interfaces with a residential flat building to the direct north known as 'Capitol Terrace'. At this interface, this development's southern facade incorporates a limited number of windows which largely relate to secondary habitable living spaces such as bedrooms and bathrooms. A small number of windows are associated with primary living spaces; however, these spaces are orientated towards west and thus its south facing windows are not the principle source of views and solar.


Approved DA

On 23 October 2017, Council granted consent to a Development Application (D/2017/353) for the construction of a 15 storey hotel building comprising 174 hotel rooms.


It should be acknowledged that the development approval for the site permits a nil northern setback. Given a nil setback is considered acceptable from an approvals perspective in the context of the site's conditions, the proposed setback which actually increases the building separation should be deemed appropriate.

Proposed DCP Envelope


The proposal provides a better outcome than the approved DA by pulling the podium facade 0.4m away from the site boundary around the affected windows. This increases building separation, and creates a 1.8m wide lightwell between podium facade and apartment windows.











Far Right: Render Proposed indicative scheme towards 'Tech Central'

90 GRIMSHAW

PROPOSED ENVELOPE PROVIDES IMPROVED SOLAR ACCESS TO CAPITOL TERRACE APARTMENTS COMPARED WITH APPROVED DA SOLAR ACCESS

+ 0.06

 \mathbf{V}




Appendix I - Overshadowing Study

Proposed Central Square

The proposal has followed the Draft CSPS maps to establish the solar planes affecting the site, which includes those protecting solar access to the new public square at Central Station. These maps locate the subject site within a tower cluster area with a maximum height of RL 300.

The existing Railway Square is located to the south of the proposed Central Square, and is not protected by the solar planes defined in the Sun Protection Controls Heights Map. No overshadowing of the existing Railway Square would preclude the redevelopment of the Haymarket/ Ultimo Tower Cluster altogether.


The following study shows the overshadowing of the proposed DCP envelope on 21 June between 8am-2pm.





Above: Diagram Draft CSPS, Sun Protection Controls Heights Map

Above: Render Central Square, Artist Impression 2020




21 June: 1200

Preferred Envelope Overshadowing



Existing Shadow





Appendix J - Physical Model Images

<u>South</u>

South West

East

