

Attachment A

Recommended Conditions of Consent
--

SCHEDULE 1

CONDITIONS OF CONSENT

PART A - GENERAL

(1) APPROVED DEVELOPMENT

- (a) Development must be in accordance with Development Application No. D/2022/229 dated 22 March 2022 and the following drawings prepared by DJRD Architects:

Drawing Number	Drawing Name	Date
DA-000 Rev 12	Cover Sheet	24.04.2023
DA-010 Rev 8	Extg Level 2 Plan - Demolition	24.04.2023
DA-011 Rev 9	Extg Level 3 Plan – Demolition	24.04.2023
DA-012 Rev 8	Extg Level 4 Plan – Demolition	24.04.2023
DA-100 Rev 16	Proposed Level 2 Plan (D-Lower Ground)	24.04.2023
DA-101 Rev 16	Proposed Level 3 Plan (D-Ground)	24.04.2023
DA-102 Rev 16	Proposed Level 4 Plan (D-Level 1)	24.04.2023
DA-103 Rev 16	Proposed Level 5 Plan (D-Level 2 & Roof)	24.04.2023
DA-200 Rev 14	Elevations Sheet 1	24.04.2023
DA-201 Rev 14	Elevations Sheet 2	24.04.2023
DA-250 Rev 13	Sections	24.04.2023
DA-255 Rev 2	Rail Tunnel Section	24.04.2023
DA-950 Rev 9	Materials Schedule	24.04.2023
DA-951 Rev 1	Finishes Schedule	24.04.2023

As well as the following drawings prepared by Jane Irwin Landscape Architecture:

Drawing Number	Drawing Name	Date
L-DA-001 Rev E	Legend + Schedule	26.04.2023
L-DA-002 Rev F	General Arrangement	26.04.2023
L-DA-090 Rev G	Tree Management Plan	26.04.2023
L-DA-091 Rev B	Tree Canopy Cover	26.04.2023
L-DA-101 Rev F	Levels and Finishes Plan 01	26.04.2023

Drawing Number	Drawing Name	Date
L-DA-102 Rev F	Levels and Finishes Plan 02	26.04.2023
L-DA-103 Rev B	Level 5 Roof Terrace Plan	26.04.2023
L-DA-400 Rev D	Planting Plan + Schedule	26.04.2023
L-DA-401 Rev D	Detail Planting Plan 01	26.04.2023
L-DA-402 Rev D	Detail Planting Plan 02	26.04.2023
L-DA-403 Rev D	Detail Planting Plan 03	26.04.2023
L-DA-501 Rev D	Landscape Section 01	26.04.2023
L-DA-502 Rev E	Landscape Section 02	26.04.2023
L-DA-503 Rev C	Landscape Section 03	26.04.2023
L-DA-504 Rev C	Landscape Section 04	26.04.2023

and as amended by the conditions of this consent.

- (b) In the event of any inconsistency between the approved plans and supplementary documentation, the plans will prevail.

Reason

To ensure all parties are aware of the approved plans and supporting documentation that applies to the development.

(2) AFFORDABLE HOUSING CONTRIBUTION – RESIDUAL LAND OR CENTRAL SYDNEY – PAYMENT IN LIEU OF FLOOR SPACE CONTRIBUTION – PRIOR TO CONSTRUCTION CERTIFICATE

- (a) In accordance with the City of Sydney Affordable Housing Program and prior to the issue of a Construction Certificate, the applicant must provide evidence that a monetary contribution towards the provision of affordable housing has been paid to the City of Sydney Council.
- (b) The contribution is \$92,479.48 (indexed at 1 March 2023). This is calculated by establishing the sum of the equivalent monetary contribution \$10,611.53 multiplied by 0.5% of the total floor area for non-residential development (1,743sqm).
- (c) If the contribution is paid after the indexation period in which the consent is granted, being 1 March 2023 to 29 February 2024, the above contribution will be adjusted according to the Sydney LGA median strata dwelling price ('MDP') using the following formula.
- (d) Contribution payable at Time of Payment = $C \times \text{MDP2} / \text{MDP1}$, where:
- (i) C is the original total contribution amount payable to the City of Sydney as shown above;

- (ii) MDP2 is the Median Strata Dwelling Price in Sydney LGA taken from the most recent NSW Government Rent and Sales Report at the time of indexation of the equivalent monetary contribution rate; and
- (iii) MDP1 is the Median Strata Dwelling Price in Sydney LGA taken from the NSW Government Rent and Sales Report used to establish the current equivalent monetary contribution rate, being 1 March 2023 to 29 February 2024.

Contact Council's Planning Assessment Unit at planningsystemsadmin@cityofsydney.nsw.gov.au for written confirmation of the amount payable, with indexation as necessary, prior to payment.

Reason

To ensure development contributions are paid to contribute to the provision of essential affordable rental housing infrastructure.

(3) DESIGN MODIFICATIONS

The design of the building must be modified to ensure the air conditioner compressor units located to the rear of the Administration Building are appropriately screened.

The modifications are to be submitted to and approved by Council's Area Coordinator Planning Assessments / Area Planning Manager prior to the issue of a Construction Certificate.

Reason

To require amendments to the approved plans and supporting documentation following assessment of the development.

(4) BUILDING HEIGHT

- (a) The heights must not exceed:
 - (i) RL37.52 to the top of the new addition to the rear of the Administration Building.
 - (ii) RL39.63 to the top of the new multi-purpose building.
 - (iii) RL35.07 to the top of the new addition to the Senior Block, also known as Building F.
- (b) Prior to an Occupation Certificate being issued, a Registered Surveyor must provide certification that the height of the building accords with (a) above, to the satisfaction of the Principal Certifier.

Reason

To ensure the constructed development complies with the approved height.

(5) GENERAL HERITAGE

- (a) The proposed works are to be carried out in a manner that minimises demolition, alterations and new penetrations/fixings to the significant fabric of the existing building which is listed as a Heritage Item.
- (b) The fabric and features to be retained by the proposal must be properly protected during the process of demolition and construction. The protection measures are to be specified in the construction management plan.
- (c) All conservation and adaptation works are to be in accordance with the Articles of the Australian ICOMOS Burra Charter 2013.
- (d) New services in the *Administration Building* and *Wych Wood* are to be surface mounted rather than chased-in to existing walls to minimise impact on heritage fabric.
 - (i) New services must use existing service runs;
 - (ii) Where this is not possible, details of an alternative solution must be shown on drawings at a suitable scale and submitted and approved by Council's Urban Design and Heritage Manager / Area Planning Manager prior to the issue of any Construction Certificate.
- (e) Appropriately qualified tradespersons (as appropriate) are to be commissioned who are skilled in traditional building and engineering trades to carry out the proposed scope of works.
- (f) The new windows and doors on the existing building must match the original material, which is timber joinery.
- (g) The face brickwork/stone/tiles must not be rendered, painted or coated.
- (h) Where internal partitions meet external walls they must abut window mullions, columns or other such building elements and not glazing.

Reason

To ensure that the development does not result in adverse heritage impacts.

(6) MATERIALS FOR MAKING GOOD

New materials for making good and repairs, are to match the existing in terms of colours, finishes, sizes, profile and properties.

Reason

To ensure appropriate materials and finishes are used.

(7) REDUCTION OF RISING DAMP AND SALT ATTACK IN BUILDINGS CONSTRUCTED PRIOR TO 1920

- (a) To avoid potential damage caused by rising damp and migrating salts the following is to apply to the ground floor.

- (i) No concrete slab is to be laid directly on the ground within the heritage buildings;
 - (ii) Expansion strips should be used in conjunction with external walls; and
 - (iii) External slabs must be set down from internal levels to improve cross ventilation.
- (b) The existing suspended timber floors at ground floor level, and the ventilated subfloor space is to be retained in the *Administration Building* and *Wych Wood*.

Reason

To avoid potential damage caused by rising damp and migrating salts.

(8) SIGNS - SEPARATE DA REQUIRED

A separate development application for any proposed signs additional to those approved as part of this consent (other than exempt or complying signs) must be submitted to and approved by Council prior to the erection or display of any such signs.

Reason

To require separate consent to be obtained for any additional signs.

(9) WASTE AND RECYCLING MANAGEMENT - GENERAL

The proposal must comply with the relevant provisions of Council's *Guidelines for Waste Management in New Developments 2018* which requires facilities to promote the efficient storage, separation, collection and handling of waste to maximise resources recovery.

Reason

To ensure that waste and recycling is appropriately managed.

(10) NO OBSTRUCTIONS

All public footways and paths of travel must be free from obstructions. If services are required to be relocated to clear paths of travel, then this must be undertaken at the developer's expense. All obstructions are to be removed prior to the issue of any Occupation Certificate.

Reason

To ensure there are no obstructions on public footways and paths of travel.

(11) LANDSCAPING OF THE SITE

- (a) Detailed landscape design including plans and details drawn to scale, and technical specification must be submitted to and approved by Council's Area Planning Manager/ Area Coordinator Planning Assessments prior to the issue of any Construction Certificate. These documents must be in accordance with the approved landscape drawings in Condition 1 of this consent and be prepared by Jane Irwin Landscape Architecture.
- (b) A drawing set must demonstrate full coordination with plans prepared by the architect, engineers, arborist for works near existing trees and heritage brick wall. These documents must include:
 - (i) Location of existing and proposed planting on the site including existing and proposed trees, planting in natural ground, and planting on structure.
 - (ii) Location and details of existing and proposed structures on the site including, but not limited to, paving, walls, services, furniture, shade structures, lighting and other features
 - (iii) Details of earthworks and soil depths including finished levels and any mounding. The minimum soil depths for planting on structure must be 1000mm for trees, 450mm for shrubs and 200mm for groundcovers, excluding mulch and drainage layers.
 - (iv) Coordination and details of stormwater pits and pipes in garden beds near existing retained trees and the heritage brick wall to Avenue Road that comply with the tree conditions provided in Part C of this consent.
 - (v) Planting details, and location, numbers, type and supply size of plant species, with reference to Australian Standards and preference for drought resistant species that contribute to habitat creation and biodiversity.
 - (vi) Details of drainage, waterproofing and watering systems.
 - (vii) Landscape maintenance plan. This plan is to be complied with during occupation of the property.
- (b) All landscaping in the approved plan is to be complete prior to an Occupation Certificate being issued.

Reason

To ensure the development is supported by a good quality, buildable landscape scheme that meets the City's controls.

(12) TREES APPROVED FOR REMOVAL

Trees numbered 22, 24, 27, 28, 39, 40 and 41 in the Arboricultural Impact Assessment Report prepared by Civica dated 3 February 2022 are approved for removal. Tree removal must not occur until the Construction Certificate has been issued.

All tree removal works must be carried out by a qualified Arborist, with a minimum Level 3 AQF in arboriculture and in accordance with WorkCover's Code of Practice – Amenity Tree Industry.

Reason

To identify the trees that can be removed.

(13) TREES THAT MUST BE RETAINED

Trees numbered 5, 6, 7, 15, 18, 19, 20, 21, 23, 25, 26, 30, 31, 33, 155 and 156 in the Arboricultural Impact Assessment Report prepared by Civica dated 3 February 2022 must be retained and protected in accordance with the conditions of consent throughout the construction and development.

Reason

To identify the trees that cannot be removed, must be retained and protected.

(14) TREES THAT MUST BE TRANSPLANTED

Trees numbered 16, 17, 29, 146, 147 and 157 in the Arboricultural Impact Assessment Report prepared by Civica dated 3 February 2022 shall be transplanted and successfully established in the location(s) indicated on the landscape plan as amended by the conditions of consent.

The transplanted trees must be maintained by a qualified Horticulturist or Arborist (minimum AQF Level 3) for a minimum period of twelve (12) months commencing from the date of planting. Maintenance includes, but is not limited to, watering, weeding, removal of rubbish from tree base, pruning, fertilizing, pest and disease control and any other operations to maintain a healthy robust tree;

If any of the transplanted trees fails to establish within 12 months of the initial planting date, it must be replaced with a tree of comparable qualities.

Reason

To identify the trees that must be transplanted.

(15) SURVEYS PRIOR TO COMMENCEMENT AND PRIOR TO OCCUPATION CERTIFICATE

- (a) AT FOUNDATION STAGE - All footings and walls adjacent to a boundary must be set out by a registered surveyor. On commencement of brickwork or wall construction a survey and report must be submitted to the Principal Certifier indicating the position of external walls in relation to the boundaries of the allotment. Any encroachments of the subject building over the side boundaries must be removed prior to continuation of building construction work, or alternatively a letter supplied from the registered proprietor(s) of the adjoining lot(s) confirming that they are aware of the nature & extent of the encroachment, and undertaking to execute all necessary documentation to permit the creation of an easement to permit the encroachment to remain.
- (b) Prior to the concrete pour of the main slab at each level, a survey shall be made by a surveyor registered under the Surveying & Spatial Information Act, 2002, confirming that the formwork adjacent to existing or proposed boundaries is clear of those existing or proposed boundaries and is in accordance with approved setbacks. This survey shall be provided to the Principal Certifier prior to the concrete pour. The concrete pour must not take place until the Principal Certifier receives a survey proving that the formwork has been constructed within the existing and proposed boundaries of the site, and is compliant with the setbacks approved under this consent.
- (c) AT COMPLETION - Prior to the issue of any staged or final Occupation Certificate for a part or the whole of the building - a Final Identification Survey prepared by a Surveyor registered under the Surveying & Spatial Information Act, 2002 must be submitted at the completion of the building work certifying the location of the building in relation to the boundaries of the allotment. Any encroachments of the building over the external site boundaries as approved by this consent must be rectified prior to the issue of a staged or final Occupation Certificate for the whole or any part of the building, or suitable easements registered on title.

Reason

To ensure the development does not encroach onto neighbouring properties.

PART B – BEFORE THE ISSUE OF A CONSTRUCTION CERTIFICATE

(16) HERITAGE CONSERVATION WORKS

- (a) Conservation works heritage fabric affected by these works, including the *Administration Building, Wych Wood* and the front fence/gate, are to be undertaken in accordance with *Schedule of Conservation Works – St Scholastica's College 2-4 Avenue Road Glebe* by Heritage 21 dated February 2021.
- (d) The proposed works are to be carried out in a manner that minimises demolition, alterations and new penetrations/fixings to the significant fabric of the existing building.
- (e) All conservation and adaptation works are to be in accordance with the Articles of the Australian ICOMOS Burra Charter 2013. Appropriately qualified contractors and tradespersons are to be commissioned who are skilled in traditional building and engineering trades to carry out the proposed scope of works within the heritage building.
- (f) **INSPECTION AND APPROVAL:** The conservation works are to be progressively inspected by and be implemented to the satisfaction of Council's Urban Design and Heritage Manager prior to the issue of any Occupation Certificate or commencement of the use, whichever is the earlier.

Reason

To ensure the carrying out of appropriate heritage conservation works.

(17) HERITAGE INTERPRETATION PLAN

- (a) An interpretation plan for the *Administration Building* and *Wych Wood* must be submitted to and approved by Council's Urban Design and Heritage Manager / Area Planning Manager prior to a Construction Certificate being issued. The plan is to be prepared by a suitably qualified and experienced heritage practitioner or historian.
- (b) The interpretation plan must detail how information on the history and significance of the heritage buildings will be provided for the school community and make recommendations regarding public accessibility, signage and lighting. Public art, details of the heritage design, the display of selected artefacts are some of the means that can be used.
- (c) The plan must specify the location, type, making materials and contents of the interpretation device being proposed.
- (d) Prior to certificate being issued the approved interpretation plan must be implemented to the satisfaction of Council's Urban Design and Heritage Manager / Area Planning Manager.

Reason

To ensure that the heritage of the site is appropriately interpreted and incorporated into the development.

(18) PHOTOGRAPHIC ARCHIVAL DOCUMENTATION

Prior to a Construction Certificate being issued, an archival photographic recording of the buildings affected by the works is to be prepared to Council's satisfaction. The recording is to be in digital form, prepared in accordance with the NSW Heritage Division of the Department of Environment and Heritage guidelines titled "Photographic Recording of Heritage Items using Film or Digital Capture". One copy of the record is to be submitted to Council to be lodged with Council's Archives.

Procedure

For buildings or structures with heritage significance, the archival documentation, and the number and type of selected enlarged photographs required will be determined by the significance and quality of the building or structure. For a scope of work, refer to Council's Heritage Specialist to determine the particular architectural/design features of the building/site that may need to be recorded.

For buildings or structures with no heritage significance the archival documentation requirements are less comprehensive and may just be limited to contextual and exterior photographs only. However, this will depend upon the type, complexity and significance of the building, and should be confirmed with Council's Area Coordinator Planning Assessments / Area Planning Manager, and if necessary, Council's Urban Design and Heritage Manager.

Because significant fabric may remain concealed and only be exposed during construction works, the archival recording is to be undertaken in stages, prior to the removal of any significant building fabric or furnishings from the site, during the removal of fabric on site that exposes significant building fabric or furnishings, and after work has been completed on site, as considered appropriate by the conservation architect commissioned for the project, and submitted as two parts as follows.

- (a) The first submission of the archival recording of significant building fabric or furnishings is to be prior to the removal of any significant building fabric or furnishings from the site, and must be submitted to and approved by Council prior to the commencement of any work on site and prior to a Construction Certificate being issued.
- (b) The second submission of the archival recording is of significant building fabric or furnishings that is exposed during demolition or construction and after work has been completed on site and must be submitted to Council prior to any Occupation Certificate being issued.

The form of recording is to be a photographic documentation of the site and its context, and the exteriors and interiors of the existing building(s) photographed, where appropriate, using a camera/lens capable of 'perspective correction'.

- (c) For each of the two submissions listed above in (a) and (b), the digital form of the recording is to be as follows:
 - (i) The Development Application number and the Condition of Consent number must be noted.

- (ii) Include a summary report detailing the project description, date and authorship of the photographic record, method of documentation and limitations of the photographic record.
- (iii) The electronic images are to be taken with a minimum 8 megapixel camera, saved as JPEG TIFF or PDF files with a size of approximately 4-6MB, and cross referenced to the digital catalogue sheets and base plans. Choose only images that are necessary to document the process and avoid duplicate images.
- (iv) Include written confirmation, issued with the authority of both the applicant and the photographer that the City of Sydney is granted a perpetual non-exclusive licence to make use of the copyright in all images supplied, including the right to make copies available to third parties as though they were Council images. The signatures of both the applicant and the photographer must be included.
- (v) The report can be submitted on a USB, or digital file transfer in PDF/A format (created directly from the digital original), with a digital catalogue of images with the following data for each location, image subject/description and date.

Reason

To ensure appropriate archival documentation of the building.

(19) SALVAGE, REUSE AND RECYCLING OF TRADITIONAL BUILDING MATERIALS – MAJOR DEVELOPMENT

Stone, bricks, roof tiles, joinery and decorative architectural elements to be demolished, which include stairs, windows and doors, chimney pieces and ceiling roses must be salvaged and where possible reused on the project.

Salvaged building materials surplus to the project must either be stored on site for future reuse or transferred to an established second building material dealer for recycling.

Documentation of the salvage methodology must be submitted to and approved by Council's Urban Design and Heritage Manager / Area Planning Manager prior to the issue of a Construction Certificate.

Reason

To ensure the salvaging and reuse of traditional building materials.

(20) SITES IN THE VICINITY OF A HERITAGE ITEM – MAJOR DEVELOPMENT

- (a) A protection strategy for the duration of the construction works, is to be submitted to and approved by Council's Urban Design and Heritage Manager / Area Coordinator Planning Assessments / Area Planning Manager prior to the issue of any Construction Certificate. The Strategy is to detail how the proposed works will ensure that the *Administration Building* and *Wych Wood* are to be suitably protected and stabilized during the construction process including from any construction waste, dust, damp, water runoff, vibration or structural disturbance or damage.

- (b) Additionally, the protection strategy is to include:
 - (i) Details of temporary hydraulic drainage works to ensure that all water both in ground and above ground is channelled to the street and that no such water is channelled onto the adjacent property fabric or interiors.
 - (ii) Construction debris on neighbouring properties, in drainage lines or in cavities between the boundary walls of the adjacent buildings, is to be removed progressively as the works progress.
 - (iii) (for sites requiring large scale excavation that is below the level of adjacent heritage items) A geotechnical report detailing the investigation of the location and depth of footings of the adjacent buildings. The report must address details of lateral ground movement, advice of any additional boundary offsets that may be required as a result of the location of footings and on the suitability of structural engineer's proposals for underpinning or other support to adjacent footings.

Reason

To ensure the protection of adjacent/nearby heritage items.

(21) USE OF HERITAGE CONSULTANT - MAJOR DEVELOPMENT

- (a) An experienced heritage consultant is to be commissioned to work with the consultant team throughout the design development, contract documentation and construction stages of the project. The conservation architect is to be involved in the resolution of all matters where existing significant fabric and spaces are to be subject to preservation, restoration, reconstruction, adaptive reuse, recording and demolition. The heritage consultant is to be provided with full access to the site and authorised by the applicant to respond directly to Council where information or clarification is required regarding the resolution of heritage issues throughout the project.
- (b) Evidence and details of the above commission on the above terms are to be provided to Council prior to the issue of any Construction Certificate or commencement of work on site whichever is the earlier.
- (c) Throughout the documentation and construction stages of the approved works the experienced heritage consultant is to:
 - (i) Undertake site inspections of not less than fortnightly intervals.
 - (ii) Maintain a diary of site inspections that includes photographs of the works, details of heritage advice and decisions arising out of each inspection and any further physical evidence uncovered during the works.
 - (iii) Compile a final report, including the diary, verifying how the heritage conditions have been satisfied, and the works completed in accordance with the Conservation Management Plan.

- (d) Upon completion of the works, the final report is to be submitted for approval by Council's Urban Design and Heritage Manager / Area Coordinator Planning Assessments / Area Planning Manager prior to the issue of any Occupation Certificate or the commencement of the use, whichever is earlier.

Reason

To ensure that the implementation of the approved development is carried out in a manner that does not have adverse heritage impacts.

(22) BUILDING WORKS TO COMPLY WITH NATIONAL CONSTRUCTION CODE – HERITAGE BUILDINGS OR BUILDINGS WITHIN CONSERVATION AREA

Any building works required to ensure compliance with the NCC (previously known as BCA) or new building standards not specified in the submitted/approved plan must not damage existing fabric and building features. If such upgrading works have impact or potentially have impact on existing fabric and features, details of the works must be submitted and approved by Council's Area Coordinator Planning Assessments / Area Planning Manager prior to issue of any Construction Certificate.

Reason

To ensure an appropriate heritage outcome.

(23) PUBLIC DOMAIN DAMAGE SECURITY BOND

- (a) A Public Domain Damage Security Bond calculated on the basis of 30 square metres of concrete site frontage must be lodged with the City in accordance with the City of Sydney's adopted fees and charges. The bond must be provided as security for repairing any damage to the public domain in the vicinity of the site.
- (b) The City's Public Domain Unit must be contacted to determine the bond amount prior to lodgement. The Bond must be lodged with the City prior to an approval for demolition being granted or any Construction Certificate being issued, whichever is earlier.
- (c) The bond in this condition will be released in full when the Final Occupation Certificate has been issued and, any rectification works to the footway and Public Domain, are completed to City's satisfaction. If rectification works are required the City will release 90% of the total Bond, with the remaining 10% balance to be held for the duration of a 6 months Defect Liability Period.

Reason

To allow for the appropriate management and rectification of damage to the public domain.

(24) PROTECTION OF STONE KERBS

- (a) The existing stone kerbs on the Avenue Road frontage of the site are to be retained and properly protected during demolition, excavation and construction works.
- (b) To avoid damage to stone kerbs during excavation and construction works for the development, temporary removal and storage of the stone kerbs may be approved by Council. Removed, serviceable stone kerbs (i.e. those that are in good condition as agreed by Council officers) must be re-installed in accordance with the City of Sydney's standard details and specifications after the construction works have been completed. A temporary concrete kerb will need to be constructed to retain the footpath until the stone kerbs can be reinstalled.
- (c) Note the following:
 - (i) all costs associated with the works are to be borne by the developer.
 - (ii) Damaged kerbs are to be replaced to match existing to Council's satisfaction or as otherwise advised by Council officers.
 - (iii) Where new vehicle crossings or temporary crossings are to be constructed to access the property, the affected kerb stones should be salvaged and reused wherever possible.
 - (iv) All new driveway laybacks and kerbs are to be constructed with stone kerbs to match existing stones or as specified by City officers.
 - (v) Council approval is required before kerbs are removed.
 - (vi) Council approval is required prior to the cutting of existing stone kerbs for stormwater kerb outlets.
 - (vii) A bond may be required for stone kerbs and gutters in accordance with the City of Sydney's adopted Schedule of Fees and Charges. If so, this will be included with the Public Domain Damage Bond.

Reason

To ensure the protection of stone kerbs.

(25) STORMWATER AND DRAINAGE

The drainage system is to be constructed in accordance with the City's standard requirements as detailed in the City of Sydney's Stormwater Drainage Manual. The development is to be designed so that the flow of pollutants from the site due to stormwater is reduced.

Reason

To ensure the drainage system is constructed in accordance with Council's requirements.

(26) DILAPIDATION REPORT - PUBLIC DOMAIN

Prior to an approval for demolition and preparatory works being granted or the issue of any Construction Certificate being issued, whichever is earlier, a photographic recording of the public domain site frontages is to be prepared as described in the *Public Domain Manual* and submitted to and approved by Council's Public Domain Unit. The City's *Public Domain Manual* is available for download from the City's website at <https://www.cityofsydney.nsw.gov.au/>

The submission is to include written confirmation, issued with the authority of both the applicant and the photographer that the City of Sydney is granted a perpetual non-exclusive license to make use of the copyright in all images supplied, including the right to make copies available to third parties as though they were Council images. The signatures of both the applicant and the photographer must be included.

Reason

To establish and document the condition of the public domain for comparison as building work progresses and is completed.

(27) COMPLIANCE WITH THE ACOUSTIC REPORT PRIOR TO CONSTRUCTION AND OR OCCUPATION CERTIFICATES

- (a) All relevant performance parameters (including but not limited to requirements, engineering assumptions and recommendations) in the DA Acoustic Report prepared by Acoustic Report prepared by JHA Services Rev C dated 01/10/2021 Council ref TRIM 2022/185219 must be implemented in the development prior to the commencement of its use.
- (b) Prior to the issue of any relevant Construction Certificate, the final construction drawings and final construction methodology must be assessed and reported to be in accordance with the requirements of the DA Acoustic Report in (a) above, with reference to relevant documentation. This must be done by a Suitably Qualified Acoustic Consultant* (see definition below). This work will be to the satisfaction of the accredited certifier.
- (c) Prior to the issue of any Occupation Certificate, a Suitably Qualified Acoustic Consultant* is to provide a written Acoustic Verification Report to the satisfaction of the Principal Certifier that the development complies with the requirements set out in the Report and in (a) and (b) above.

Note: *Suitably Qualified Acoustic Consultant* means a consultant who possesses the qualifications to render them eligible for membership of the Australian Acoustical Society, Institution of Engineers Australia or the Association of Australian Acoustical Consultants at the grade of member firm.

- (d) All physical aspects of the building's structure installed in order to meet performance parameters in accordance with this condition must be maintained at all times.

Reason

To ensure all parties are aware of the supporting documentation that applies to the development.

(28) MECHANICAL VENTILATION

- (a) The premises must be ventilated in accordance with the *Building Code of Australia* and *AS1668.1 and AS1668.2 - The Use of Ventilation and Air-conditioning in Buildings - Mechanical Ventilation in Buildings*.
- (b) Details of any mechanical ventilation and/or air conditioning system complying with *AS1668.1 and AS1668.2 - The Use of Ventilation and Air-conditioning in Buildings - Mechanical Ventilation in Buildings*, the *Building Code of Australia* and relevant Australian Standards must be prepared and certified in accordance with Clause A5.2(1)(e) of the *Building Code of Australia*, to the satisfaction of the Accredited Certifier prior to the issue of a Construction Certificate.
- (c) Prior to issue of any Occupation Certificate and following the completion, installation, and testing of all the mechanical ventilation systems, a Mechanical Ventilation Certificate of Completion and Performance in accordance with Clause A5.2(1)(e) of the *Building Code of Australia*, must be submitted to the Principal Certifier.

Reason

To ensure the ventilation complies with relevant standards.

(29) EXTERNAL WALLS AND CLADDING FLAMMABILITY

The external walls of the building including attachments must comply with the relevant requirements of the *Building Code of Australia*. Prior to the issue of a Construction Certificate and Occupation Certificate the Registered Certifier and the Principal Certifier must:

- (a) Be satisfied that suitable evidence is provided to demonstrate that the products and systems proposed for use or used in the construction of external walls including finishes and claddings such as synthetic or aluminium composite panels comply with the BCA; and
- (b) Ensure that the documentation relied upon in the approval processes include an appropriate level of detail to demonstrate compliance with the BCA as proposed and as built.

Reason

To ensure the external walls and cladding comply with relevant requirements.

(30) CONSTRUCTION TRAFFIC MANAGEMENT PLAN

- (a) A Construction Traffic Management Plan must be submitted to and approved by Council prior to a Construction Certificate being issued.

- (b) The approved plan must be complied with during any demolition and/or construction work.

Reason

To ensure that the impacts of construction traffic is appropriately managed.

(31) INSTALLATION OF DUAL-FLUSH TOILETS

All toilets installed within the development must be of water efficient dual-flush or other water-saving capacity with at least a 4-star rating under the Water Efficiency and Labelling Scheme (WELS). The details must be submitted for the approval of the Registered Certifier, prior to a Construction Certificate being issued.

Reason

To ensure the provision of water efficient toilets.

(32) INSTALLATION OF WATER EFFICIENT TAPS

All taps and shower heads installed must be water efficient with at least a 4-star rating under the Water Efficiency and Labelling Scheme (WELS). The details are to be submitted for the approval of the Principal Certifier, prior to any Occupation Certificate being issued.

Reason

To ensure the provision of water efficient taps.

(33) INSTALLATION OF WATER EFFICIENT URINALS

New urinal suites, urinals and urinal flushing control mechanisms must use waterless technology. Where it is submitted that this is not feasible, it must be demonstrated that products have been selected with at least a 4-star rating under the Water Efficiency and Labelling Scheme (WELS). Systems must include "smart controls" to reduce unnecessary flushing. Continuous flushing systems are not approved. Details are to be submitted to and approved by the Registered Certifier, prior to a Construction Certificate being issued.

Reason

To ensure the provision of water efficient urinals.

PART C – BEFORE THE COMMENCEMENT OF BUILDING WORK

(34) TREE PROTECTION PLANS

All detailed architectural, building, engineering (structural, stormwater and drainage services) and landscape documentation submitted for the Construction Certificate shall clearly show on all drawings the retention of trees as required by these conditions of consent, the position of their trunks, full diameter of their canopies, Structural Root Zones (SRZs) and Tree Protection Zones (TPZs).

Reason

To ensure the protection and ongoing health of trees.

(35) TREE PROTECTION ZONE

- (a) Before the commencement of works, Tree Protection Zones (TPZ) must be established around all trees to be retained not less than the distance indicated in the TPZ schedule below.
- (b) Tree protection must be installed and maintained in accordance with the Australian Standard 4970 Protection of Trees on Development Sites and as follows;

TPZ Schedule

Tree No	Species Name	Location	Radius (m) From Trunk
5	Jacaranda mimosifolia	Refer to the Arboricultural Impact Assessment Report for tree numbers and locations only	8.3m
6	Ceratopetalum gummiferum		2.2m
7	Cedrus deodara		4.4m
15	Archontophoenix cunninghamiana		2.9m
18	Melaleuca quinquenervia		7.1m
19	Melaleuca quinquenervia		5.5m
20	Araucaria cunninghamii		10.2m
21	Elaeocarpus reticulatus		2m
23	Camellia sasanqua		3.2m
25	Melaleuca bracteata		2.3m
26	Pyrus calleryana		3.1m
30	Callistemon viminalis		5.3m
31	Livistona australis		4m
33	Tibouchina alstonville		2.2m
155	Lagerstroemia indica		2m
156	Camellia japonica	2m	

Note: Only applies to the TPZ within the subject development site.

- (c) Tree Protection Fencing must be installed and maintained prior to the commencement of any works and in accordance with the following:
 - (i) A 1.8 metre high fully supported chainmesh protective fencing, secured and fastened to prevent movement shall be installed around the TPZ distance. Woody roots must not be damaged or destroyed during the establishment or maintenance of the fencing;
 - (ii) The area within the fencing shall be mulched to a depth of 75mm and kept free of weeds and grass for the duration of works
 - (iii) Tree Protection Signage shall be attached facing outwards in a visible position identifying the name and contact details of the site Arborist. All signs must remain in place throughout all work on site.
 - (iv) Tree Protection Fencing must not be relocated unless written approval is obtained from the Site Arborist and a copy is provided to Council which outlines alternate protection measures required to ensure all trees remain viable and confirmation that the relocation of the fencing will not impacted the tree/s.
- (d) The ground surface protection must be installed if construction access is required through any TPZ and part (g)(i) of this condition has been approved:
 - (i) Protected with boarding (ie scaffolding board or plywood sheeting or similar material), placed over a layer of mulch to a depth of at least 75mm and geotextile fabric;
 - (ii) The protective boarding must be left in place for the duration of the construction and development.
- (e) The following works must be excluded from within any TPZs:
 - (i) Excavation (except for localised siting of piers / demolition of the concrete slab);
 - (ii) Soil cut or fill including trenching;
 - (iii) Soil cultivation, disturbance or compaction;
 - (iv) Stockpiling, storage or mixing of materials;
 - (v) The parking, storing, washing and repairing of tools, equipment and machinery;
 - (vi) The disposal of liquids and refuelling;
 - (vii) The disposal of building materials;
 - (viii) The siting of offices or sheds;
 - (ix) Any action leading to the impact on tree health or structure.

- (f) Any trenching works for services / hydraulics / drainage etc must not be undertaken within any Tree Protection Zone (TPZ). Alternative installation methods for services, such as directional boring/drilling, or redirection of services shall be employed.
- (g) All work undertaken within or above the TPZ must be:
 - (i) Carried out in accordance with a work methodology statement prepared by an Arborist (minimum AQF Level 5) and written approval is obtained from Council's Tree Management Officer before its implementation; and
 - (ii) Supervised by a qualified Consultant Arborist (minimum AQF Level 5).

Reason

To ensure the protection and ongoing health of trees.

(36) HAND EXCAVATIONS WITHIN VICINITY OF TREES

- (a) Excavation must not occur within the SRZ. If excavation is proposed within this zone, the Council's Tree Management Officer must be contacted immediately and the excavation must be carried out in accordance with Council's direction.
- (b) Excavation undertaken within the Tree Protection Zone distance detailed in the condition titled 'Tree Protection Zones' shall be hand dug.
- (c) Small hand tools such as mattocks or using compressed air or water jetting only shall be used. Roots with a diameter equal to or in excess of 40mm shall not be severed or damaged unless approved in writing by the project arborist.
- (d) Mechanical excavation is permitted beyond this radius when root pruning by hand along the perimeter line is completed. Exposed roots to be retained shall be covered with mulch or a geotextile fabric and kept in a moist condition and prevented from drying out.
- (e) Footings shall be relocated / realigned if any tree root greater than 40mm in diameter is encounter during excavations. A minimum of 150mm clearance shall be provided between the tree root and footing.
- (f) All excavations located within the TPZ must be supervised by a qualified Consultant Arborist, who holds the Diploma in Horticulture (Arboriculture), Level 5 under the Australian Qualification Framework.
- (g) All root pruning must be undertaken in accordance with the Australian Standard 4373 "Pruning of Amenity Trees" and carried out by a qualified Arborist (minimum qualification of Australian Qualification Framework Level 5 or recognised equivalent).

Reason

To ensure the protection and ongoing health of trees.

(37) PAVING WITHIN VICINITY OF TREES

- (a) Paving works within undertaken within the Tree Protection Zone distance detailed in the condition titled 'Tree Protection Zones' shall be constructed in such a way as to ensure that the existing moisture infiltration and gaseous exchange to the tree root system are maintained. When preparing an area for paving within the specified radius the soil surface shall not be skimmed. The new surface shall be established above the former ground level.
- (b) Paving works are to be designed in consultation with a qualified Arborist (minimum qualification of Australian Qualification Framework Level 5 or recognised equivalent) and are to utilise such measures as semiporous material.

Reason

To ensure existing tree root systems are maintained.

(38) SITE SUPERVISION AND REPORTING

- (a) An Arborist with minimum qualifications in Arboriculture of Level 5 (under the Australian Qualification Framework) must oversee various stages of work within the Tree Protection Zone of any tree listed for retention. The Arborist must certify compliance with each key milestone as detailed below:
 - (i) Installation of tree protection measures;
 - (ii) During demolition of any ground surface materials (paving, concrete, grass etc) within the Tree Protection Zone (TPZ) of any tree to be retained;
 - (iii) During any excavation and trenching which has been approved by Council within the TPZ of any tree to be retained;
 - (iv) During any works within the TPZ of trees to be retained which has been approved by Council;
 - (v) During any Landscape works within the TPZ of any tree to be retained.
- (b) An Arboricultural Compliance Report which includes photographic evidence and details of the health and condition of trees, must be submitted to Council's Area Planning Manager at each hold-point listed below:
 - (i) Certification tree protection measures have been installed in accordance with the conditions prior to the commencement of works;
 - (ii) Certification of compliance with each key milestone listed above within 48 hours of completion;
 - (iii) Quarterly reporting for the duration of construction and development within the site;

- (iv) Details of any other works undertaken on any tree to be retained or within TPZ/s;
- (c) A final compliance report shall be submitted to and approved by Council's Area Planning Coordinator / Area Planning Manager prior to the issuing of the Occupation Certificate.

Reason

To ensure the protection and ongoing health of trees on the site.

(39) TREE PRUNING

A separate permit to prune any trees within or adjacent to the property and/or any pruning of tree roots must be obtained from Council prior to any works being undertaken.

Reason

To ensure the protection and ongoing health of trees.

(40) DEMOLITION, EXCAVATION AND CONSTRUCTION MANAGEMENT

- (a) Prior to the commencement of demolition and/or excavation work the following details must be submitted to and be approved by the Principal Certifier:
 - (i) Plans and elevations showing distances of the subject building from the location of adjoining and common/party walls, and (where applicable) the proposed method of facade retention.
 - (ii) A Demolition Work Method Statement prepared by a licensed demolisher who is registered with the Work Cover Authority. (The demolition by induced collapse, the use of explosives or on-site burning is not permitted.)
 - (iii) An Excavation Work Method Statement prepared by an appropriately qualified person.
 - (iv) A Waste and Recycling Management Plan – Demolition and Construction for the demolition and or excavation of the proposed development. The plan is to include details of materials that will be excavated and their proposed destination or reuse.
 - (v) Plans and elevations showing the location, construction and installation of temporary site fencing and any temporary structures used in connection with the construction of the development.

Note: Temporary structures, including hoardings and scaffolding, proposed for erection on City-owned and controlled land (footways and roadways), must comply with Council's *Guidelines for Hoardings and Scaffolding* and be approved by Council under the provisions of the Local Government Act 1993 and the Roads Act 1993 prior to installation.

- (b) Such statements must, where applicable, be in compliance with AS2601-2001 Demolition of Structures, the *Work, Health and Safety Act 2011* and Regulation; Council's *Guidelines for Waste Management in New Developments 2018*, the *Waste Avoidance and Resource Recovery Act 2001*, and all other relevant acts and regulations and must include provisions for:
- (i) A Materials Handling Statement for the removal of refuse from the site in accordance with the *Waste Avoidance and Resource Recovery Act 2001*.
 - (ii) The name and address of the company/contractor undertaking demolition/excavation works.
 - (iii) The name and address of the company/contractor undertaking off site remediation/disposal of excavated materials.
 - (iv) The name and address of the transport contractor.
 - (v) The type and quantity of material to be removed from site.
 - (vi) Location and method of waste disposal and recycling.
 - (vii) Proposed truck routes, in accordance with this development consent.
 - (viii) Procedures to be adopted for the prevention of loose or contaminated material, spoil, dust and litter from being deposited onto the public way from trucks and associated equipment and the proposed method of cleaning surrounding roadways from such deposits. (Note: With regard to demolition of buildings, dust emission must be minimised for the full height of the building. A minimum requirement is that perimeter scaffolding, combined with chain wire and shade cloth must be used, together with continuous water spray during the demolition process. Compressed air must not be used to blow dust from the building site).
 - (ix) Measures to control noise emissions from the site.
 - (x) Measures to suppress odours.
 - (xi) Enclosing and making the site safe.
 - (xii) Induction training for on-site personnel.
 - (xiii) Written confirmation that an appropriately qualified Occupational Hygiene Consultant has inspected the building/site for asbestos, contamination and other hazardous materials, in accordance with the procedures acceptable to SafeWork NSW.
 - (xiv) An Asbestos and Hazardous Materials Clearance Certificate by a person approved by the SafeWork NSW.
 - (xv) Disconnection of utilities.

- (xvi) Fire Fighting. (Fire fighting services on site are to be maintained at all times during demolition work. Access to fire services in the street must not be obstructed).
 - (xvii) Access and egress. (Demolition and excavation activity must not cause damage to or adversely affect the safe access and egress of the subject building or any adjacent buildings).
 - (xviii) Waterproofing of any exposed surfaces of adjoining buildings.
 - (xix) Control of water pollution and leachate and cleaning of vehicles tyres (proposals must be in accordance with the *Protection of the Environmental Operations Act 1997*).
 - (xx) Working hours, in accordance with this development consent.
 - (xxi) Any SafeWork NSW requirements.
- (c) The approved work method statements and a waste management plan as required by this condition must be implemented in full during the period of construction.
 - (d) All waste records from the recycling and/or disposal of any demolition and construction waste generated from the works must be retained on site. These records must be available for sighting on request by an authorised Council officer.

Reason

To ensure that impacts arising from demolition, excavation and construction are appropriately managed.

(41) DILAPIDATION REPORT

Subject to the receipt of permission of the affected landowner, dilapidation report/s of adjoining buildings are to be prepared by an appropriately qualified practising structural engineer and submitted for the approval of the Registered Certifier prior to the issue of a construction certification.

Reason

To ensure that dilapidation reports are prepared and to identify damage to for adjoining/nearby properties resulting from building work on the development site.

(42) EROSION AND SEDIMENT CONTROL - BETWEEN 250 AND 2,500SQM

Prior to the commencement of demolition/excavation/construction work, an Erosion and Sediment Control Plan (ESCP) must be submitted to and be approved by the Principal Certifier. The ESCP must:

- (a) Conform to the specifications and standards contained in *Managing Urban Stormwater: Soils and Construction* (Landcom, 2004); the *Guidelines for Erosion and Sediment Control on Building Sites* (City of Sydney, 2004); and the *NSW Protection of the Environment Operations Act 1997*.

- (b) Include a drawing(s) that clearly shows:
 - (i) location of site boundaries and adjoining roads
 - (ii) approximate grades and indications of direction(s) of fall
 - (iii) approximate location of trees and other vegetation, showing items for removal or retention
 - (iv) location of site access, proposed roads and other impervious areas
 - (v) existing and proposed drainage patterns with stormwater discharge points
 - (vi) north point and scale
- (c) Specify how soil conservation measures will be conducted on site including:
 - (i) timing of works
 - (ii) locations of lands where a protective ground cover will, as far as is practicable, be maintained
 - (iii) access protection measures
 - (iv) nature and extent of earthworks, including the amount of any cut and fill
 - (v) where applicable, the diversion of runoff from upslope lands around the disturbed areas
 - (vi) location of all soil and other material stockpiles including topsoil storage, protection and reuse methodology
 - (vii) procedures by which stormwater is to be collected and treated prior to discharge including details of any proposed pollution control device(s)
 - (viii) frequency and nature of any maintenance program
 - (ix) other site-specific soil or water conservation structures.

Reason

To ensure that appropriate erosion and sediment control measures are put in place during construction to protect the environment.

(43) RODENT TREATMENT PROGRAMME – PRE-DEMOLITION AND/OR EXCAVATION

- (a) Prior to the commencement of any demolition and/or excavation works, a programme of baiting and monitoring of rodent activity is to be put in place at the site.

- (b) A licensed Pest Control Operative must carry out all pest control work and prepare a report, confirming that there is no evidence of any rodent activity at the site prior to the commencement of any works on site. The report must be submitted to and be approved/endorsed by Council's Area Coordinator Planning Assessments/Area Planning Manager.

Reason

To ensure that the potential impact of rodents during the demolition, excavation and construction phase is appropriately managed.

(44) APPLICATION FOR HOARDINGS AND SCAFFOLDING INSTALLED ON OR ABOVE A PUBLIC ROAD AND OPERATING HOISTING DEVICES INCLUDING BUILDING MAINTENANCE UNITS OVER A PUBLIC ROAD

- (a) Where a hoarding and/or scaffolding (temporary structures) are proposed to be installed on or above a road reservation (footway and/or roadway), a separate application under Section 68 of the *Local Government Act 1993* and Sections 138/139 of the *Roads Act 1993* must be submitted to and approved by Council for such structures.
- (b) Where an approval (Permit) is granted allowing the placement of temporary structures on or above a public road the structures must comply fully with Council's *Hoarding and Scaffolding Policy; Guidelines for Hoardings and Scaffolding*; and the conditions of approval (Permit) granted including:
 - (i) maintaining a current and valid approval for the full duration that the temporary structure/s is in place;
 - (ii) maintaining temporary structure/s in a structurally sound and stable condition for the full duration of installation (Clause 2.11.1);
 - (iii) bill posters and graffiti being removed within 24 hours of their placement (Clause 2.11.2);
 - (iv) maintaining temporary structures and the public place adjoining the work site in a clean and tidy condition including repainting and/or repair of graphics (Clauses 2.11.1, 2.11.4, 2.14.1 and 3.9.3);
 - (v) maintaining a watertight deck (Type B hoardings) to prevent liquids including rainwater, falling onto the footway/roadway surfaces (Clauses 3.9.1 and 3.9.4);
 - (vi) approved site sheds on the decks of a Type B hoarding being fully screened from the public place (Clause 3.9.5);
 - (vii) material and equipment not being placed or stored on the deck of Type B hoardings, unless specifically approved by Council (Clause 3.9.4);
 - (viii) providing and maintaining operational artificial lighting systems under Type B hoardings including at high-bay truck entry points (Clause 3.9.9); and

- (ix) ensuring all required signage, artwork or historic images are provided and fully maintained to the City's requirements (Clauses 3.4, 3.9.3, 3.9.6, 3.9.8, 3.10.1 and 4.2).

If it is proposed to operate a hoisting device including a building maintenance unit above a public road which swings, hoists material/equipment and/or slews/wind vanes any part of the device over the public road, a separate application under Section 68 of the *Local Government Act 1993* and Sections 138/139 of the *Roads Act 1993* must be made to Council to obtain approval.

Note: 'Building maintenance unit' means a power-operated suspended platform and associated equipment on a building specifically designed to provide permanent access to the faces of the building for maintenance (Work Health and Safety Regulation 2017).

Reason

To ensure the necessary approval is obtained for temporary structures over a public road.

(45) SYDNEY WATER CERTIFICATE (TAP-IN)

- (a) The approved plans must be submitted to Sydney Water's "Tap-in" online service to determine whether the development will affect Sydney Water's sewer and water mains, stormwater drains and/or easements, and if further requirements need to be met. Sydney Water's "Tap-in" online service is available at www.sydneywater.com.au, (see Plumbing, Building & Development and then Sydney Water "Tap-in").
- (b) The Consent Authority or a Principal Certifier must ensure that Sydney Water has appropriately stamped the plans before the commencement of work.

Reason

To ensure the development satisfies Sydney Waters requirements.

PART D – WHILE BUILDING WORK IS BEING CARRIED OUT

(46) HOURS OF WORK AND NOISE – OUTSIDE CBD

The hours of construction and work on the development must be as follows:

- (a) All work, including building/demolition and excavation work, and activities in the vicinity of the site generating noise associated with preparation for the commencement of work (eg. loading and unloading of goods, transferring of tools etc) in connection with the proposed development must only be carried out between the hours of 7.30am and 5.30pm on Mondays to Fridays, inclusive, and 7.30am and 3.30pm on Saturdays, with safety inspections being permitted at 7.00am on work days, and no work must be carried out on Sundays or public holidays.
- (b) All work, including demolition, excavation and building work must comply with the City of Sydney Code of Practice for Construction Hours/Noise 1992 and Australian Standard 2436 - 2010 Guide to Noise Control on Construction, Maintenance and Demolition Sites.
- (c) Notwithstanding the above, the use of a crane for special operations, including the delivery of materials, hoisting of plant and equipment and erection and dismantling of on-site tower cranes which warrant the on-street use of mobile cranes outside of above hours can occur, subject to a separate application being submitted to and approved by Council under Section 68 of the Local Government Act 1993 and Sections 138/139 of the Roads Act 1993.

Note: Works may be undertaken outside of hours, where it is required to avoid the loss of life, damage to property, to prevent environmental harm and/or to avoid structural damage to the building. Written approval must be given by the Construction Regulation Team, prior to works proceeding

The *City of Sydney Code of Practice for Construction Hours/Noise 1992* allows extended working hours subject to the approval of an application in accordance with the Code and under Section 4.55 of the *Environmental Planning and Assessment Act 1979*.

Reason

To protect the amenity of the surrounding area.

(47) ASBESTOS REMOVAL WORKS

- (a) All works removing asbestos containing materials must be carried out by a suitably licensed asbestos removalist duly licensed with Safework NSW, holding either a Friable (Class A) or a Non-Friable (Class B) Asbestos Removal Licence which ever applies.

A copy of the relevant licence must be made available to any authorised Council officer on request within 24 hours.

- (b) Five days prior to the commencement of licensed asbestos removal, Safework NSW must be formally notified of the works. All adjoining properties and those opposite the development must be notified in writing of the dates and times when asbestos removal is to be conducted. The notification must identify the licensed asbestos removal contractor and include a contact person for the site together with telephone number and email address.
- (c) All work must be carried out in accordance with the *Work Health and Safety Regulation 2017* and the NSW Government and SafeWork NSW document entitled *How to manage and control asbestos in the work place: Code of Practice (Safework NSW) December 2011* and the *City of Sydney Managing Asbestos Policy dated 21 October 2013 and associated guidelines*.
- (d) The asbestos removalist must use signs and barricades to clearly indicate the area where the asbestos removal work is being performed. Signs must be placed in positions so that people are aware of where the asbestos removal work area is and should remain in place until removal is completed and clearance to reoccupy has been granted. Responsibilities for the security and safety of the asbestos removal site and removal must be specified in the asbestos removal control plan (where required). This includes inaccessible areas that are likely to contain asbestos.
- (e) Warning signs must be placed so they inform all people nearby that asbestos removal work is taking place in the area. Signs must be placed at all of the main entry points to the asbestos removal work area where asbestos is present. These signs must be weatherproof, constructed of light-weight material and adequately secured so they remain in prominent locations. The signs must be in accordance with AS 1319 -1994 *Safety Signs for the Occupational Environment* for size, illumination, location and maintenance.
- (f) Asbestos waste must only be transported and disposed of at an EPA licensed waste facility.
- (g) No asbestos products are to be reused on the site (i.e. packing pieces, spacers, formwork or fill etc).
- (h) No asbestos laden skips or bins are to be left in any public place without the written approval of Council.
- (i) A site notice board must be located at the main entrance to the site in a prominent position and must have minimum dimensions of 841mm x 594mm (A1) with any text on the notice to be a minimum of 30 point type size.

The site notice board must include the following:

- (i) contact person for the site;
- (ii) telephone and facsimile numbers and email address; and
- (iii) site activities and time frames.

Reason

To ensure that the handling and removal of asbestos from the site is appropriately managed.

(48) NOTIFICATION – NEW CONTAMINATION EVIDENCE

Council's Area Planning Manager and the Principal Certifier must be notified of any new information which comes to light during remediation, demolition or construction works which has the potential to alter previous conclusions about site contamination.

Reason

To ensure that the site is appropriately remediated.

(49) NOTIFICATION OF EXCAVATION WORKS OR USE OF HIGH NOISE EMISSION APPLIANCES/PLANT

The immediately adjoining neighbours must be given a minimum of 48 hours notice that excavation, shoring or underpinning works or use of high noise emission appliances / plant are about to commence.

Reason

To protect the amenity of the surrounding area.

(50) HAZARDOUS AND INDUSTRIAL WASTE

Hazardous and/or industrial waste arising from the demolition/operational activities must be removed and/or transported in accordance with the requirements of the NSW Work Cover Authority pursuant to the provisions of the following:

- (a) *Protection of the Environment Operations Act 1997*
- (b) *Protection of the Environment Operations (Waste) Regulation 2005*
- (c) *Waste Avoidance and Resource Recovery Act 2001*
- (d) *Work Health and Safety Act 2011*
- (e) *Work Health and Safety Regulation 2017.*

Reason

To ensure hazardous/ industrial waste is managed appropriately.

(51) STOCKPILES

- (a) No stockpiles of soil or other materials must be placed on footpaths or nature strips unless prior approval has been obtained from the City's Construction Regulation Team.

- (b) All stockpiles of soil or other materials must be placed away from drainage lines, gutters or stormwater pits or inlets.
- (c) All stockpiles of soil or other materials likely to generate dust or odours must be covered.
- (d) All stockpiles of contaminated soil must be stored in a secure area and be covered if remaining more than 24 hours.

Reason

To ensure that stockpiles of soil or other materials are appropriately managed.

(52) COVERING OF LOADS

All vehicles involved in the excavation and/or demolition process and departing the property with demolition materials, spoil or loose matter must have their loads fully covered before entering the public roadway.

Reason

To ensure loads are managed appropriately and do not impact local amenity.

(53) EROSION AND SEDIMENT CONTROL

The Soil and Water Management Plan (SWMP) or Erosion and Sediment Control Plan (ESCP) which has been approved by the Principal Certifier must be implemented in full during the construction period.

During the construction period:-

- (a) erosion and sediment controls must be regularly inspected, repaired and maintained in working order sufficient for a 10 year Average Recurrence Interval (ARI) rainfall event;
- (b) erosion and sediment control signage available from Council must be completed and attached to the most prominent structure visible at all times when entering the site for the duration of construction; and
- (c) building operations and stockpiles must not be located on the public footway or any other locations which could lead to the discharge of materials into the stormwater system.

Reason

To ensure no substance other than rainwater enters the stormwater system and waterways.

(54) VEHICLE CLEANSING

Prior to the commencement of work, suitable measures are to be implemented to ensure that sediment and other materials are not tracked onto the roadway by vehicles leaving the site. It is an offence to allow, permit or cause materials to pollute or be placed in a position from which they may pollute waters.

Reason

To ensure sediment is not tracked onto the roadway.

(55) ACCESS DRIVEWAYS TO BE CONSTRUCTED

Approved driveways are to be constructed for all vehicular access to the construction site in accordance with the requirements of Council's "Driveway Specifications" to the satisfaction of Council.

Reason

To allow adequate vehicular access to the site.

(56) LOADING AND UNLOADING DURING CONSTRUCTION

The following requirements apply:

- (a) All loading and unloading associated with construction activity must be accommodated on site, where possible.
- (b) If, it is not feasible for loading and unloading to take place on site, a Works Zone on the street may be considered by Council.
- (c) A Works Zone may be required if loading and unloading is not possible on site. If a Works Zone is warranted an application must be made to Council at least 8 weeks prior to commencement of work on the site. An approval for a Works Zone may be given for a specific period and certain hours of the days to meet the particular need for the site for such facilities at various stages of construction. The approval will be reviewed periodically for any adjustment necessitated by the progress of the construction activities.
- (d) Where hoisting activity over the public place is proposed to be undertaken including hoisting from a Works Zone, a separate application under Section 68 of the Local Government Act 1993 and Sections 138/139 of the Roads Act 1993 must be submitted to and approved by Council.

Reason

To protect the amenity of the public domain.

(57) NO OBSTRUCTION OF PUBLIC WAY

Unless otherwise approved by Council, the public way must not be obstructed by any materials, vehicles, waste receptacles, skip-bins or the like. Non-compliance with this requirement may result in the issue of a notice by Council to stop all work on the site.

Reason

To protect the amenity of the public domain.

(58) USE OF MOBILE CRANES

The following requirements apply:

- (a) Mobile cranes operating from the road must not be used as a method of demolishing or constructing a building.
- (b) For special operations including the delivery of materials, hoisting of plant and equipment and erection and dismantling of on site tower cranes which warrant the on-street use of mobile cranes, permits must be obtained from Council for the use of a mobile crane. The permits must be obtained 48 hours beforehand for partial road closures which, in the opinion of Council will create minimal traffic disruptions and 4 weeks beforehand in the case of full road closures and partial road closures which, in the opinion of Council, will create significant traffic disruptions.
- (c) The use of a crane for special operations, including the delivery of materials, hoisting of plant and equipment and erection and dismantling of on site tower cranes which warrant the on-street use of mobile cranes outside of approved hours of construction can occur, subject to a separate application being submitted to and approved by Council under Section 68 of the Local Government Act 1993 and Sections 138/139 of the Roads Act 1993.

Reason

To ensure mobile cranes are used appropriately.

(59) ARCHAEOLOGICAL DISCOVERY DURING EXCAVATION

- (a) Should any relics be unexpectedly discovered on the site during excavation, all excavation or disturbance to the area is to stop immediately and the Heritage Council of NSW should be informed in accordance with section 146 of the Heritage Act 1977.
- (b) Should any Aboriginal objects be unexpectedly discovered then all excavation or disturbance of the area is to stop immediately and NSW Government Office of Environment and Heritage is to be informed in accordance with Section 89A of the *National Parks and Wildlife Act 1974*.
- (c) Should any archaeological remains or Aboriginal objects be discovered, a copy of recording of the finds and the final archaeological summary report is to be submitted to Council prior to the issue of any Occupational Certificate.
- (d) If the discovery is on Council's land, Council must be informed.

Reason

To ensure that the archaeology of the site is appropriately managed and protected.

PART E – BEFORE THE ISSUE OF AN OCCUPATION CERTIFICATE

(60) ADVANCED TREE PLANTING

All new tree planting within the property that is undertaken in accordance with the approved Landscape Plans must be undertaken in accordance with the following conditions, and to Council's satisfaction, prior to the issuing of the Occupation Certificate;

- (a) All new trees must be grown to Australian Standard 2303:2015 'Tree stock for landscape use'
- (b) At the time of planting, the container size is to be a minimum of 100 litres and a minimum height of 3.5 metres.
- (c) New trees must be planted in natural ground with adequate soil volumes to allow maturity to be achieved. Planter boxes will not be accepted for tree planting;
- (d) New trees must be appropriately located away from existing buildings and structures to allow maturity to be achieved without restriction;
- (e) The tree must be planted by a qualified Horticulturalist or Arborist of Level 2 under the Australian Qualifications Framework (AQF).
- (f) All new trees must be planted in such a manner as to promote good health during the establishment period, and must be maintained, as far as practicable to ensure tree growth into maturity.
- (g) Written confirmation is to be obtained from Council's Area Planning Manager that all tree planting/s have been completed to Council's satisfaction (excluding tree maintenance) prior to the issue of an Occupation Certificate.
- (h) Any newly planted tree that fails to establish within 2 years of the initial planting date must be replaced with a tree of comparable qualities.

Reason

To ensure the provision and maintenance of adequate tree planting on site.

(61) PHYSICAL MODELS

- (a) Prior to the issue of any Occupation Certificate an accurate 1:500 scale model of the development as constructed must be submitted to and approved by Council's Area Coordinator Planning Assessments/Area Planning Manager for the City Model in Town Hall House.

Note:

- (i) The models must be constructed in accordance with the Model Specifications available online at <http://www.cityofsydney.nsw.gov.au/development/application-guide/application-process/model-requirements> Council's modellers must be consulted prior to construction of the model.

- (ii) The models are to comply with all of the conditions of the Development Consent.
- (iii) The models must be amended to reflect any further modifications to the approval (under Section 4.55 of the *Environmental Planning and Assessment Act*) that affect the external appearance of the building.

Reason

To ensure the provision of an appropriate physical model of the development.

(62) SUBMISSION OF ELECTRONIC CAD MODELS PRIOR TO OCCUPATION CERTIFICATE

- (a) Prior to any Occupation Certificate being issued, an accurate 1:1 electronic CAD model of the completed development must be submitted to and approved by Council's Area Coordinator Planning Assessments/Area Planning Manager for the electronic Visualisation City Model.
- (b) The data required to be submitted within the surveyed location must include and identify:
 - (i) building design above and below ground in accordance with the development consent;
 - (ii) all underground services and utilities, underground structures and basements, known archaeological structures and artefacts;
 - (iii) a current two points on the site boundary clearly marked to show their Northing and Easting MGA (Map Grid of Australia) coordinates, which must be based on Established Marks registered in the Department of Lands and Property Information's SCIMS Database with a Horizontal Position Equal to or better than Class C.

The data is to be submitted as a DGN or DWG file on a Compact Disc. All modelling is to be referenced to the Map Grid of Australia (MGA) spatially located in the Initial Data Extraction file.

- (c) The electronic model must be constructed in accordance with the City's 3D CAD electronic model specification. The specification is available online at <http://www.cityofsydney.nsw.gov.au/development/application-guide/application-process/model-requirements> Council's Modelling staff should be consulted prior to creation of the model. The data is to comply with all of the conditions of the Development Consent.

Reason

To ensure the provision of an appropriate electronic model of the development.

(63) CYCLICAL MAINTENANCE PLAN

A cyclical maintenance plan specifying frequency and methodologies to conduct building inspections and maintenance works to building elements and services must be submitted to and approved by Council's Urban Design and Heritage Manager prior to the issue of any Occupation Certificate. The maintenance plan is to be prepared by a suitably qualified heritage consultant and endorsed by the building owner.

Reason

To ensure appropriate ongoing maintenance of the building.

(64) SURVEY CERTIFICATE AT COMPLETION

A Survey Certificate prepared by a Registered Surveyor must be submitted to the Principal Certifier at the completion of the building work certifying the location of the building in relation to the boundaries of the allotment.

Reason

To ensure the development does not encroach onto neighbouring properties.

(65) PRODUCTS BANNED UNDER THE BUILDING PRODUCTS (SAFETY) ACT 2017

- (a) No building products that are banned, or products that are subject to a ban if used in a particular way, under the Building Products (Safety) Act 2017 are to be used in the construction of the development approved in this development consent.
- (b) Prior to the issue of any Occupation Certificate, the principal certifier is to confirm that none of the building products used on the building are subject to a building product use ban under the Building Products (Safety) Act 2017 or, if a product is only subject to a ban if used in a particular way that it is not used in any way contrary to the Building Products (Safety) Act 2017.

Reason

To ensure that no banned products are used in the development.

PART F – OCCUPATION AND ONGOING USE

(66) OCCUPATION CERTIFICATE TO BE SUBMITTED

An Occupation Certificate must be obtained from the Principal Certifier and a copy submitted to Council prior to commencement of occupation or use of the whole or any part of a new building, an altered portion of, or an extension to an existing building.

Reason

To ensure the site is authorised for occupation.

(67) NOISE – COMMERCIAL PLANT / INDUSTRIAL DEVELOPMENT

(a) Noise from commercial plant and industrial development must not exceed a project amenity/intrusiveness noise level or maximum noise level in accordance with relevant requirements of the NSW EPA [Noise Policy for Industry 2017 \(NPfI\)](#) unless agreed to by the City's Area Planning Manager. Further:

- (i) Background noise monitoring must be carried out in accordance with the long-term methodology in [Fact Sheet B](#) of the NPfI unless otherwise agreed by the City's Area Planning Manager.
- (ii) Commercial plant is limited to heating, ventilation, air conditioning, refrigeration and energy generation equipment.

Reason

To protect the acoustic amenity of surrounding properties.

(68) ENCROACHMENTS – NEIGHBOURING PROPERTIES

No portion of the proposed structure shall encroach onto the adjoining properties.

Reason

To protect neighbouring properties.

(69) ENCROACHMENTS – PUBLIC WAY

No portion of the proposed structure, including gates and doors during opening and closing operations, shall encroach upon Council's footpath area.

Reason

To protect the public way.

PART G – AGENCY CONDITIONS

Transport for NSW Conditions

TAB A – Required Conditions of Consent – Protection of TfNSW Infrastructure and Light Rail Operations

(70) GENERAL

- (a) The applicant must comply with all Altrac Light Rail Partnership (Altrac) or any subsequent operator of Sydney Light Rail (Sydney Light Rail Operator) policies, rules and procedures when working in and about the Sydney Light Rail corridor;
- (b) The applicant must comply with the requirements of ASA standards T HR CI 12090 ST Airspace and External Developments version 1.0, ASA standards T HR CI 12051 ST Development Near Rail Tunnels version 2.0 and Development Near Rail Corridors and Busy Roads- Interim Guidelines;
- (c) Activities of the applicant must not affect and/or restrict Sydney Light Rail operations without prior written agreement between the applicant, Transport for NSW (TfNSW), Altrac, and the Sydney Light Rail Operator, and it is a condition precedent that such written agreement must be obtained no later than two (2) months prior to the activity. Any requests for agreement are to include as a minimum the proposed duration, location, scope of works, and other information as required by the Sydney Light Rail Operator;
- (d) The applicant must apply to Altrac and the Sydney Light Rail Operator for any required network shutdowns four (4) months prior to each individual required network shutdown event. Each request for network shutdown must include as a minimum the proposed shutdown dates, duration, location, scope of works, and other information as required by the Sydney Light Rail Operator. The Sydney Light Rail Operator may grant or refuse a request for network shutdown at its discretion;
- (e) The applicant shall provide safe and unimpeded access for Sydney Light Rail patrons traversing to and from the Sydney Light Rail stops at all times;
- (f) TfNSW, and persons authorised by it for this purpose, are entitled to inspect the site of the approved development and all structures to enable it to consider whether those structures on that site have been or are being constructed and maintained in accordance with these conditions of consent, on giving reasonable notice to the principal contractor for the approved development or the owner or occupier of the part of the site to which access is sought; and
- (g) All TfNSW, Altrac and Sydney Light Rail Operator's costs associated with review of plans, designs and legal must be borne by the applicant.

Prior to the Issue of the Construction Certificate

(71) PROCESS OF ENDORSEMENT CONDITIONS

Prior to the issue of any construction certificate or any preparatory, demolition or excavation works, whichever occurs first, the applicant shall:

- (i) Consult with TfNSW, Altrac and the Sydney Light Rail Operator to ascertain requirements in relation to the protection of TfNSW's infrastructure and to confirm the timing of the each construction certificate and associated documentation and activities prior to preparation of requested documentation;
- (ii) Sign Infrastructure Assess Deed Poll, Safety Interface Agreement and Works Deed with TfNSW and/or the Sydney Light Rail Operator;
- (iii) Confirm in writing with TfNSW what each Construction Certificate stage will involve; and
- (iv) Submit all relevant documentation to TfNSW as requested by TfNSW and obtain its written endorsement for each construction stage. A summary report for each construction stage shall also be provided to TfNSW to demonstrate the following:
 - a. No adverse impacts to the light rail corridor and light rail operation by clearly identifying impacts and mitigation measures; and
 - b. Submitted documentation has satisfied the relevant conditions.

The Principal Certifying Authority (PCA) is not to issue the relevant Construction Certificate until they have received written confirmation from TfNSW that the relevant conditions have been complied with for each Construction Certificate.

(72) REVIEW AND ENDORSEMENT OF DOCUMENTS

Prior to the issue of any construction certificate or any preparatory, demolition or excavation works, whichever occurs first, the following documentation shall be provided for the review and endorsement of TfNSW:

- (a) Final geo-technical and structural report / drawings. Geotechnical reports should include any potential impact on the light rail corridor located adjacent to the subject development site, easement and substratum;
- (b) Final construction methodology with construction details pertaining to structural support during excavation or ground penetration. Any temporary components, for example, shoring systems, formwork and falsework, that are located such that their failure has the potential to affect rail infrastructure facilities or operations shall have a minimum service life of 10 years;
- (c) If required by TfNSW, details of the vibration and movement monitoring system that will be in place before excavation commences;

- (d) Final cross sectional drawings showing ground surface, rail tracks, sub soil profile, proposed basement excavation and structural design of sub ground support adjacent to the Rail Corridor located adjacent to the subject development site. Cross sectional drawings should also include the accurate RL depths and horizontal distances from assets (tracks, overhead lines, structures and cables) to the nearest point of excavation or ground penetration works. All measurements are to be verified by a Registered Surveyor; and
- (e) Detailed survey plan with location of services.

(73) PRE-CONSTRUCTION WORK DILAPIDATION REPORT

Prior to the issue of the relevant Construction Certificate, if required by TfNSW, a pre-construction work Dilapidation Report of the Sydney Light Rail and its assets shall be prepared by a qualified structural engineer. The dilapidation survey shall be undertaken via a joint site inspection by the representatives of the Sydney Light Rail Operator, TfNSW and the applicant. These dilapidation surveys will establish the extent of existing damage and enable any deterioration during construction to be observed.

(74) ACOUSTIC ASSESSMENT

Prior to the issue of the relevant Construction Certificate, the final acoustic assessment is to be submitted to the PCA demonstrating how the proposed development will comply with the Department of Planning's document titled "Development Near Rail Corridors and Busy Roads- Interim Guidelines". All recommendations of the acoustic assessment are to be incorporated in the construction documentation.

(75) ELECTROLYSIS ANALYSIS

Prior to the issue of the relevant Construction Certificate, the applicant is to engage an Electrolysis Consultant to prepare a report on the Electrolysis Risk to the development from stray currents. The applicant must incorporate in the development all the measures recommended in the report to control that risk. A copy of the report is to be provided to the PCA with the application for the relevant Construction Certificate.

(76) CONSULTATION REGIME

Prior to the issue of the relevant Construction Certificate, if required by TfNSW, a detailed regime is to be prepared for consultation with and approval by TfNSW for the excavation of the site and the construction of the building foundations (including ground anchors) for the approved development, which may include geotechnical and structural certification in the form required by TfNSW.

(77) INSURANCE REQUIREMENTS

Prior to the issue of the relevant Construction Certificate, the applicant must hold current public liability insurance cover for a sum acceptable to TfNSW. TfNSW's standard public liability insurance requirement for this type of development adjacent to a rail corridor is minimum of \$250M. This insurance shall not contain any exclusion in relation to works on or near the rail corridor, rail infrastructure. The applicant is to contact TfNSW to obtain the level of insurance required for this particular proposal. Prior to issuing the relevant Construction Certificate the PCA must witness written proof of this insurance in conjunction with TfNSW's written advice to the applicant on the level of insurance required.

(78) WORKS DEED / AGREEMENTS

Prior to the issue of any construction certificate or any preparatory, demolition or excavation works, whichever occurs first, if required by TfNSW, Works Deed (s) between the applicant, TfNSW and/or Altrac and the Sydney Light Rail Operator must be agreed and executed by the parties. These agreements may deal with matters including, but not limited to, the following:

- (a) Sydney Light Rail Operational requirements;
- (b) Sydney Light Rail access requirements;
- (c) Altrac and Sydney Light Rail Operator policies, rules and procedures compliance requirements;
- (d) Indemnities and releases;
- (e) Security of costs;
- (f) Insurance requirements and conditions;
- (g) TfNSW, Altrac and the Sydney Light Rail Operator's recovery of costs from the applicant for costs incurred by these parties in relation to the development (e.g. review of designs and reports, legal, shutdown /power outages costs including alternative transport, customer communications, loss of revenue etc) risk assessments and configuration change processes;
- (h) Interface coordination between the Sydney Light Rail Operator and the subject development construction works, including safety interface;
- (i) Infrastructure Assess Deed Poll and Safety Interface Agreement between the applicant and the Sydney Light Rail Operator must be agreed and executed by the parties. This agreement may deal with matters including, but not limited to, the following:
 - a. Pre and post construction dilapidation reports;
 - b. The need for track possessions;
 - c. Review of the machinery to be used during excavation/ground penetration / construction works;

- d. The need for track monitoring;
 - e. Endorsement of Risk Assessment/Management Plan and Safe Work Method Statements (SWMS);
 - f. Endorsement of plans regarding proposed crane location;
 - g. Light Rail Operator's rules and procedures; and
 - h. Alteration of rail assets such as the OHW along of track and associated hoarding demarcation system, if undertaken by the applicant.
- (ii) Altrac and the Sydney Light Rail Operator's reviews and impact assessment of the applicant's proposal, engineering design and construction works methodology on Sydney Light Rail Operations and assets;
 - (iii) Attendance and participation in the construction works risk assessment of construction activities to be performed in, above, about, and/or below the light rail corridor;
 - (iv) Arrangements for shutdowns and Sydney Light Rail restricted operations related costs attributed to the applicant; and
 - (v) Sydney Light Rail site works access approval and access permit to work.

During Construction

(79) GENERAL

- (a) All piling and excavation works are to be supervised by a geotechnical engineer experienced with such excavation projects;
- (b) No rock anchors/bolts (temporary or permanent) are to be installed into the light rail corridor without approval from TfNSW;
- (c) No metal ladders, tapes and plant/machinery, or conductive material are to be used within 6 horizontal metres of any live electrical equipment unless a physical barrier such as a hoarding or structure provides separation;
- (d) During all stages of the development extreme care shall be taken to prevent any form of pollution entering the light rail corridor. Any form of pollution that arises as a consequence of the development activities shall remain the full responsibility of the applicant; and
- (e) The applicant must mitigate all noise and vibration to the extent possible and provide vibration monitoring equipment and provide the results to the Sydney Light Rail Operator at intervals required by TfNSW and the Sydney Light Rail Operator, and immediately implement corrective actions in the event that the noise or vibration exceeds acceptable limits.

Prior to the Issue of the Occupation Certificate

(80) POST-CONSTRUCTION DILAPIDATION REPORT

Prior to the Issue of the Occupation Certificate, if required by TfNSW, a post-construction dilapidation survey shall be undertaken via a joint inspection with representatives from TfNSW, Altrac, the Sydney Light Rail Operator and the applicant. The dilapidation survey will be undertaken on the rail infrastructure and property in the vicinity of the project. These dilapidation surveys will establish the extent of any existing damage and enable any deterioration during construction to be observed. The submission of a detailed dilapidation report to TfNSW and the Sydney Light Rail Operator will be required unless otherwise notified by TfNSW. The applicant needs to undertake rectification of any damage to the satisfaction of TfNSW and the Sydney Light Rail Operator and if applicable the local council.

(81) AS-BUILT DRAWINGS

Prior to the issue of any Occupation Certificate, as-built drawings certified by a Registered Surveyor shall be submitted to TfNSW and Council by the applicant. The Principal Certifying Authority is not to issue the Occupation Certificate until the written confirmation received from TfNSW that this condition has been satisfied.

IMPORTANT ADDITIONAL INFORMATION

Advisory notes:

1. It is advised that the City of Sydney Neighbourhood Parking Policy may apply to this development. Eligibility for parking permits for residents or users of the development will be determined by the terms of this policy or subsequent future policies.

The Environmental Planning and Assessment Act 1979 requires you to:

1. Obtain a **Construction Certificate** prior to the commencement of any works. An application may be lodged with Council, or you may apply to a private accredited certifier for a Construction Certificate. An accredited certifier **must obtain Council's approval** to certain conditions of this development consent, where indicated before issuing the Construction Certificate.

1. ***It is compulsory to lodge digital copies of applications, including plans and documentation if lodging an application with Council. Please refer to Council's website for any further information about digital requirements and electronic files.***

Note: All applications must be lodged via the NSW Planning Portal.

2. Nominate a **Principal Certifier** which may be either Council or a registered certifier and notify Council of that appointment. You **cannot lawfully** commence works without complying with this requirement. Appointment must be made through the Planning Portal <https://www.planningportal.nsw.gov.au/>.
3. Give Council at least two days notice of your intention to commence the erection of a building **before** commencing construction works. You cannot lawfully commence works without complying with this requirement.
4. Obtain an **Occupation Certificate** before commencing occupation or commencing to use the building or on the completion of other works including the erection of a sign. You cannot lawfully commence occupation or the use of a building without complying with this requirement.

You may also need to:

5. Obtain approval through the lodgement of an application under Section 68 of the *Local Government Act 1993* and Section 138 of the *Roads Act 1993* for an activity which is proposed to be undertaken in, on or above a road reservation (including footways). Such activities include:
 - (a) building elements/façade features;
 - (b) installation of hoardings/scaffolding;
 - (c) installation and/or alterations to advertising/business signs and street awnings;
 - (d) crane operation and other hoisting activities;
 - (e) temporary works (e.g.: barricading, road openings, mobile hoisting devices);
 - (f) works zone (for loading and unloading from the roadway); and
 - (g) temporary ground anchoring and shoring to support a roadway when excavating.

Application forms are available on the City's website.

6. Lodge an **Application for Subdivision** to obtain a **Subdivision Certificate** if a land (including stratum) subdivision is proposed and an Application for Subdivision to obtain **Strata Title Subdivision** under the relevant Strata Titles Act if strata title of the development is proposed.
7. Comply with the Food Act 2003, the Australia New Zealand Food Standards Code, Australian Standard 4674 – 2004, and register the business with Council if the premises is used for the manufacture, preparation, packing, storing, conveying or delivering of food or beverage for sale.
8. Contact Sydney Water regarding the water and sewerage services to this development. For further information go to www.sydneywater.com.au.
9. Carry out critical stage inspections in accordance with Section 6.5 of the EP&A Act 1979 and clauses 61, 63 and 65 of the Environmental Planning and Assessment (Development Certification and Fire Safety) Regulation.