### **Attachment A**

**Recommended Conditions of Consent** 

# SCHEDULE 1 CONDITIONS OF CONSENT PART A - GENERAL

#### (1) APPROVED DEVELOPMENT

(a) Development must be in accordance with Development Application No. D/2023/445 dated 24 May 2023 and the following drawings prepared by Fitzpatrick + Partners:

Drawing Number	Drawing Name	Date
DA-07 Issue C	Demolition Lower Ground Plan	12.05.2023
DA-08 Issue C	Demolition Ground Floor Plan	12.05.2023
DA-09 Issue C	Demolition Level 01 Floor Plan	12.05.2023
DA-10 Issue C	Demolition Level 02 Floor Plan	12.05.2023
DA-11 Issue C	Demolition Roof Floor Plan	12.05.2023
DA-12 Issue C	Demolition West Elevation	12.05.2023
DA-13 Issue C	Demolition North Elevation	12.05.2023
DA-14 Issue C	Site Plan	12.05.2023
DA-15 Issue 02	Lower Ground Floor Plan	27.07.2023
DA-16 Issue C	Ground Floor Plan	12.05.2023
DA-17 Issue C	Level 01 Floor Plan	12.05.2023
DA-18 Issue C	Level 02 Floor Plan	12.05.2023
DA-19 Issue C	Level 03 Floor Plan	12.05.2023
DA-20 Issue C	Level 04 Floor Plan	12.05.2023
DA-21 Issue C	Level 05 Floor Plan	12.05.2023
DA-22 Issue C	Roof Floor Plan	12.05.2023
DA-23 Issue C	Section 01 (North/South)	12.05.2023
DA-24 Issue C	Section 02 (East/West)	12.05.2023
DA-25 Issue C	West Elevation	12.05.2023
DA-26 Issue C	North Elevation	12.05.2023

Drawing Number	Drawing Name	Date
DA-27 Issue C	Facade Typical Details	12.05.2023
DA-34 Issue 01	Ground Floor Façade Details (1 of 2)	27.07.2023
DA-35 Issue 01	Ground Floor Façade Details (2 of 2)	27.07.2023

and as amended by the conditions of this consent.

(b) In the event of any inconsistency between the approved plans and supplementary documentation, the plans will prevail.

#### Reason

To ensure all parties are aware of the approved plans and supporting documentation that applies to the development.

#### (2) FLOOR SPACE RATIO - ALL OTHER AREAS

The following applies to Floor Space Ratio:

- (a) The Floor Space Ratio for the business use must not exceed 4.73:1 calculated in accordance with Sydney Local Environmental Plan 2012.
- (b) Prior to an Occupation Certificate being issued, a Registered Surveyor must provide certification of the total and component Gross Floor Areas (by use) in the development, utilising the definition under Sydney Local Environmental Plan 2012 applicable at the time of development consent, to the satisfaction of the Principal Certifier.

#### Reason

To ensure the constructed development complies with the approved floor space ratio.

#### (3) BUILDING HEIGHT

- (a) The height of the building must not exceed RL 34.44 (AHD) to the top of the building and RL 31.19 (AHD) to the parapet of the building at the Bay Street frontage.
- (b) Prior to an Occupation Certificate being issued, a Registered Surveyor must provide certification that the height of the building accords with (a) above, to the satisfaction of the Principal Certifier.

#### Reason

To ensure the constructed development complies with the approved height.

#### (4) APPROVED DESIGN ROOF - TOP PLANT

All roof-top plant and associated equipment must be located within the approved building envelope.

#### Reason

To ensure the constructed development complies with the approved height.

## (5) SECTION 7.11 CONTRIBUTIONS PAYABLE - CONTRIBUTION TOWARDS PUBLIC AMENITIES - CITY OF SYDNEY DEVELOPMENT CONTRIBUTIONS PLAN 2015 - WEST PRECINCT

Council has identified the development will increase demand for public amenities and facilities. Pursuant to Section 7.11 of the Environmental Planning and Assessment Act, 1979 (as amended), and the City of Sydney Development Contributions Plan 2015 the following monetary contributions are required towards the cost of public amenities.

Contribution Category	<u>Amount</u>
Open Space	\$159,459.13
Community Facilities	\$41,033.09
Traffic and Transport	\$2,051.65
Stormwater Drainage	\$0.00
Total	\$202,543.88

The City of Sydney will index the above contribution for inflation at the time of payment using the following formula.

Cpayment = Cconsent x (CPIpayment ÷ CPIconsent)

Where:

Cpayment = Is the contribution at time of payment;

Consent = Is the contribution at the time of consent, as shown above;

CPIpayment = Is the Consumer Price Index (All Groups Index) for Sydney

published by the Australian Bureau of Statistics that applies at

the time of payment; and

CPI1consent = Is the Consumer Price Index (All Groups Index) for Sydney at

the date the contribution amount above was calculated being

- 134 for the quarter June 2023.

The contribution must be paid prior to the issue of any Construction Certificate in relation to this development.

Please contact Council's Planning Administration staff at planningsystemsadmin@cityofsydney.nsw.gov.au to request a letter confirming the indexed contribution amount payable.

Once the letter confirming the indexed contribution is obtained, payment may be made at any of the City's Neighbourhood Service Centres or the One Stop Shop at Town Hall House. Acceptable payment methods are EFTPOS (debit card only), cash (up to 10K only), Credit Card (up to 50K only) or a bank cheque made payable to the City of Sydney. Personal or company cheques will not be accepted.

#### Reason

To ensure development contributions are paid to address the increased demand for public amenities and services resulting from the approved development.

## (6) AFFORDABLE HOUSING CONTRIBUTION – RESIDUAL LAND OR CENTRAL SYDNEY – PAYMENT IN LIEU OF FLOOR SPACE CONTRIBUTION – PRIOR TO CONSTRUCTION CERTIFICATE

- (a) In accordance with the City of Sydney Affordable Housing Program and prior to the issue of a Construction Certificate, the applicant must provide evidence that a monetary contribution towards the provision of affordable housing has been paid to the City of Sydney Council.
- (b) The contribution is \$267,941.13 (indexed at 11 September 2023). This is calculated by establishing the sum of the equivalent monetary contribution \$10,611.53 multiplied by 1% of the total floor area for non-residential development.
- (c) If the contribution is paid after the indexation period in which the consent is granted, being 1 March 2023 to 29 February 2024 the above contribution will be adjusted according to the Sydney LGA median strata dwelling price ('MDP') using the following formula.
- (d) Contribution payable at Time of Payment = C x MDP2 / MDP1, where:
  - (i) C is the original total contribution amount payable to the City of Sydney as shown above;
  - (ii) MDP2 is the Median Strata Dwelling Price in Sydney LGA taken from the most recent NSW Government Rent and Sales Report at the time of indexation of the equivalent monetary contribution rate; and
  - (iii) MDP1 is the Median Strata Dwelling Price in Sydney LGA taken from the NSW Government Rent and Sales Report used to establish the current equivalent monetary contribution rate, being 1 March 2023 to 29 February 2024.

Contact Council's Planning Assessment Unit at planningsystemsadmin@cityofsydney.nsw.gov.au for written confirmation of the amount payable, with indexation as necessary, prior to payment.

To ensure development contributions are paid to contribute to the provision of essential affordable rental housing infrastructure.

#### (7) USE - SEPARATE DA REQUIRED

No consent is granted or implied for the fitout or specific use of ground floor retail tenancies.

A development consent or Complying Development Certificate (as appropriate) is required to be obtained for the fitout and use of the ground floor retail tenancies prior to that fitout or use commencing.

#### Reason

To require separate consent to be obtained for a use.

#### (8) SIGNS - SEPARATE APPROVAL REQUIRED

A separate application for any proposed signs additional to those approved as part of this consent (other than exempt or complying signs) must be submitted to and approved by Council prior to the erection or display of any such signs.

#### Reason

To require separate consent to be obtained for any additional signs.

#### (9) VEHICLE FOOTWAY CROSSING

A separate application is to be made to, and approved by, Council for the construction of any proposed vehicle footway crossing or for the removal of any existing crossing and replacement of the footpath formation where any such crossings are no longer required.

All disused or redundant vehicle crossings and laybacks must be removed, and footway, kerb, gutter and road restoration reinstated in accordance with Council's standards, to suit the adjacent finished footway and edge treatment materials, levels and details, or as otherwise directed by Council officers. All construction and replacement works are to be completed in accordance with the approved plans prior to the issue of any Occupation Certificate.

Note: In all cases the construction materials should reinforce the priority of pedestrian movement over that of the crossing vehicle.

#### Reason

To ensure all relevant approvals for traffic and parking works are obtained and designed in accordance with Council requirements.

#### (10) SERVICE VEHICLE SIZE LIMIT

The size of vehicles servicing the property must be a maximum length of 5.8m.

To maintain the orderly operation of vehicle parking and loading areas.

#### (11) ASSOCIATED ROADWAY COSTS

All costs associated with the construction of any new road works including kerb and gutter, road pavement, drainage system and footway shall be borne by the developer. The new road works must be designed and constructed in accordance with the City's "Sydney Streets Technical Specification" including amendments and "Sydney Streets Design Code".

#### Reason

To ensure all roadway works are designed and constructed in accordance with Council requirements.

#### (12) COST OF SIGNPOSTING

All costs associated with signposting for any kerbside parking restrictions and traffic management measures associated with the development shall be borne by the developer.

#### Reason

To ensure all associated roadway works costs are borne by the developer.

#### (13) SWINGING DOORS OVER PUBLIC WAY

Any access doors to enclosures housing building services and facilities, such as hydrant and sprinkler booster assemblies or the like, must not open over the footway/roadway.

#### Reason

To ensure no element of the development obstructs the use of the public way.

#### (14) WASTE AND RECYCLING MANAGEMENT - GENERAL

The proposal must comply with the relevant provisions of Council's *Guidelines for Waste Management in New Developments 2018* which requires facilities to promote the efficient storage, separation, collection and handling of waste to maximise resources recovery.

#### Reason

To ensure that waste and recycling is appropriately managed.

#### (15) TACTILE GROUND SURFACE INDICATORS AND HANDRAILS

All tactile ground surface indicators, handrails and other elements required to provide access into the building / property must be located entirely within the private property boundary.

#### Reason

To ensure ground surface indicators, handrails and other elements required to provide access into the building/property are appropriately located.

#### (16) NO OBSTRUCTIONS

All public footways and paths of travel must be free from obstructions. If services are required to be relocated to clear paths of travel then this must be undertaken at the developer's expense. All obstructions are to be removed prior to the issue of any Occupation Certificate.

#### Reason

To ensure there are no obstructions on public footways and paths of travel.

#### (17) PAVING MATERIALS

The surface of any material used or proposed to be used for the paving of colonnades, thoroughfares, plazas, arcades and the like which are used by the public must comply with AS/NZS 4586:2004 (including amendments) "Slip resistance classification of new pedestrian surface materials".

#### Reason

To ensure appropriate and safe paving materials are used.

#### PART B - BEFORE THE ISSUE OF A CONSTRUCTION CERTIFICATE

#### (18) EXTERNAL WALLS AND CLADDING FLAMMABILITY

The external walls of the building including attachments must comply with the relevant requirements of the *Building Code of Australia*. Prior to the issue of a Construction Certificate and Occupation Certificate the Registered Certifier and the Principal Certifier must:

- (a) Be satisfied that suitable evidence is provided to demonstrate that the products and systems proposed for use or used in the construction of external walls including finishes and claddings such as synthetic or aluminium composite panels comply with the BCA; and
- (b) Ensure that the documentation relied upon in the approval processes include an appropriate level of detail to demonstrate compliance with the BCA as proposed and as built.

#### Reason

To ensure the external walls and cladding comply with relevant requirements.

#### (19) MATERIALS AND SAMPLES BOARD

A physical material sample board (that is generally consistent with the materials drawings prepared by Fitzpatrick + Partners, DA-28 and DA-29 Issue C) which specifies all proposed materials, finishes and colours, (including visible rainwater goods and services) keyed to each building elevation must be submitted to and approved by Council's Area Planning Manager prior to a Construction Certificate being issued. The materials and samples board must not include generic material or colour descriptions or use terminology such as 'or similar'.

#### Reason

To require the submission of a materials and samples board following assessment of the development.

#### (20) ENERGY EFFICIENCY OF BUILDINGS

The design of the building and its services must achieve a Base Building National Australian Built Environment Rating System (NABERS) Energy Commitment Agreement of 5 Stars as per the Department of Planning, Industry and Environment (DPIE). This is to be demonstrated by:

(a) Entering into a Commitment Agreement with DPIE, to deliver this star rating for the base building;

The applicant must provide a copy of the signed Commitment Agreement contract with their Construction Certificate application; and

(b) Providing a copy of the independent energy assessment report to NABERS administration and submitting the same report with the Construction Certificate application. This report must be based on the same design documents as that submitted with the Construction Certificate.

Note: Definitions referred to above are as follows:

- (i) Commitment Agreement means an agreement that is set out in accordance with DPIE. The NABERS Commitment Agreement, which is signed between DPIE and the applicant/building owner/building manager, to design, build and commission the premises to achieve an agreed star rating.
- (ii) Star rating refers to the benchmarking system applied by DPIE for measuring the energy efficiency of a building and known as NABERS the National Australian Built Environment Rating System.
- (iii) Base Building means central services and communal areas of a building, as defined under NABERS.

#### Reason

To ensure the building is designed to meet an appropriate energy efficiency standard.

#### (21) INSTALLATION OF WATER EFFICIENT URINALS

New urinal suites, urinals and urinal flushing control mechanisms must use waterless technology. Where it is submitted that this is not feasible, it must be demonstrated that products have been selected with at least a 4-star rating under the Water Efficiency and Labelling Scheme (WELS). Systems must include "smart controls" to reduce unnecessary flushing. Continuous flushing systems are not approved. Details are to be submitted to and approved by the Registered Certifier, prior to a Construction Certificate being issued.

#### Reason

To ensure the provision of water efficient urinals.

#### (22) INSTALLATION OF WATER EFFICIENT TAPS

All taps and shower heads installed must be water efficient with at least a 4-star rating under the Water Efficiency and Labelling Scheme (WELS). The details are to be submitted for the approval of the Principal Certifier, prior to any Occupation Certificate being issued.

#### Reason

To ensure the provision of water efficient taps.

#### (23) DESIGN FOR ENVIRONMENTAL PERFORMANCE

- (a) Prior to the issue of a Construction Certificate, the Design for Environmental Performance Report prepared by Matt Williams dated Friday, July 7, 2023 (Council Ref: 2023/529386) is to be amended as follows:
  - (ii) Section 4 Energy Efficiency and Greenhouse Gas Abatement
    - a. Further details are to be provided on lighting systems once detailed design is finalised.
    - b. Further details are to be provided on HVAC systems once detailed design is finalised.
  - (iii) Section 5 Passive Design for Thermal Performance Building Envelope Design
    - c. Further details are to be provided on building thermal performance once Section J assessment is completed
  - (vi) Section 8 Designing for mains potable water savings and water efficiency
    - d. Size and capacity of rainwater capture tank is to be specified.
- (b) Prior to the issue of any Construction Certificate, the Registered Certifier must be satisfied that those matters listed in the following sections of the approved Design for Environmental Performance reportare incorporated into the relevant construction plans and accompanying documentation:
  - (ii) Section 4 Energy Efficiency and Greenhouse Gas Abatement
  - (iii) Section 5 Passive Design for Thermal Performance Building Envelope Design
  - (iv) Section 6 On site Renewable Energy Generation and Storage
  - (v) Section 7 Design for Resilience to Climate Change
  - (vi) Section 8 Designing for mains potable water savings and water efficiency
  - (vii) Section 9 Storm water quality
- (c) Changes to any commitments as listed in the approved Design for Environmental Performance report must be submitted to and approved by Council's Area Planning Manager/Coordinator prior to the issue of any relevant Construction Certificate.

#### Reason

To ensure the environmental performance of the development.

#### (24) RAINWATER CAPTURE AND NON-POTABLE WATER

Before the issue of a Construction Certificate updated architectural plans are to be provided for council approval. Architectural plans are to include clear markups and annotations around area requirements and storage volume of proposed rainwater capture system.

#### (25) SOLAR PV SYSTEMS

Before the issue of a Construction Certificate updated architectural plans are to be provided for council approval. Architectural plans are to include clear markups and annotations around area requirements and output capacity (kWp) of proposed solar PV system. To maintain consistency with sustainability reporting in the development application; annotations are required to clearly identify a output of at least 25kW for the system.

### (26) COMPLIANCE WITH THE ACOUSTIC REPORT PRIOR TO CONSTRUCTION AND OR OCCUPATION CERTIFICATES

- (a) All relevant performance parameters (including but not limited to requirements, engineering assumptions and recommendations) in the DA Acoustic Report prepared by Renzo Tonin & Associates, dated 15/5/23, ref TH101-01F02 Da Acoustic Assessment r2, titled 86-90 Bay Street, Ultimo DA Acoustic Assessment, Council Ref 2023/268856 must be implemented in the development prior to the commencement of its use.
- (b) Prior to the issue of any relevant Construction Certificate, the final construction drawings and final construction methodology must be assessed and reported to be in accordance with the requirements of the DA Acoustic Report in (a) above, with reference to relevant documentation. This must be done by a Suitably Qualified Acoustic Consultant\* (see definition below). This work will be to the satisfaction of the Registered Certifier.
- (c) Prior to the issue of any Occupation Certificate, a Suitably Qualified Acoustic Consultant\* is to provide a written Acoustic Verification Report to the satisfaction of the Principal Certifier that the development complies with the requirements set out in the Report and in (a) and (b) above.
  - Note: Suitably Qualified Acoustic Consultant means a consultant who possesses the qualifications to join the Australian Acoustical Society, Institution of Engineers Australia (grade of member) or the Association of Australasian Acoustical Consultants (grade of member firm).
- (d) All physical aspects of the building's structure installed in order to meet performance parameters in accordance with this condition must be maintained at all times.

#### Reason

To ensure all parties are aware of the supporting documentation that applies to the development.

### (27) DEMOLITION, EXCAVATION AND CONSTRUCTION NOISE AND VIBRATION MANAGEMENT PLAN

A site-specific noise management plan must be submitted to the Council for comment and approval prior to issue of any Construction Certificate. The Plan must be prepared by a suitably qualified acoustic consultant who is a person who possesses the qualifications to join the Australian Acoustic Society, Institution of Engineers Australia (grade of member) or the Association of Australasian Acoustic Consultants (grade of member firm). The plan must include but not be limited to the following:-

- (a) identification of noise sensitive receivers near to the site.
- (b) A prediction as to the level of noise impact likely to affect the nearest noise sensitive receivers from the use and proposed number of high noise intrusive appliances intended to be operated onsite. A statement should also be submitted outlining whether or not predicted noise levels will comply with the noise criteria stated within the City of Sydney Construction Hours /Noise Code of Practice 1992 for the typical construction hours of 07.00am to 7.00pm. Where resultant site noise levels are likely to be in exceedance of this noise criteria then a suitable proposal must be given as to the duration and frequency of respite periods that will be afforded to the occupiers of neighbouring property.
- (c) A representative background noise measurement (L<sub>A90, 15 minute</sub>) should be submitted, assessed in the vicinity of any potentially affected receiver locations and measured in accordance with AS 1055:1.2.1997.
- (d) Confirmation of the level of community consultation that has/is and will be undertaken with Building Managers/ occupiers of the main adjoining noise sensitive properties likely to be most affected by site works and the operation of plant/machinery particularly during the demolition and excavation phases.
- (e) Confirmation of noise monitoring methodology that is to be undertaken during the main stages of work at neighbouring noise sensitive properties in order to keep complaints to a minimum and to ensure that noise from site works complies with the noise criteria contained within City's Construction Noise Code.
- (f) What course of action will be undertaken following receipt of a complaint concerning offensive noise.
- (g) Details of any noise mitigation measures that have been outlined by an acoustic consultant or otherwise that will be deployed on site to reduce noise impacts on the occupiers of neighbouring noise sensitive property to a minimum.
- (h) What plant and equipment is to be used on site, the level of sound mitigation measures to be undertaken in each case and the criteria adopted in their selection taking into account the likely noise impacts on the occupiers of neighbouring property and other less intrusive technologies available.

To ensure an adequate construction noise and vibration management plan is prepared.

#### (28) PARKING DESIGN

The design, layout, signage, line marking, lighting and physical controls of all off-street parking facilities must comply with the minimum requirements of Australian Standard AS/NZS 2890.1 Parking facilities Part 1: Off-street car parking, AS/NZS 2890.2 Parking facilities Part 2: Off-commercial vehicle facilities and AS/NZS 2890.6 Parking facilities Part 6: Off-street parking for people with disabilities. The details must be submitted to and approved by the Registered Certifier prior to a Construction Certificate being issued.

#### Reason

To ensure parking facilities are designed in accordance with the Australian Standards.

#### (29) ALLOCATION OF PARKING

The number of car parking spaces to be provided for the development must comply with the table below. Details confirming the parking numbers must be submitted to the satisfaction of the Registered Certifier prior to the issue of a Construction Certificate.

Car Parking Type	Number
Office and business parking (6 Nos small car space)	7
Accessible office and business parking	1
Service vehicle spaces (B99)	2

#### Reason

To ensure the allocation of parking is in accordance with the Council's DCP.

#### (30) BICYCLE PARKING AND END OF TRIP FACILITIES

(a) The minimum number of bicycle parking spaces and end of trip facilities to be provided within the site boundary for the development must comply with the table below.

Bicycle Parking Type	Number	Requirements
Non-residential	31	Spaces must be Class 2 bicycle facilities
Non-residential visitor	15	Spaces must be Class 3 bicycle rails
End of Trip Facility Type	Number	
Showers with change area	5	
Personal lockers	48	

All bicycle parking spaces and end of trip facility must be provided on private land. The public domain cannot be used to satisfy this condition.

#### Notes:

- (i) If a basement storage area on title that is large enough to store a bike and is no smaller than a class 1 bike locker this can be counted as a space.
- (b) The layout, design and security of bicycle facilities must comply with the minimum requirements of Australian Standard AS 2890.3 Parking Facilities Part 3: Bicycle Parking Facilities. The details must be submitted to and approved by the Registered Certifier confirming prior to and form part of the Construction Certificate being issued.

#### Reason

To ensure the allocation of bicycle parking onsite that is in accordance with Australian Standards and the Council's DCP.

#### (31) SMALL CAR PARKING SPACES AND DIMENSIONS

The design and layout of all off-street small car parking spaces must comply with the minimum requirements of Australian Standard AS/NZS 2890.1 - 2004 Parking facilities Part 1: Off-street car parking and Council's Development Control Plan. The details must be submitted to and approved by the Principal Certifying Authority prior to a Construction Certificate being issued.

All small car spaces must be clearly marked and identifiable as small car spaces. The signs or line markings must be in place and approved by the Principal Certifying Authority prior to an Occupation Certificate being issued and must be maintained in good order at all times.

#### Reason

To ensure parking facilities are designed in accordance with the Australian Standards.

#### (32) SITES IN THE VICINITY OF A HERITAGE ITEM - MAJOR DEVELOPMENT

- (a) A protection strategy for the duration of the construction works, is to be submitted to and approved by Council's Urban Design and Heritage Manager / Area Coordinator Planning Assessments / Area Planning Manager prior to the issue of any Construction Certificate. The Strategy is to detail how the proposed works will ensure that the adjacent buildings are to be suitably protected and stabilized during the construction process including from any construction waste, dust, damp, water runoff, vibration or structural disturbance or damage.
- (b) Additionally the protection strategy is to include:
  - (i) Details of temporary hydraulic drainage works to ensure that all water both in ground and above ground is channelled to the street and that no such water is channelled onto the adjacent property fabric or interiors.
  - (ii) Construction debris on neighbouring properties, in drainage lines or in cavities between the boundary walls of the adjacent buildings, is to be removed progressively as the works progress.

#### Reason

To ensure the protection of adjacent/nearby heritage items.

#### (33) CONSTRUCTION TRAFFIC MANAGEMENT PLAN

- (a) A Construction Traffic Management Plan must be submitted to and approved by Council prior to a Construction Certificate being issued.
- (b) The approved plan must be complied with during any demolition and/or construction work.

#### Reason

To ensure that the impacts of construction traffic is appropriately managed.

#### (34) LANDSCAPING OF THE SITE

- (a) A detailed landscape design including plans and details drawn to scale, and technical specification, by a qualified landscape architect or landscape designer, must be submitted to and approved by Council's Area Coordinator Planning Assessments / Area Planning Manager prior to the issue of a Construction Certificate. These documents must include:
  - (i) Location of existing and proposed planting on the site including existing and proposed trees, planting in natural ground, and planting on structure.
  - (ii) Location and details of existing and proposed structures on the site including, but not limited to, paving, walls, services, furniture, shade structures, lighting and other features.
  - (iii) Details of earthworks and soil depths including finished levels and any mounding. The minimum soil depths for planting on structure must be 1000mm for trees, 450mm for shrubs and 200mm for groundcovers, excluding mulch and drainage layers.
  - (iv) Details of green wall construction, including proposed materials, planter dimensions, fixings and structures.
  - (v) Planting details, and location, numbers, type and supply size of plant species, with reference to Australian Standards and preference for drought resistant species that contribute to habitat creation and biodiversity.
  - (vi) Details of drainage, waterproofing and watering systems.
  - (vii) Architecture documentation reflecting the building design elements required for landscape maintenance access including, but not limited to, davit arms for maintenance and lockable, operable doors facing the internal courtyard and Kettle Lane.
  - (viii) Landscape maintenance plan. This plan is to be complied with during occupation of the property.
- (b) All landscaping in the approved plan is to be complete prior to any Occupation Certificate being issued.

#### Reason

To ensure the development is supported by a good quality, buildable landscape scheme that meets the City's controls.

#### (35) PUBLIC DOMAIN DAMAGE BOND

(a) A Public Domain Damage Deposit calculated on the basis of 70 square metres of asphalt site frontage must be lodged with Council in accordance with the City of Sydney's adopted Schedule of Fees and Charges. The bond must be provided as security for repairing any damage to the public domain in the vicinity of the site.

- (b) The City's Public Domain Unit must be contacted to determine the bond amount prior to lodgement. The Bond must be lodged with the City prior to an approval for demolition being granted or any Construction Certificate being issued, whichever is earlier.
- (c) The bond in this condition will be released in full when the Final Occupation Certificate has been issued and any rectification works to the footway and Public Domain are completed to Council's satisfaction. If rectification works are required the City will release 90% of the total Bond, with the remaining 10% balance to be held for the duration of a 6 months Defect Liability Period.

To allow for the appropriate management and rectification of damage to the public domain.

#### (36) PROTECTION OF STONE KERBS

- (a) The existing stone kerbs on the Bay Street and St Barnabas Street frontages of the site are to be retained and properly protected during demolition, excavation and construction works.
- (b) To avoid damage to stone kerbs during excavation and construction works for the development, temporary removal and storage of the stone kerbs may be approved by Council. Removed, serviceable stone kerbs (i.e. those that are in good condition as agreed by Council officers) must be re-installed in accordance with the City of Sydney's standard details and specifications after the construction works have been completed. A temporary concrete kerb will need to be constructed to retain the footpath until the stone kerbs can be reinstalled.

#### (c) Note the following:

- (i) all costs associated with the works are to be borne by the developer.
- (ii) Damaged kerbs are to be replaced to match existing to Council's satisfaction or as otherwise advised by Council officers.
- (iii) Where new vehicle crossings or temporary crossings are to be constructed to access the property, the affected kerb stones should be salvaged and reused wherever possible.
- (iv) All new driveway laybacks and kerbs are to be constructed with stone kerbs to match existing stones or as specified by City officers.
- (v) Council approval is required before kerbs are removed.
- (vi) Council approval is required prior to the cutting of existing stone kerbs for stormwater kerb outlets.
- (vii) Stone kerbs and gutters may be bonded in accordance with the City of Sydney's adopted Schedule of Fees and Charges. If so, this will be included with the Public Domain Damage Bond.

To ensure the protection of stone kerbs.

#### (37) SURVEY INFRASTRUCTURE - IDENTIFICATION AND RECOVERY

Under Section 24 of the Surveying and Spatial Information Act 2002, it is an offence to remove, damage, destroy, displace, obliterate or deface any survey mark unless authorised to do so by the Surveyor-General. Accordingly, the applicant must, where possible, ensure the preservation of existing survey infrastructure undisturbed and in its original state or else provide evidence of the Surveyor-General's authorisation to remove or replace marks.

Prior to the issue of any Construction Certificate, documentary evidence must be prepared by a Registered Surveyor and submitted to and approved by Council's Area Planning Manager / Coordinator. This evidence must include either:

- (a) A copy of any Surveyor-General's Approval for Survey Mark Removal granted by NSW Spatial Services for the subject site, including all documentation submitted as part of that application (for example the survey mark audit schedule, strategy plan and strategy report); or
- (b) A letter, signed by a current NSW Registered Land Surveyor and including his or her Board of Surveying and Spatial Information (BOSSI) identification number, stating that all investigations required under Surveyor-General's Direction No.11 have been made for the subject site and that no survey infrastructure will be affected by the proposal.

Council's Principal Surveyor may request further information and/or add conditions to any Surveyor-General's Approval at their discretion.

#### Reason

To ensure the preservation of existing survey infrastructure.

#### (38) PUBLIC DOMAIN CONCEPT PLAN

A public domain concept plan, showing all the site frontages and extending a minimum of 5m past the boundary and to the road centreline, must be prepared in accordance with the City's *Public Domain Manual* and *Sydney Streets* Code. It must be submitted to and approved by the City's Public Domain Unit prior to the issue of any Construction Certificate for the development other than for demolition or excavation.

Note: A detailed Public Domain Plan will be required prior to construction (refer to Public Domain Plan Detailed Documentation for Construction condition).

#### Reason

To ensure public domain works comply with Council's requirements.

#### (39) PUBLIC DOMAIN LEVELS AND GRADIENTS - MAJOR

Prior to the issue of any Construction Certificate, a Public Domain Levels and Gradients submission for the building and site frontages must be submitted to and approved by the City's Public Domain Unit. The submission must be prepared in accordance with the City's *Public Domain Manual* and submitted with a completed Application for *Public Domain Levels and Gradients*. Information on how to complete the submission can be downloaded from the City's website at <a href="https://www.cityofsydney.nsw.gov.au/development/public-domain-works/da-associated-works">https://www.cityofsydney.nsw.gov.au/development/public-domain-works/da-associated-works</a>.

Any requirements to comply with Disability Discrimination Act at the entrance to a building or publicly accessible space must be resolved inside the site boundary.

Note: Public Domain Levels and Gradient plans are to be included with the Public Domain Plan – Detailed Documentation for Construction condition submission.

#### Reason

To ensure public domain levels and gradients comply with Council's requirements.

#### (40) STORMWATER DRAINAGE DESIGN

Prior to issue of any Construction Certificate a detailed stormwater management plan prepared by suitable qualified and experienced professional must be submitted to and approved by the City's Public Domain Unit and must include:

- (i) Council's Sydney Streets Technical Specifications, Part A4 Drainage Design;
- (ii) Council's Sydney Streets Technical Specifications, Standard Drawings;
- (iii) Council's Sydney Streets Technical Specifications, Part B10: Stormwater Drainage Construction;
- (iv) Council's Stormwater Drainage Manual; and
- (v) All relevant Australian Standards.

This information is available for download from the City's website at <a href="https://www.cityofsydney.nsw.gov.au/development/public-domain-works/da-associated-works">https://www.cityofsydney.nsw.gov.au/development/public-domain-works/da-associated-works</a>.

Note: A Deed of Agreement (Stormwater Deed) for all proposed connections to the City's drainage system, and a Positive Covenant for all OSD systems may be required prior to issue of any Occupation Certificate.

#### Reason

To ensure stormwater drainage design complies with Council's requirements.

#### (41) STORMWATER ON-SITE DETENTION

The requirements of Sydney Water with regard to the on-site detention (OSD) of stormwater must be ascertained and complied with. Evidence of the approval must be submitted to Council prior to issue of any Construction Certificate other than demolition.

Where an OSD is not required by Sydney Water one may still be required by the City.

#### Reason

To ensure the requirements of Sydney Water are complied with.

#### (42) STORMWATER QUALITY ASSESSMENT

The development must comply with Sydney DCP 2012 Section 3 General Provisions – Stormwater Quality.

Prior to issue of any Construction Certificate a design certification report prepared by a suitably qualified practitioner engineer (NPER) demonstrating compliance with music link (stormwater quality) targets and parameters must be submitted to and approved by the City's Public Domain Unit.

The report must include a response to all stormwater quality improvement devices structural integrity, treatment train and their treatment properties demonstrating compliance with the MUSIC link reports.

#### Reason

To ensure appropriate stormwater quality on the site.

#### (43) PUBLIC DOMAIN LIGHTING UPGRADE

Prior to issue of any Construction Certificate for excavation, civil construction, drainage or building work (whichever is earlier), a concept Public Domain Lighting Upgrade Plan for pedestrian and street lighting in the public domain must be submitted to and approved by City's Public Domain Unit. The Lighting Plan must be prepared in accordance with the *Sydney Streets Technical Specifications* A5 and B8, *Sydney Lights Design Code* and *Public Domain Manual*. This information is available for download from the City's website at <a href="https://www.cityofsydney.nsw.gov.au/development/public-domain-works/da-associated-works">https://www.cityofsydney.nsw.gov.au/development/public-domain-works/da-associated-works</a>.

The lighting upgrade plan must cover all adjacent street frontages, being Bay Street & St Barnabas St and shall be designed to include the following requirements;

#### **Bay St**

- Lighting compliance with requirements of AS1158 under Category V3 on the roadway and PP1 + 2 lux minimum vertical illuminance on the footways are required.
- If required, upgrade Ausgrid street lighting using network standard LED luminaires.

#### St Barnabas St

- Lighting must comply with requirements of AS1158 under Category PR2.
- Provide COS standard wall mounted LED luminaires.
- Wall mount lighting Installation must be accessible for maintenance and upgrade by COS-authorised technicians/contractors along the entire length. All cabling shall be installed on the building surface within galvanised steel conduits. Establish an access easement in favour of COS for ongoing maintenance and upgrade of wall-mounted council lighting, if applicable.
- Supply and install a new 3 Phase COS MSB. Developer must confirm location and final supply arrangement with the City prior to construction.

#### Awnings (if applicable)

- Provide under awning lighting complying with the requirements of COS Awnings Policy.
- Lighting standards are as specified for adjacent footways.

Advice on site specific lighting requirements must be obtained from City's Public Domain Unit before proceeding with the preparation of any final lighting design proposals.

#### Reason

To ensure pedestrian and street lighting in the public domain complies with Council's requirements.

#### (44) DILAPIDATION REPORT - PUBLIC DOMAIN

Prior to an approval for demolition and preparatory works being granted or the issue of any Construction Certificate, whichever is earlier, a photographic recording of the public domain site frontages is to be prepared as described in the Public Domain Manual and submitted for approval by Council's Public Domain Unit. The City's *Public Domain Manual* is available for download from the City's website at <a href="https://www.cityofsydney.nsw.gov.au/">https://www.cityofsydney.nsw.gov.au/</a>

The submission is to include written confirmation, issued with the authority of both the applicant and the photographer that the City of Sydney is granted a perpetual non-exclusive license to make use of the copyright in all images supplied, including the right to make copies available to third parties as though they were Council images. The signatures of both the applicant and the photographer must be included.

#### Reason

To establish and document the condition of the public domain for comparison as building work progresses and is completed.

#### (45) MECHANICAL VENTILATION

- (a) The premises must be ventilated in accordance with the *Building Code of Australia* and *AS1668.1 and AS1668.2 The Use of Ventilation and Airconditioning in Buildings Mechanical Ventilation in Buildings.*
- (b) Details of any mechanical ventilation and/or air conditioning system complying with AS1668.1 and AS1668.2 - The Use of Ventilation and Airconditioning in Buildings - Mechanical Ventilation in Buildings, the Building Code of Australia and relevant Australian Standards must be prepared and certified in accordance with Clause A5.2(1)(e) of the Building Code of Australia, to the satisfaction of the Registered Certifier prior to the issue of a Construction Certificate.
- (c) Prior to issue of any Occupation Certificate and following the completion, installation, and testing of all the mechanical ventilation systems, a Mechanical Ventilation Certificate of Completion and Performance in accordance with Clause A5.2(1)(e) of the *Building Code of Australia*, must be submitted to the Principal Certifier.

#### Reason

To ensure the ventilation complies with relevant standards.

#### (46) MICROBIAL CONTROL IN WATER SYSTEMS

The installation, operation and maintenance of water-cooling or warm water systems installed on the premises must comply with the following:

- (a) AS/NZS 3666:1:2011 Air-handling and water systems of buildings-Microbial Control Part 1: Design, installation and commissioning.
- (b) AS/NZS 3666:2:2011 Air-handling and water systems of building-Microbial Control Part 2: Operation and maintenance.
- (c) AS/NZS 3666:3:2011 Air-handling and water systems of buildings-Microbial Control Part 3: Performance based maintenance of cooling water systems.
- (d) AS/NZS 3666:4:2011 Air-handling and water stems of buildings-Microbial Control Part 4: Performance based maintenance of air handling systems (ducts and components).

(e) Prior to the issue of an Occupation Certificate associated with the Cooling Water System the occupier of the premise at which the system is installed, must notify the Council in writing on the prescribed form, of the installation of all water-cooling tower systems within the premises under the Public Health Act 2010. Warm water systems other than hospitals (hospitals (which also includes nursing homes, declared mental health facilities, private health facilities) are exempt from notifying Council.

Notification forms are available on Council's website www.cityofsydney.nsw.gov.au

#### Reason

To ensure water systems comply with relevant standards.

#### (47) FUTURE FOOD USE - MECHANICAL VENTILATION PROVISION

Prior to the issue of a Construction Certificate, the mechanical exhaust systems and/or shafts must be designed to allow for the discharge of effluent air above roof level and must be designed with capacity to accommodate exhaust ducts and mechanical ventilation systems for all commercial tenancies proposed with the potential to become a food premises in future. Systems must be designed in accordance with AS1668.2 – The Use of Ventilation and Air-conditioning in Buildings – Mechanical Ventilation in Buildings, and AS1668.1 – The Use of Ventilation and Air-conditioning in Buildings – Fire and Smoke Control in Buildings.

#### Reason

To ensure the mechanical ventilation complies with relevant standards.

### (48) NATIONAL CONSTRUCTION CODE COMPLIANCE - ALTERATIONS AND ADDITIONS - UPGRADE OF WHOLE BUILDING IS REQUIRED

- (a) Pursuant to Section 64 of the Environmental Planning and Assessment Regulation 2021 an assessment of the development proposal has been undertaken and:
  - (i) As more than 50 percent of the volume of the building is proposed to be altered or has been altered over the previous 3 year period; and/or
  - (ii) The measures contained in the building are inadequate to protect persons using the building and to facilitate their egress from the building in the event of fire, or to restrict the spread of fire from the building to other buildings nearby, it is determined that the whole building must be brought into total conformity with the *Building Code* of *Australia*.
- (b) If compliance with (a) above cannot be achieved through the deemed-tosatisfy pathway, a performance solution in accordance with the BCA must be prepared and submitted to the Registered Certifier illustrating how the relevant performance provisions are to be satisfied prior to the issuing of a construction certificate.

To ensure the works comply with relevant regulations.

### (49) STRUCTURAL CERTIFICATION FOR EXISTING BUILDING – ALTERATIONS AND ADDITIONS

A qualified practising registered structural engineer must provide structural certification to the Registered Certifier verifying that the existing structure can adequately support the proposed new loads and the structural design complies with the Structural Provisions of the *Building Code of Australia* prior to a Construction Certificate being issued. The proposed additional loads and/or alterations must not cause a decrease in the existing structural performance of the building including its performance under earthquake actions (AS1170.4).

#### Reason

To ensure the existing structure can support the new loads.

#### (50) WASTE AND RECYCLING MANAGEMENT - COMMERCIAL

- (a) The Waste and Recycling Management Plan accompanying this Development Application has been approved by this consent (Ref: 2023/268816).
- (b) All requirements of the approved Waste and Recycling Management Plan must be implemented during construction and operation of the development and include:
  - (i) Dedicated space to be provided within the development for the storage and recycling of bulky waste, problem waste, strip out and food waste.
  - (ii) Collection points for waste and recycling must be wholly located within the boundary of the development.
  - (iii) The nominated waste and recycling storage areas must be constructed to meet the relevant conditions required by the City's *Guidelines for Waste Management in New Developments* 2018.
  - (iv) The path of travel between the bin storage areas/bulky waste storage areas and the designated waste/recycling collection point is to have a minimum 1,200mm wall-to-wall clearance, be slip-proof, of a hard surface, be free of obstructions and at no point have a gradient exceeding 1:14. The use of a lift is permitted, but consideration should be given to the inclusion of a service lift in this instance.

Note: The building manager/strata title manager or body corporate is responsible for ensuring all tenants are kept informed regarding Council's policies, and best practice waste and recycling source separation.

#### UPON COMPLETION OF THE DEVELOPMENT

(c) Prior to any Occupation Certificate being issued or the use commencing, whichever is earlier, the Principal Certifier must ensure that waste handling works have been completed in accordance with: the Waste and Recycling Management Plan; other relevant development consent conditions; and Council's *Guidelines for Waste Management in New Developments 2018*.

#### Reason

To ensure that waste and recycling is appropriately managed.

#### PART C - BEFORE THE COMMENCEMENT OF BUILDING WORK

#### (51) DILAPIDATION REPORT - DEMOLITION

(a) Subject to the receipt of permission of the affected landowner, dilapidation report/s, including a photographic survey of adjoining properties (and any other properties identified by the qualified structural engineer engaged to undertake the report) are to be prepared by an appropriately qualified structural engineer prior to commencement of demolition/excavation works. A copy of the dilapidation report/s together with the accompanying photographs must be given to the above property owners, and a copy lodged with the Registered Certifier and the Council prior to the issue of a Construction Certificate.

#### UPON COMPLETION OF EXCAVATION/DEMOLITION

(b) A second Dilapidation Report/s, including a photographic survey must then be submitted at least one month after the completion of demolition/excavation works. A copy of the second dilapidation report/s, together with the accompanying photographs must be given to the above property owners, and a copy lodged with the Principal Certifier and the Council prior to the issue of any Occupation Certificate.

Any damage to buildings, structures, lawns, trees, sheds, gardens and the like must be fully rectified by the applicant or owner, at no cost to the affected property owner.

Note: Prior to the commencement of the building surveys, the applicant/owner must advise (in writing) all property owners of buildings to be surveyed of what the survey will entail and of the process for making a claim regarding property damage. A copy of this information must be submitted to Council.

#### Reason

To ensure that dilapidation reports are prepared and to identify damage to adjoining/nearby properties resulting from building work on the development site.

#### (52) HAZARDOUS MATERIALS SURVEY REQUIRED

A Hazardous Materials Survey Report must be prepared by a certified Occupational Hygienist (*Australia Institute of Occupational Hygienists*) and submitted to the satisfaction of Council's Area Coordinator Planning Assessments / Area Planning Manager prior to any demolition / refurbishment work commencing at the site. The report must identify and record the type, location and extent of any hazardous materials on the site and make recommendations as to their safe management and/or removal to ensure the site is made safe for demolition, construction and future use/occupation.

#### Reason

To ensure that hazardous materials on the site are identified and appropriately managed.

### (53) PUBLIC DOMAIN WORK - CONSTRUCTION APPROVAL UNDER SECTION 138 ROADS ACT 1993

Prior to the construction of any public domain works, approval under Section 138 / 139 of the Roads Act 1993 must be issued by the City's Public Domain Unit.

#### Reason

To ensure relevant approvals for public domain work are obtained.

### (54) OPERATING HOISTING DEVICES INCLUDING BUILDING MAINTENANCE UNITS OVER A PUBLIC ROAD

If it is proposed to install a building maintenance unit or operate a hoisting device above a road (footpath) including swinging, hoisting material/equipment and slewing any part of the device, a separate application under Section 68 of the *Local Government Act 1993* and Sections 138/139 of the *Roads Act 1993* must be submitted to and approved by Council prior to the installation of such devices.

Note: Building maintenance unit means a power operated suspended platform and associated equipment on a building specifically designed to provide permanent access to the faces of the building for maintenance (*Work Health and Safety Regulation 2017*).

#### Reason

To ensure appropriate approvals are sought for operating hoisting devices.

#### PART D - WHILE BUILDING WORK IS BEING CARRIED OUT

#### (55) HOURS OF WORK AND NOISE - OUTSIDE CBD

The hours of construction and work on the development must be as follows:

- (a) All work, including building/demolition and excavation work, and activities in the vicinity of the site generating noise associated with preparation for the commencement of work (eg. Loading and unloading of goods, transferring of tools etc) in connection with the proposed development must only be carried out between the hours of 7.30am and 5.30pm on Mondays to Fridays, inclusive, and 7.30am and 3.30pm on Saturdays, with safety inspections being permitted at 7.00am on work days, and no work must be carried out on Sundays or public holidays.
- (b) All work, including demolition, excavation and building work must comply with the City of Sydney Code of Practice for Construction Hours/Noise 1992 and Australian Standard 2436 2010 Guide to Noise Control on Construction, Maintenance and Demolition Sites.
- (c) Notwithstanding the above, the use of a crane for special operations, including the delivery of materials, hoisting of plant and equipment and erection and dismantling of on-site tower cranes which warrant the on-street use of mobile cranes outside of above hours can occur, subject to a separate application being submitted to and approved by Council under Section 68 of the Local Government Act 1993 and Sections 138/139 of the Roads Act 1993

Note: Works may be undertaken outside of hours, where it is required to avoid the loss of life, damage to property, to prevent environmental harm and/or to avoid structural damage to the building. Written approval must be given by the Construction Regulation Team, prior to works proceeding

The City of Sydney Code of Practice for Construction Hours/Noise 1992 allows extended working hours subject to the approval of an application in accordance with the Code and under Section 4.55 of the *Environmental Planning and Assessment Act 1979*.

#### Reason

To protect the amenity of the surrounding area.

#### (56) SURVEY

All footings, walls and floor slabs adjacent to a boundary must be set out by a registered surveyor. On commencement of brickwork or wall construction a survey and report, prepared by a Registered Surveyor, must be submitted to the Principal Certifier indicating the position of external walls in relation to the boundaries of the allotment. Any encroachments by the subject building over adjoining boundaries or roads must be removed prior to continuation of building construction work.

#### Reason

To ensure the development does not encroach onto neighbouring properties.

#### (57) USE OF INTRUSIVE APPLIANCES - NOT APPROVED

This development consent does not extend to the use of appliances which emit noise of a highly intrusive nature (such as pile - drivers and hydraulic hammers) or are not listed in Groups B, C, D, E or F of Schedule 1 of the City of Sydney Code of Practice for Construction Hours/Noise 1992".

A separate Section 4.55 application must be submitted to the Council for the use of any equipment of a highly intrusive nature (such as pile - drivers and hydraulic hammers) or are not listed in Groups B, C, D, E or F of Schedule 1 of the *City of Sydney Code of Practice for Construction Hours/Noise 1992*.

#### Reason

To ensure the acoustic amenity of surrounding developments is maintained.

#### (58) ARCHAEOLOGICAL DISCOVERY DURING EXCAVATION

- (a) Should any relics be unexpectedly discovered on the site during excavation, all excavation or disturbance to the area is to stop immediately and the Heritage Council of NSW should be informed in accordance with section 146 of the Heritage Act 1977.
- (b) Should any Aboriginal objects be unexpectedly discovered then all excavation or disturbance of the area is to stop immediately, and NSW Government Office of Environment and Heritage is to be informed in accordance with Section 89A of the *National Parks and Wildlife Act 1974*.
- (c) Should any archaeological remains or Aboriginal objects be discovered, a copy of recording of the finds and the final archaeological summary report is to be submitted to Council prior to the issue of any Occupational Certificate.
- (d) If the discovery is on Council's land, Council must be informed.

#### Reason

To ensure that the archaeology of the site is appropriately managed and protected.

#### (59) ASBESTOS REMOVAL WORKS

(a) All works removing asbestos containing materials must be carried out by a suitably licensed asbestos removalist duly licensed with Safework NSW, holding either a Friable (Class A) or a Non-Friable (Class B) Asbestos Removal Licence which ever applies.

A copy of the relevant licence must be made available to any authorised Council officer on request within 24 hours.

- (b) Five days prior to the commencement of licensed asbestos removal, Safework NSW must be formally notified of the works. All adjoining properties and those opposite the development must be notified in writing of the dates and times when asbestos removal is to be conducted. The notification must identify the licensed asbestos removal contractor and include a contact person for the site together with telephone number and email address.
- (c) All work must be carried out in accordance with the Work Health and Safety Regulation 2017 and the NSW Government and SafeWork NSW document entitled How to manage and control asbestos in the work place: Code of Practice (Safework NSW) December 2011 and the City of Sydney Managing Asbestos Policy dated 21 October 2013 and associated guidelines.
- (d) The asbestos removalist must use signs and barricades to clearly indicate the area where the asbestos removal work is being performed. Signs must be placed in positions so that people are aware of where the asbestos removal work area is and should remain in place until removal is completed and clearance to reoccupy has been granted. Responsibilities for the security and safety of the asbestos removal site and removal must be specified in the asbestos removal control plan (where required). This includes inaccessible areas that are likely to contain asbestos.
- (e) Warning signs must be placed so they inform all people nearby that asbestos removal work is taking place in the area. Signs must be placed at all of the main entry points to the asbestos removal work area where asbestos is present. These signs must be weatherproof, constructed of light-weight material and adequately secured so they remain in prominent locations. The signs must be in accordance with AS 1319 -1994 Safety Signs for the Occupational Environment for size, illumination, location and maintenance.
- (f) Asbestos waste must only be transported and disposed of at an EPA licensed waste facility.
- (g) No asbestos products are to be reused on the site (i.e. packing pieces, spacers, formwork or fill etc).
- (h) No asbestos laden skips or bins are to be left in any public place without the written approval of Council.
- (i) A site notice board must be located at the main entrance to the site in a prominent position and must have minimum dimensions of 841mm x 594mm (A1) with any text on the notice to be a minimum of 30 point type size.

The site notice board must include the following:

- (i) contact person for the site;
- (ii) telephone and facsimile numbers and email address; and
- (iii) site activities and time frames.

To ensure that the handling and removal of asbestos from the site is appropriately managed.

#### (60) NOTIFICATION - NEW CONTAMINATION EVIDENCE

Council's Area Planning Manager and the Principal Certifier must be notified of any new information which comes to light during remediation, demolition or construction works which has the potential to alter previous conclusions about site contamination.

#### Reason

To ensure that the site is appropriately remediated.

#### (61) CLASSIFICATION OF WASTE

Prior to the exportation of waste (including fill or soil) from the site, the waste materials must be classified in accordance with the provisions of the Protection of the *Environment Operations Act 1997* and the *NSW DECC Waste Classification Guidelines, Part1: Classifying Waste (July 2009)*. The classification of the material is essential to determine where the waste may be legally taken. The *Protection of the Environment Operations Act 1997* provides for the commission of an offence for both the waste owner and the transporters if the waste is taken to a place that cannot lawfully be used as a waste facility for the particular class of waste. For the transport and disposal of industrial, hazardous or Group A liquid waste advice should be sought from the EPA.

#### Reason

To ensure that waste from site is classified and disposed of appropriately.

#### (62) DISCHARGE OF CONTAMINATED GROUNDWATER

Contaminated groundwater must not be discharged into the City's stormwater drainage system.

Options for the disposal of groundwater include disposal to sewer with prior approval from Sydney Water or off-site disposal by a liquid waste transporter for treatment/disposal to an appropriate waste treatment/processing facility.

#### Reason

To ensure that the discharge of ground water is appropriately managed.

#### (63) PUBLIC DOMAIN WORKS SECURITY BOND

A Public Domain Works Security Bond will be required for the public domain works and for repairing damage that may be caused to the public domain in the vicinity of the site, in accordance with the City of Sydney's adopted fees and charges and the Public Domain Manual.

The City's Public Domain Unit must be contacted to determine the bond amount prior to lodgement. The bond must be lodged with the City prior to an approval being issued for the approval of the Public Domain Plan.

The bond will be retained in full until all public domain works, including rectification of damage to the public domain, are completed to City's standards and approval and the required works-as-executed documentation are approved. On satisfying the above requirements, and the issue of the Public Domain Works Letter of Completion Operational Acceptance by the City, 90% of the bond will be released. The remaining 10% will be retained for the duration of the specified Defects Liability Period.

#### Reason

To ensure public domain works are completed and any damage to the public domain is rectified.

#### (64) DRAINAGE AND SERVICE PIT LIDS

All existing or proposed drainage and service pit lids throughout the public domain must be to City of Sydney specifications and heel/bicycle safe, slip resistant, infill with material to match surrounding surface, finished flush with the adjacent pavement to avoid trip hazards and be clear of obstructions for easy opening and cleaning. Infill pit lids are to be detailed where specified by Council's Public Domain Officer. Private pits are not permitted within the public domain. All details of pit lids must be shown on the public domain plan and must be approved by the City's Public Domain Unit prior to the issue of an approval for public domain works.

#### Reason

To ensure drainage and service pit lids within the public domain are appropriately designed and installed.

#### (65) PUBLIC DOMAIN PLAN DETAILED DOCUMENTATION FOR CONSTRUCTION

A detailed public domain plan and all relevant documentation must be submitted to and approved by City's Public Domain Unit prior to the construction of any public domain works. This Plan must document all works required to ensure that the public domain upgrade work complies with the City's specifications and requirements, as outlined in documents such as City of Sydney's *Public Domain Manual*, *Sydney Streets Code*, *Sydney Street Tree Masterplan*, *Sydney Lights: Public Domain Design Code and Sydney Streets Technical Specification*. The documentation must be *checked*, *accurate*, *and comply with specified requirements*. Plans must be based on an accurate survey, to scale and fully coordinated across all disciplines and submissions. The supplied documentation must be for Construction issue and will be approved under Section 138 of the Roads Act.

The Public Domain Manual and all other relevant documents are available for download from Council's website at <a href="https://www.cityofsydney.nsw.gov.au/development/public-domain-works/da-associated-works">https://www.cityofsydney.nsw.gov.au/development/public-domain-works/da-associated-works</a>.

The Public Domain Plan documentation must be submitted with an Application for Public Domain Plan Assessment and include the approved Public Domain Levels and Gradients documentation. If the proposed detailed design of the public domain requires changes to any previously approved levels, details must be submitted for approval with the public domain plan and additional fees may apply.

#### Reason

To ensure the public domain complies with Council's requirements.

#### (66) HOLD POINTS

Prior to an approval being issued for the construction of public domain and / or planning agreement works, including civil, drainage and subsurface works, a set of hold points will be provided by the City's Public Domain Unit in accordance with the City's Public Domain Manual and Sydney Streets Technical Specification. The list of hold point inspections will be included in the Public Domain works approval letter.

These hold point inspections must be adhered to during construction works. Prior to the issue of any Occupation Certificate, confirmation from the City's Public Domain Unit, that hold point inspections have been completed and works have been accepted by the City must be provided to the Principal Certifier.

#### Reason

To ensure hold points are adhered to during construction works.

#### (67) STORMWATER DRAINAGE CONNECTION

For approval of a connection into the City of Sydney's drainage system an "Application for Approval of Stormwater Drainage Connections" must be submitted to the City, together with an application fee in accordance with the City of Sydney's adopted Schedule of Fees and Charges. This must be approved prior to approval being issued for the construction of public domain work.

#### Reason

To ensure approval of connection into the Council's drainage system is sought.

#### (68) PUBLIC DOMAIN LIGHTING RETICULATION

Prior to the issue of any relevant approval for the construction of public domain works, a detailed Public Domain Lighting Reticulation Plan for pedestrian and street lighting in the public domain must be submitted to and approved by the City's Public Domain Unit in accordance with the City's Sydney Lights Design Code, Sydney Streets Code, Sydney Streets Technical Specification and Public Domain Manual.

The Public Domain Manual and all other relevant documents are available for download from Council's website at <a href="https://www.cityofsydney.nsw.gov.au/development/public-domain-works/da-associated-works">https://www.cityofsydney.nsw.gov.au/development/public-domain-works/da-associated-works</a>.

If applicable, this public domain lighting documentation must include pole footing locations and structural details, location and details of underground electrical reticulation including connections and conduits, pit cabling and certifications as described in the City's *Public Domain Manual*. The public domain lighting is to be superimposed on the public domain plan to show any conflicts between lighting and the proposed landscape design.

#### Reason

To ensure the public domain lighting documentation complies with Council requirements.

#### (69) HAZARDOUS AND INDUSTRIAL WASTE

Hazardous and/or industrial waste arising from the demolition/operational activities must be removed and/or transported in accordance with the requirements of the NSW Work Cover Authority pursuant to the provisions of the following:

- (a) Protection of the Environment Operations Act 1997
- (b) Protection of the Environment Operations (Waste) Regulation 2005
- (c) Waste Avoidance and Resource Recovery Act 2001
- (d) Work Health and Safety Act 2011
- (e) Work Health and Safety Regulation 2017.

#### Reason

To ensure hazardous/ industrial waste is managed appropriately.

#### (70) COVERING OF LOADS

All vehicles involved in the excavation and/or demolition process and departing the property with demolition materials, spoil or loose matter must have their loads fully covered before entering the public roadway.

#### Reason

To ensure loads are managed appropriately and do not impact local amenity.

#### (71) VEHICLE CLEANSING

Prior to the commencement of work, suitable measures are to be implemented to ensure that sediment and other materials are not tracked onto the roadway by vehicles leaving the site. It is an offence to allow, permit or cause materials to pollute or be placed in a position from which they may pollute waters.

#### Reason

To ensure sediment is not tracked onto the roadway.

#### (72) LOADING AND UNLOADING DURING CONSTRUCTION

The following requirements apply:

- (a) All loading and unloading associated with construction activity must be accommodated on site, where possible.
- (b) If, it is not feasible for loading and unloading to take place on site, a Works Zone on the street may be considered by Council.
- (c) A Works Zone may be required if loading and unloading is not possible on site. If a Works Zone is warranted an application must be made to Council at least 8 weeks prior to commencement of work on the site. An approval for a Works Zone may be given for a specific period and certain hours of the days to meet the particular need for the site for such facilities at various stages of construction. The approval will be reviewed periodically for any adjustment necessitated by the progress of the construction activities.
- (d) Where hoisting activity over the public place is proposed to be undertaken including hoisting from a Works Zone, a separate application under Section 68 of the Local Government Act 1993 and Sections 138/139 of the Roads Act 1993 must be submitted to and approved by Council.

#### Reason

To protect the amenity of the public domain.

#### (73) NO OBSTRUCTION OF PUBLIC WAY

Unless otherwise approved by Council, the public way must not be obstructed by any materials, vehicles, waste receptacles, skip-bins or the like. Non-compliance with this requirement may result in the issue of a notice by Council to stop all work on the site.

#### Reason

To protect the amenity of the public domain.

#### (74) USE OF MOBILE CRANES

The following requirements apply:

- (a) Mobile cranes operating from the road must not be used as a method of demolishing or constructing a building.
- (b) For special operations including the delivery of materials, hoisting of plant and equipment and erection and dismantling of on site tower cranes which warrant the on-street use of mobile cranes, permits must be obtained from Council for the use of a mobile crane. The permits must be obtained 48 hours beforehand for partial road closures which, in the opinion of Council will create minimal traffic disruptions and 4 weeks beforehand in the case of full road closures and partial road closures which, in the opinion of Council, will create significant traffic disruptions.

(c) The use of a crane for special operations, including the delivery of materials, hoisting of plant and equipment and erection and dismantling of on site tower cranes which warrant the on-street use of mobile cranes outside of approved hours of construction can occur, subject to a separate application being submitted to and approved by Council under Section 68 of the Local Government Act 1993 and Sections 138/139 of the Roads Act 1993.

#### Reason

To ensure mobile cranes are used appropriately.

#### PART E - BEFORE THE ISSUE OF AN OCCUPATION CERTIFICATE

#### (75) RESTRICTION OF END OF JOURNEY SPACE

Prior to any Occupation Certificate being issued or the use commencing, whichever is earlier, a documentary restrictive covenant to the effect that 80sqm of the building has been approved as end of journey floorspace is to be registered on the Title of the development site pursuant to section 88E of the *Conveyancing Act 1919*. The covenant is to be created appurtenant to Council and at no cost to Council.

#### Reason

To ensure the bonus floor space approved as part of the consent continuously used for the approved purpose.

#### (76) SURVEY CERTIFICATE AT COMPLETION

A Survey Certificate prepared by a Registered Surveyor must be submitted to the Principal Certifier at the completion of the building work certifying the location of the building in relation to the boundaries of the allotment.

#### Reason

To ensure the development does not encroach onto neighbouring properties.

#### (77) PHYSICAL MODELS

(a) Prior to the issue of any Occupation Certificate an accurate 1:500 scale model of the development as constructed must be submitted to and approved by Council's Area Coordinator Planning Assessments/Area Planning Manager for the City Model in Town Hall House.

#### Note:

- (i) The models must be constructed in accordance with the Model Specifications available online at <a href="http://www.cityofsydney.nsw.gov.au/development/application-quide/application-process/model-requirements">http://www.cityofsydney.nsw.gov.au/development/application-quide/application-process/model-requirements</a> Council's modellers must be consulted prior to construction of the model.
- (ii) The models are to comply with all of the conditions of the Development Consent.
- (iii) The models must be amended to reflect any further modifications to the approval (under Section 4.55 of the *Environmental Planning and Assessment Act*) that affect the external appearance of the building.

#### Reason

To ensure the provision of an appropriate physical model of the development.

### (78) SUBMISSION OF ELECTRONIC CAD MODELS PRIOR TO OCCUPATION CERTIFICATE

- (a) Prior to any Occupation Certificate being issued, an accurate 1:1 electronic CAD model of the completed development must be submitted to and approved by Council's Area Coordinator Planning Assessments/Area Planning Manager for the electronic Visualisation City Model.
- (b) The data required to be submitted within the surveyed location must include and identify:
  - (i) building design above and below ground in accordance with the development consent;
  - (ii) all underground services and utilities, underground structures and basements, known archaeological structures and artefacts;
  - (iii) a current two points on the site boundary clearly marked to show their Northing and Easting MGA (Map Grid of Australia) coordinates, which must be based on Established Marks registered in the Department of Lands and Property Information's SCIMS Database with a Horizontal Position Equal to or better than Class C.

The data is to be submitted as a DGN or DWG file on a Compact Disc. All modelling is to be referenced to the Map Grid of Australia (MGA) spatially located in the Initial Data Extraction file.

(c) The electronic model must be constructed in accordance with the City's 3D CAD electronic model specification. The specification is available online at <a href="http://www.cityofsydney.nsw.gov.au/development/application-guide/application-process/model-requirements">http://www.cityofsydney.nsw.gov.au/development/application-guide/application-process/model-requirements</a> Council's Modelling staff should be consulted prior to creation of the model. The data is to comply with all of the conditions of the Development Consent.

#### Reason

To ensure the provision of an appropriate electronic model of the development.

#### (79) WASTE AND RECYCLING COLLECTION CONTRACT

Prior to any Occupation Certificate being issued, the building owner must ensure that there is a contract with a licensed contractor for the removal of **all waste**. Waste is to be stored and collected from within the curtilage of the site at all times.

#### Reason

To ensure that waste and recycling is appropriately managed.

#### (80) PUBLIC DOMAIN WORKS COMPLETION

The Public Domain works are to be constructed in accordance with the Public Domain Works Approval letter, stamped plans for Public Domain Levels and Gradients, Stormwater, Public Domain Lighting, the City's *Public Domain Manual*, Stormwater *Drainage Manual*, *Sydney Lights Design Code* and *Sydney Streets Technical Specification*.

The public domain work must be inspected and a Public Domain Work Letter of Completion Operational Acceptance must be issued by Council's Public Domain Officer prior to the issue of any Occupation Certificate or before the commencement of use, whichever is earlier.

#### Reason

To ensure the public domain works are completed in accordance with the approved documents and Council's requirements.

#### (81) PUBLIC DOMAIN COMPLETION - WORK AS EXECUTED DOCUMENTATION

Prior to a Public Domain Works Letter of Completion Operational Acceptance being issued for public domain works, works-as-executed (As-Built) plans and documentation, must be submitted to and accepted by the City of Sydney for all public domain works, including where required Stormwater, Public Domain Lighting and road construction. These works must be certified by a suitably qualified, independent professional. Details of the documentation required for approval will be advised by the City's Public Domain Unit.

#### Reason

To ensure Council receives works-as-executed documentation for public domain works.

### (82) STORMWATER COMPLETION DEED OF AGREEMENT AND POSITIVE COVENANT

Prior to the issue of any Occupation Certificate:

- (a) The Owner is required to enter into a Deed of Agreement (Stormwater Deed) with the City of Sydney and obtain registration of Title of a Positive Covenant for all proposed connections to the City's underground drainage system. The deed and positive covenant will contain terms reasonably required by the City and will be drafted by the City's Legal Services Unit at the cost of the applicant, in accordance with the City's Fees and Charges.
- (b) A Positive Covenant must be registered on the property title for all drainage systems involving On-Site Detention (OSD) to ensure maintenance of the approved OSD system regardless of the method of connection. The positive covenant will contain terms reasonably required by the City and will be drafted by the City's solicitor at the cost of the applicant, in accordance with the City's Fees and Charges.

To protect underground drainage system.

#### (83) SURVEY INFRASTRUCTURE - RESTORATION

- (a) Prior to any Occupation Certificate being issued for the development, documentary evidence of restoration must be prepared by a Registered Surveyor and submitted to and approved by Council's Area Planning Manager / Coordinator. This evidence must include:
  - (i) Certification that all requirements requested under the Surveyor-General's Approval for Survey Mark Removal or by the City's Principal Surveyor under condition "Survey Infrastructure Identification and Recovery" have been complied with;
  - (ii) Certification that all requirements requested under any Surveyor-General's Approval for Deferment of Survey Marks from condition "Survey Infrastructure – Pre Subdivision Certificate works" have been complied with and;
  - (iii) Time-stamped photographic records of all new survey infrastructure relating to the site clearly showing the mark itself and sufficient context to aid in identifying the mark on site.

#### Reason

To ensure all requirements for survey mark removal are complied with.

#### (84) SYDNEY WATER CERTIFICATE

A Section 73 Compliance Certificate under the Sydney Water Act 1994 must be obtained from Sydney Water Corporation.

Application must be made through an authorised Water Servicing Coordinator. Please refer to the Building Developing and Plumbing section on the web site www.sydneywater.com.au then refer to "Water Servicing Coordinator" under "Developing Your Land" or telephone 13 20 92 for assistance.

Following application a "Notice of Requirements" will advise of water and sewer infrastructure to be built and charges to be paid. Please make early contact with the Coordinator, since building of water/sewer infrastructure can be time consuming and may impact on other services and building, driveway or landscape design.

The Section 73 Certificate must be submitted to Council or the Principal Certifier prior to any Occupation Certificate or subdivision/strata certificate being issued.

#### Reason

To ensure the requirements of Sydney Water are met.

#### PART F - OCCUPATION AND ONGOING USE

#### (85) OCCUPATION CERTIFICATE TO BE SUBMITTED

An Occupation Certificate must be obtained from the Principal Certifier and a copy submitted to Council prior to commencement of occupation or use of the whole or any part of a new building, an altered portion of, or an extension to an existing building.

#### Reason

To ensure the site is authorised for occupation.

#### (86) HOURS OF OPERATION - COMMERCIAL OFFICE USE

The hours of operation are restricted to between 7.00am and 10.00pm Monday to Saturday, and 7.00am to 8.00pm on a Sunday or public holiday.

Reason

To ensure the premises operates within the approved hours of operation.

#### (87) HOURS OF OPERATION - OUTDOOR TERRACES

The hours of use for the outdoor terraces associated with the commercial office floorspace for use of building occupants only are restricted to between 7.00am and 10.00pm Monday to Saturday, and 7.00am to 8.00pm on a Sunday or public holiday.

Reason

To ensure the premises operates within the approved hours of operation.

#### (88) NO SPEAKERS OR MUSIC OUTSIDE

Speakers and/or noise amplification equipment must not be installed and music must not be played in any of the outdoor areas associated with the premises including the public domain. Speakers located within the premises must not be placed so as to direct the playing of music towards the outdoor areas associated with the premises.

#### Reason

To safeguard the amenity of the surrounding neighbourhood.

#### (89) NOISE - COMMERCIAL PLANT / INDUSTRIAL DEVELOPMENT

(a) Noise from commercial plant and industrial development must not exceed a project amenity/intrusiveness noise level or maximum noise level in accordance with relevant requirements of the NSW EPA <u>Noise Policy for</u> <u>Industry 2017 (NPfI)</u> unless agreed to by the City's Area Planning Manager. Further:

- (i) Background noise monitoring must be carried out in accordance with the long-term methodology in <u>Fact Sheet B</u> of the NPfI unless otherwise agreed by the City's Area Planning Manager.
- (ii) Commercial plant is limited to heating, ventilation, air conditioning, refrigeration and energy generation equipment.
- (b) An L<sub>Aeq,15 minute</sub> (noise level) emitted from the development must not exceed the L<sub>A90, 15 minute</sub> (background noise level) by more than 3dB when assessed inside any habitable room of any affected residence or noise sensitive commercial premises at any time. Further:
  - (i) The noise level and the background noise level must both be measured with all external doors and windows of the affected residence closed.
  - (ii) Background noise measurements must not include noise from the development but may include noise from necessary ventilation at the affected premises.
- (c) Corrections in <u>Fact Sheet C</u> of the NPfI are applicable to relevant noise from the development measured in accordance with this condition, however duration corrections are excluded from commercial noise.

To protect the acoustic amenity of surrounding properties.

#### (90) ENCROACHMENTS - NEIGHBOURING PROPERTIES

No portion of the proposed structure shall encroach onto the adjoining properties.

#### Reason

To protect neighbouring properties.

#### (91) ENCROACHMENTS - PUBLIC WAY

No portion of the proposed structure, including gates and doors during opening and closing operations, shall encroach upon Council's footpath area at the ground level.

#### Reason

To protect the public way.

#### (92) ON SITE LOADING AREAS AND OPERATION

All loading and unloading operations associated with servicing the site must be carried out within the confines of the site, at all times and must not obstruct other properties/units or the public way.

At all times the service vehicle docks, car parking spaces and access driveways must be kept clear of goods and must not be used for storage purposes, including garbage storage.

#### Reason

To maintain the orderly operation of vehicle parking areas and to ensure the public domain is kept free from physical obstructions.

#### (93) LOADING SERVICE MANAGEMENT PLAN

A Loading Service Management Plan, must be submitted to and approved by Council prior to the Occupation Certificate for the site/use being granted. The Loading Management Plan will include a strategy for the management of all servicing of the site including retail, commercial, delivery vehicles and should include information such as arrivals to the site, the anticipated numbers of arrivals per week, time of day of the arrivals, length of stay, vehicle type etc. The Plan must include, but is not limited to, management of deliveries to prevent disruption to public streets. The Plan must identify how loading for all retail tenants in the building will be managed, not just for the commercial use.

A management plan, loading dock manager, loading schedule or similar must be prepared so all users are aware of their entitlements and to avoid too many deliveries being at the dock at any one time.

Once approved, this management plan must be provided to all tenants and external users.

#### (94) WASTE/RECYCLING COLLECTION - COMMERCIAL

- (a) Waste storage and the collection of waste and recycling must only occur during the designated zone collection times as outlined in the City's Waste Policy – Local Approvals Policy for Managing Waste in Public Places 2017.
- (b) Waste and recycling bins must not be placed on the street for collection. Services must be conducted within the property boundary or as a wheelout/wheel-back service.
- (c) Unimpeded access must be provided for collection vehicles to set down within 10 metres of waste storage areas during zone collection times on collection days.

#### Reason

To ensure that waste and recycling is appropriately managed.

#### (95) DEFECTS LIABILITY PERIOD - PUBLIC DOMAIN WORKS

All works to the City's public domain, including rectification of identified defects, are subject to a 6 month defects liability period from the date of Completion. The date of Completion will be nominated by Council on the Public Domain Works – Letter of Completion Operational Acceptance.

To ensure all works to the City's public domain are protected under a liability period.

#### **SCHEDULE 2**

#### PRESCRIBED CONDITIONS

The prescribed conditions in accordance with Division 8A of the *Environmental Planning and Assessment Regulation 2021* apply:

Clause 69	Compliance with <i>National Construction Code (previously known as Building Code of Australia)</i> and insurance requirements under the <i>Home Building Act</i> 1989
Clause 70	Erection of signs
Clause 71	Notification of Home Building Act 1989 requirements
Clause 72	Conditions relating to entertainment venues
Clause 73	Conditions relating to maximum capacity signage
Clause 74	Conditions relating to shoring and adequacy of adjoining property

Refer to the NSW State legislation for full text of the clauses under Division 2 conditions of the *Environmental Planning and Assessment Regulation 2021*. This can be accessed at: <a href="http://www.legislation.nsw.gov.au">http://www.legislation.nsw.gov.au</a>