

# **Attachment A**

<b>Recommended Conditions of Consent</b>
--

## SCHEDULE 1

### CONDITIONS OF CONSENT

#### PART A - GENERAL

##### (1) APPROVED DEVELOPMENT

- (a) Development must be in accordance with Development Application No. D/2022/1332 dated 21 December 2022 and the following drawings prepared by Daniel Boddam Architecture & Interior Design and Wyer & Co:

Drawing Number	Drawing Name	Date
DA100, Rev 4	Site Plan	07.09.2023
DA101, Rev 4	Ground Plans	07.09.2023
DA102, Rev 4	First Floor Plan	07.09.2023
DA103, Rev 4	Roof Plans	07.09.2023
DA400, Rev 3	Elevations	07.09.2023
DA401, Rev 3	Elevations	07.09.2023
DA402, Rev 3	Elevations	07.09.2023
DA403, Rev 4	Sections	07.09.2023
DA-01, Rev 5	Landscape Masterplan	07.09.2023
DA-02, Rev 5	Landscape Plan – Ground Floor	07.09.2023
DA-03, Rev 5	Landscape Plan – Level 01	07.09.2023

and as amended by the conditions of this consent.

- (b) In the event of any inconsistency between the approved plans and supplementary documentation, the plans will prevail.

#### Reason

To ensure all parties are aware of the approved plans and supporting documentation that applies to the development.

##### (2) DESIGN MODIFICATIONS

The design of the building must be modified as follows:

- (a) Privacy measures, such as fixed privacy screens and translucent glazing must be installed to a finished floor level of 1.4m for windows W6.5, W6.4, W7.2, and W7.1 to prevent the overlooking of adjoining property.

The modifications are to be submitted to and approved by Council's Area Coordinator Planning Assessments or Area Planning Manager prior to the issue of a Construction Certificate.

### **Reason**

To require amendments to the approved plans and supporting documentation following assessment of the development.

### **(3) BUILDING HEIGHT**

- (a) The height of the building must not exceed RL 28,844(AHD) to the top of the building.
- (b) Prior to an Occupation Certificate being issued, a Registered Surveyor must provide certification that the height of the building accords with (a) above, to the satisfaction of the Principal Certifier.

### **Reason**

To ensure the constructed development complies with the approved height.

### **(4) VEHICLE FOOTWAY CROSSING**

A separate application is to be made to, and approved by, Council for the construction of any proposed vehicle footway crossing or for the removal of any existing crossing and replacement of the footpath formation where any such crossings are no longer required.

All disused or redundant vehicle crossings and laybacks must be removed and footway, kerb, gutter and road restoration reinstated in accordance with Council's standards, to suit the adjacent finished footway and edge treatment materials, levels and details, or as otherwise directed by Council officers. All construction and replacement works are to be completed in accordance with the approved plans prior to the issue of any Occupation Certificate.

Note: In all cases the construction materials should reinforce the priority of pedestrian movement over that of the crossing vehicle.

### **Reason**

To ensure all relevant approvals for traffic and parking works are obtained and designed in accordance with Council requirements.

### **(5) ASSOCIATED ROADWAY COSTS**

All costs associated with the construction of any new road works including kerb and gutter, road pavement, drainage system and footway shall be borne by the developer. The new road works must be designed and constructed in accordance with the City's "Sydney Streets Technical Specification" including amendments and "Sydney Streets Design Code".

### **Reason**

To ensure all roadway works are designed and constructed in accordance with Council requirements.

**(6) WASTE AND RECYCLING MANAGEMENT - GENERAL**

The proposal must comply with the relevant provisions of Council's *Guidelines for Waste Management in New Developments 2018* which requires facilities to promote the efficient storage, separation, collection and handling of waste to maximise resources recovery.

**Reason**

To ensure that waste and recycling is appropriately managed.

**(7) TREES APPROVED FOR REMOVAL**

- (a) All trees detailed in Table 1 below are approved for removal. Tree removal must not occur until the Construction Certificate has been issued.

Table 1 – Tree Removal:

<b>Tree No</b>	<b>Species:</b>	<b>Location</b>
4	<i>Prunus</i> sp. (Blossum Tree)	Rear yard

- (b) All tree removal works must be carried out by a qualified Arborist, with a minimum AQF Level 3 and in accordance with SafeWork's Code of Practice – Amenity Tree Industry.

**Reason**

To identify the trees that can be removed.

**(8) TREES THAT MUST BE RETAINED**

The existing trees detailed in Table 2 below be retained and protected in accordance with the conditions throughout construction and development.

Table 2 – Tree Retention:

Approval is NOT granted for the removal of the following trees, which Council has determined to be prominent landscape elements.

<b>Tree No</b>	<b>Species:</b>	<b>Location</b>
1-2	<i>Triadica sebiferum</i> (Chinese Tallowood)	Street tree – front of site
3	<i>Syzygium australe</i> (Lilly Pilly)	Front Setback
5	<i>Macadamia tetraphylla</i> (Macadamia Tree)	Rear yard
6	<i>Howea forsteriana</i> (Kentia Palm)	Neighbouring property to the south (54 Allen Street)

**Reason**

To identify the trees that cannot be removed, must be retained and protected.

**(9) AFFORDABLE HOUSING CONTRIBUTION – RESIDUAL LAND OR CENTRAL SYDNEY – PAYMENT IN LIEU OF FLOOR SPACE CONTRIBUTION – PRIOR TO CONSTRUCTION CERTIFICATE**

- (a) In accordance with the City of Sydney Affordable Housing Program and prior to the issue of a Construction Certificate, the applicant must provide evidence that a monetary contribution towards the provision of affordable housing has been paid to the City of Sydney Council.
- (b) The contribution is \$82,133.24 (indexed at 26 September 2023). This is calculated by establishing the sum of the equivalent monetary contribution \$10,611.53 multiplied by 1% of the total floor area for non-residential development (0sqm) and the equivalent monetary contribution \$10611.53 multiplied by 3% of the total floor area for residential development (280 sqm).
- (c) If the contribution is paid after the indexation period in which the consent is granted, being 1 March 2023 to 29 February 2024, the above contribution will be adjusted according to the Sydney LGA median strata dwelling price ('MDP') using the following formula.
- (d) Contribution payable at Time of Payment =  $C \times MDP2 / MDP1$ , where:
  - (i) C is the original total contribution amount payable to the City of Sydney as shown above;
  - (ii) MDP2 is the Median Strata Dwelling Price in Sydney LGA taken from the most recent NSW Government Rent and Sales Report at the time of indexation of the equivalent monetary contribution rate; and
  - (iii) MDP1 is the Median Strata Dwelling Price in Sydney LGA taken from the NSW Government Rent and Sales Report used to establish the current equivalent monetary contribution rate, being 1 March 2023 to 29 February 2024.

Contact Council's Planning Assessment Unit at [planningsystemsadmin@cityofsydney.nsw.gov.au](mailto:planningsystemsadmin@cityofsydney.nsw.gov.au) for written confirmation of the amount payable, with indexation as necessary, prior to payment.

**Reason**

To ensure development contributions are paid to contribute to the provision of essential affordable rental housing infrastructure.

## **PART B – BEFORE THE ISSUE OF A CONSTRUCTION CERTIFICATE**

### **(10) MATERIALS AND SAMPLES SCHEDULE – MINOR DEVELOPMENT**

A detailed materials, colours and finishes schedule (including visible rainwater goods and services) keyed to each building elevation must be submitted to and approved by Council's Area Coordinator Planning Assessments or Area Planning Manager prior to a Construction Certificate being issued. The materials and samples schedule/board must not include generic material or colour descriptions, or use terminology such as 'or similar'.

#### **Reason**

To require the submission of a materials and samples board following assessment of the development.

### **(11) AMENDED LANDSCAPE PLAN**

The landscape plan is to include the following amendments:

- (a) To avoid additional stress to Trees 3 and 5, raised soil levels must be avoided. Planting is to occur at an existing grade and to apply tree sensitive planting methods as per items 1-3 on drawing DA-01 and DA-02 of the Landscape Plan dated September 2023.
- (b) The reference stating that "The installation of 100-200mm of new garden mix topsoil over the pre-existing soil to provide a suitable medium for new plants to be planted without damage to existing tree roots" is to be deleted.

- (12)** The amended landscape plan must be submitted to and approved by Council's Area Planning Coordinator or Area Planning Manager prior to the issue of a Construction Certificate.

#### **Reason**

To ensure sufficient canopy cover is provided and healthy trees are established and maintained on the site.

### **(13) SITE SUPERVISION AND REPORTING**

- (a) An Arborist with minimum qualifications in Arboriculture of Level 5 (under the Australian Qualification Framework) must oversee various stages of work within the Tree Protection Zone of any tree listed for retention. The Arborist must certify compliance with each key milestone detailed below:
  - (i) The installation of tree protection measures prior to the commencement of any construction works;
  - (ii) During demolition of any ground surface materials (pavers, concrete, grass etc.) within the Tree Protection Zone (TPZ) of any tree to be retained;
  - (iii) During construction of the following:

- a. Boundary wall
  - b. Foundation slab/residential dwelling within the SRZ/TPZ of Tree 3
  - c. Driveway and pump room within SRZ/TPZ of Tree 5
- (iv) During any excavation within the SRZ and TPZ of Trees 1, 2, 3, 5, and 6.
  - (v) During any Landscape works within the TPZ of Trees 3 and 5 which has been approved by Council
- (b) An Arboricultural Compliance Report which includes photographic evidence and provides details on the health and structure of tree/s must be submitted to and acknowledged by Council's Area Planning Coordinator or Area Planning Manager at each hold point listed below:
- (i) Certification that tree protection measures have been installed in accordance with these consent conditions;
  - (ii) Certification of compliance with each key milestone listed above within 48 hours of completion;
  - (iii) Monthly reporting for the duration of construction and development works within the site;
  - (iv) Details of any other works undertaken on any tree to be retained or any works within the TPZ which has been approved by Council.
- (c) A final compliance report must be submitted to and approved by Council's Area Planning Coordinator or Area Planning Manager prior to the issue of any Occupation Certificate.

**Reason**

To ensure the protection and ongoing health of trees on the site.

**(14) PUBLIC DOMAIN DAMAGE BOND**

- (a) A Public Domain Damage Deposit calculated on the basis of 32 square metres of concrete and asphalt site frontage must be lodged with Council in accordance with the City of Sydney's adopted Schedule of Fees and Charges. The bond must be provided as security for repairing any damage to the public domain in the vicinity of the site.
- (b) The City's Public Domain Unit must be contacted to determine the bond amount prior to lodgement. The Bond must be lodged with the City prior to an approval for demolition being granted or any Construction Certificate being issued, whichever is earlier.
- (c) The bond in this condition will be released in full when the Final Occupation Certificate has been issued and any rectification works to the footway and Public Domain are completed to Council's satisfaction. If rectification works are required the City will release 90% of the total Bond, with the remaining 10% balance to be held for the duration of a 6 months Defect Liability Period.

### **Reason**

To allow for the appropriate management and rectification of damage to the public domain.

## **(15) PROTECTION OF STONE KERBS**

- (a) The existing stone kerbs on the Allen Street and Allen Lane frontage[s] of the site are to be retained and properly protected during demolition, excavation and construction works.
- (b) To avoid damage to stone kerbs during excavation and construction works for the development, temporary removal and storage of the stone kerbs may be approved by Council. Removed, serviceable stone kerbs (i.e. those that are in good condition as agreed by Council officers) must be re-installed in accordance with the City of Sydney's standard details and specifications after the construction works have been completed. A temporary concrete kerb will need to be constructed to retain the footpath until the stone kerbs can be reinstalled.
- (c) Note the following:
  - (i) all costs associated with the works are to be borne by the developer.
  - (ii) Damaged kerbs are to be replaced to match existing to Council's satisfaction or as otherwise advised by Council officers.
  - (iii) Where new vehicle crossings or temporary crossings are to be constructed to access the property, the affected kerb stones should be salvaged and reused wherever possible.
  - (iv) All new driveway laybacks and kerbs are to be constructed with stone kerbs to match existing stones or as specified by City officers.
  - (v) Council approval is required before kerbs are removed.
  - (vi) Council approval is required prior to the cutting of existing stone kerbs for stormwater kerb outlets.
  - (vii) Stone kerbs and gutters may be bonded in accordance with the City of Sydney's adopted Schedule of Fees and Charges. If so, this will be included with the Public Domain Damage Bond.

### **Reason**

To ensure the protection of stone kerbs.

## **(16) PUBLIC DOMAIN LEVELS AND GRADIENTS - MINOR**

Where ground floor levels of existing buildings are being retained, public domain levels and gradients for the buildings and site frontages of those buildings must be submitted to and approved by City's Public Domain Unit prior to any Construction Certificate being issued for above ground building works. The submission must be prepared by a Registered Surveyor or suitably qualified engineer and must be submitted with a completed Public Domain Levels and Gradients Approval Application form (available on the City's website).

If changes are proposed to any site entrance, driveway or floor levels once an approval has been issued, an amended Public Domain levels and gradients submission must be submitted to and approved by City's Public Domain Unit to reflect these changes prior to the issue of any Construction Certificate for above ground works.

**Reason**

To ensure the public domain levels and gradients are approved by Council.

**(17) DILAPIDATION REPORT - PUBLIC DOMAIN**

Prior to an approval for demolition and preparatory works being granted or the issue of any Construction Certificate, whichever is earlier, a photographic recording of the public domain site frontages is to be prepared as described in the Public Domain Manual and submitted for approval by Council's Public Domain Unit. The City's *Public Domain Manual* is available for download from the City's website at <https://www.cityofsydney.nsw.gov.au/>

The submission is to include written confirmation, issued with the authority of both the applicant and the photographer that the City of Sydney is granted a perpetual non-exclusive license to make use of the copyright in all images supplied, including the right to make copies available to third parties as though they were Council images. The signatures of both the applicant and the photographer must be included.

**Reason**

To establish and document the condition of the public domain for comparison as building work progresses and is completed.

**(18) STORMWATER AND DRAINAGE - MINOR DEVELOPMENT**

The drainage system is to be constructed in accordance with the City's standard requirements as detailed in the City of Sydney's Stormwater Drainage Manual. The development is to be designed so that the flow of pollutants from the site due to stormwater is reduced.

**Reason**

To ensure the drainage system is constructed in accordance with Council's requirements.

**(19) BASIX CERTIFICATE – DETAILS TO BE LODGED WITH A CC**

A copy of the required completed BASIX certificate accepted as part of this Development Consent with respect to the proposed residential building works, must be lodged with an application for a construction certificate and the items nominated as part of the subject BASIX certificate must be specified on the plans submitted with the construction certificate application. – See Note.

### **IMPORTANT NOTE:**

Any requirement detailed in the accompanying BASIX Certificate, MUST be included as a specific notation or inclusion on any future Construction Certificate plans and specification in accordance with Part 3 of Schedule 1 of the EP&A Regulation, 2021.

#### **Reason**

To ensure BASIX commitments are fulfilled in accordance with the BASIX certificate (prescribed condition under clause 75 EP&A Regulation, 2021).

### **(20) MINIMISE IMPACT OF POOL ON NEIGHBOURING PROPERTIES**

- (a) To minimise the impact of the pool on adjoining properties and to ensure the safety of the pool/spa area, the design and construction of the swimming pool/spa and associated equipment and fencing must comply with the following requirements:
  - (i) The *Swimming Pools Act 1992* and Regulations.
  - (ii) The swimming pool must have safety barriers installed in accordance with the requirements of AS 1926.1 - 2007 - 'Safety barriers for swimming pools' and AS 1926.2 - 2007 'Location of safety barriers for swimming pools'.
  - (iii) Australian Standards 1926.3 - Water Recirculation and Filtration; and
  - (iv) *Protection of the Environment Operations Act 1997*

#### **Reason**

To minimise the impact of the pool on adjoining properties and to ensure the safety of the pool/ spa area.

### **(21) SWIMMING POOL - CONSULTATION WITH AUSGRID**

Ausgrid must be consulted in respect to the location of the proposed swimming pool relative to any overhead electrical wiring within a distance of 9 metres around the pool. Details of consultation with Ausgrid are to be submitted to the Registered Certifier prior to a Construction Certificate being issued.

#### **Reason**

To ensure consultation with Ausgrid is undertaken where required.

### **(22) SWIMMING POOL - WASTE AND OVERFLOW WATERS**

Swimming pool waste and overflow waters must be collected and directed to the sewer in accordance with the requirements of Sydney Water, and details are to be submitted with the application for a Construction Certificate to the satisfaction of the Registered Certifier.

**Reason**

To ensure waste and overflow waters are managed appropriately.

## **PART C – BEFORE THE COMMENCEMENT OF BUILDING WORK**

### **(23) DILAPIDATION REPORT – MINOR**

Subject to the receipt of permission of the affected landowner, dilapidation report/s of adjoining buildings are to be prepared by an appropriately qualified practising structural engineer and submitted for the approval of the Registered Certifier prior to the issue of a construction certification.

#### **Reason**

To ensure that dilapidation reports are prepared and to identify damage to for adjoining/nearby properties resulting from building work on the development site.

### **(24) DEMOLITION, EXCAVATION AND CONSTRUCTION MANAGEMENT**

- (a) Prior to the commencement of demolition and/or excavation work the following details must be submitted to and be approved by the Principal Certifier:
- (i) Plans and elevations showing distances of the subject building from the location of adjoining and common/party walls, and (where applicable) the proposed method of facade retention.
  - (ii) A Demolition Work Method Statement prepared by a licensed demolisher who is registered with the Work Cover Authority. (The demolition by induced collapse, the use of explosives or on-site burning is not permitted.)
  - (iii) An Excavation Work Method Statement prepared by an appropriately qualified person.
  - (iv) A Waste and Recycling Management Plan – Demolition and Construction for the demolition and or excavation of the proposed development. The plan is to include details of materials that will be excavated and their proposed destination or reuse.
  - (v) Plans and elevations showing the location, construction and installation of temporary site fencing and any temporary structures used in connection with the construction of the development.

Note: Temporary structures, including hoardings and scaffolding, proposed for erection on City-owned and controlled land (footways and roadways), must comply with Council's *Guidelines for Hoardings and Scaffolding* and be approved by Council under the provisions of the Local Government Act 1993 and the Roads Act 1993 prior to installation.

- (b) Such statements must, where applicable, be in compliance with AS2601-2001 Demolition of Structures, the *Work, Health and Safety Act 2011* and Regulation; Council's *Guidelines for Waste Management in New Developments 2018*, the *Waste Avoidance and Resource Recovery Act 2001*, and all other relevant acts and regulations and must include provisions for:

- (i) A Materials Handling Statement for the removal of refuse from the site in accordance with the *Waste Avoidance and Resource Recovery Act 2001*.
- (ii) The name and address of the company/contractor undertaking demolition/excavation works.
- (iii) The name and address of the company/contractor undertaking off site remediation/disposal of excavated materials.
- (iv) The name and address of the transport contractor.
- (v) The type and quantity of material to be removed from site.
- (vi) Location and method of waste disposal and recycling.
- (vii) Proposed truck routes, in accordance with this development consent.
- (viii) Procedures to be adopted for the prevention of loose or contaminated material, spoil, dust and litter from being deposited onto the public way from trucks and associated equipment and the proposed method of cleaning surrounding roadways from such deposits. (Note: With regard to demolition of buildings, dust emission must be minimised for the full height of the building. A minimum requirement is that perimeter scaffolding, combined with chain wire and shade cloth must be used, together with continuous water spray during the demolition process. Compressed air must not be used to blow dust from the building site).
- (ix) Measures to control noise emissions from the site.
- (x) Measures to suppress odours.
- (xi) Enclosing and making the site safe.
- (xii) Induction training for on-site personnel.
- (xiii) Written confirmation that an appropriately qualified Occupational Hygiene Consultant has inspected the building/site for asbestos, contamination and other hazardous materials, in accordance with the procedures acceptable to SafeWork NSW.
- (xiv) An Asbestos and Hazardous Materials Clearance Certificate by a person approved by the SafeWork NSW.
- (xv) Disconnection of utilities.
- (xvi) Fire Fighting. (Fire fighting services on site are to be maintained at all times during demolition work. Access to fire services in the street must not be obstructed).
- (xvii) Access and egress. (Demolition and excavation activity must not cause damage to or adversely affect the safe access and egress of the subject building or any adjacent buildings).
- (xviii) Waterproofing of any exposed surfaces of adjoining buildings.

- (xix) Control of water pollution and leachate and cleaning of vehicles tyres (proposals must be in accordance with the *Protection of the Environmental Operations Act 1997*).
- (xx) Working hours, in accordance with this development consent.
- (xxi) Any SafeWork NSW requirements.
- (c) The approved work method statements and a waste management plan as required by this condition must be implemented in full during the period of construction.
- (d) All waste records from the recycling and/or disposal of any demolition and construction waste generated from the works must be retained on site. These records must be available for sighting on request by an authorised Council officer.

**Reason**

To ensure that impacts arising from demolition, excavation and construction are appropriately managed.

**(25) OTHER APPROVALS**

Any activity which is proposed to be undertaken in, on or above a road reserve or the public domain (including a public footway) must have separate approval(s) obtainable through the lodgement of an application under Section 68 of the Local Government Act 1993 and/or Section 138/139 of the Roads Act 1993 prior to the commencement of work/activities within the road reserve/public domain. Such activities include but not limited to:

- (a) installation of construction-related temporary structures including hoardings/scaffolding;
- (b) installation and/or alterations to advertising/business signs;
- (c) installation and/or alterations to street awnings;
- (d) crane operation and other hoisting activities;
- (e) temporary works (e.g. barricading, road openings, mobile hoisting devices);
- (f) works zones (for loading and unloading from the roadway); and
- (g) temporary ground anchoring and shoring to support a roadway when excavating; and
- (h) any other structure or encroachment including facade elements/architectural features.

**Reason**

To ensure use of a public place is managed appropriately.

## (26) TREE PROTECTION ZONE

- (a) Before the commencement of works, Tree Protection Zone/s (TPZ) must be established around all trees to be retained not less than the distance indicated in the TPZ schedule below.
- (b) Tree protection must be installed and maintained in accordance with the Australian Standard 4970 Protection of Trees on Development Sites and with the following schedule:

### TPZ Schedule

Tree No.	Species Name	Location	Radius (m) From Trunk
1-2	<i>Triadica sebiferum</i> (Chinese Tallowood)	Street tree- Front	4.0
3	<i>Syzygium australe</i> (Lilly Pilly)	Front setback	12.0
5	<i>Macadamia tetraphylla</i> (Macadamia Tree)	Rear Yard	9.0
6	<i>Howea fosteriana</i> (Kentia Palm)	Neighbouring property to the south (54 Allen Street)	2.0

Note: Only applies to the TPZ within the subject development site and the public domain.

- (c) Ground surface protection must be installed if construction access is required through any TPZ of this condition where hard surface / paving is not existing. The ground protection must be:
  - (i) Protected with boarding (ie scaffolding board or plywood sheeting or similar material), placed over a layer of mulch to a depth of at least 75mm and geotextile fabric;
  - (ii) The protective boarding must be left in place for the duration of the construction and development.
- (e) The following works must be excluded from within any TPZs:
  - (i) Excavation - except for the localised siting of piers / demolition of the concrete slab;
  - (ii) Soil cut or fill including trenching;
  - (iii) Soil cultivation, disturbance or compaction;
  - (iv) Stockpiling, storage or mixing of materials;
  - (v) The parking (except existing on street parking), storing, washing and repairing of tools, equipment and machinery;

- (vi) The disposal of liquids and refuelling;
  - (vii) The disposal of building materials;
  - (viii) The siting of offices or sheds;
  - (ix) Any action leading to the impact on tree health or structure.
- (f) Any trenching works for services / hydraulics / drainage etc must not be undertaken within any TPZ. Alternative installation methods for services, such as directional boring/drilling, or redirection of services must be employed.
- (g) All work undertaken within or above the TPZ must be:
- (i) Carried out in accordance with a work methodology statement prepared by an Arborist (minimum AQF Level 5) and written approval is obtained from Council's Tree Management Officer before its implementation; and
  - (ii) Supervised by a Project Arborist (minimum AQF Level 5).

**Reason**

To ensure the protection and ongoing health of trees.

**(27) SYDNEY WATER CERTIFICATE (TAP-IN)**

- (a) The approved plans must be submitted to Sydney Water's "Tap-in" online service to determine whether the development will affect Sydney Water's sewer and water mains, stormwater drains and/or easements, and if further requirements need to be met. Sydney Water's "Tap-in" online service is available at [www.sydneywater.com.au](http://www.sydneywater.com.au), (see Plumbing, Building & Development and then Sydney Water "Tap-in").
- (b) The Consent Authority or a Principal Certifier must ensure that Sydney Water has appropriately stamped the plans before the commencement of work.

**Reason**

To ensure the development satisfies Sydney Waters requirements.

**(28) STREET TREE PRUNING**

- (a) The consent from Council's Tree Management Officer must be obtained prior to the undertaking of any street tree pruning works including tree roots greater than 30mm diameter. Only minor pruning works will be approved by Council.
- (b) Any pruning that has been approved by Council, must be carried out by a qualified Arborist (AQF3), and must be in accordance with AS4373 Australian Standards 'Pruning of Amenity Trees'.

**Reason**

To ensure that approval is obtained for any pruning works to, or removal of, street trees and that such works are carried out in an appropriate manner.

## **PART D – WHILE BUILDING WORK IS BEING CARRIED OUT**

### **(29) HOURS OF WORK AND NOISE – OUTSIDE CBD**

The hours of construction and work on the development must be as follows:

- (a) All work, including building/demolition and excavation work, and activities in the vicinity of the site generating noise associated with preparation for the commencement of work (eg. Loading and unloading of goods, transferring of tools etc) in connection with the proposed development must only be carried out between the hours of 7.30am and 5.30pm on Mondays to Fridays, inclusive, and 7.30am and 3.30pm on Saturdays, with safety inspections being permitted at 7.00am on work days, and no work must be carried out on Sundays or public holidays.
- (b) All work, including demolition, excavation and building work must comply with the City of Sydney Code of Practice for Construction Hours/Noise 1992 and Australian Standard 2436 – 2010 Guide to Noise Control on Construction, Maintenance and Demolition Sites.
- (c) Notwithstanding the above, the use of a crane for special operations, including the delivery of materials, hoisting of plant and equipment and erection and dismantling of on-site tower cranes which warrant the on-street use of mobile cranes outside of above hours can occur, subject to a separate application being submitted to and approved by Council under Section 68 of the Local Government Act 1993 and Sections 138/139 of the Roads Act 1993.

Note: Works may be undertaken outside of hours, where it is required to avoid the loss of life, damage to property, to prevent environmental harm and/or to avoid structural damage to the building. Written approval must be given by the Construction Regulation Team, prior to works proceeding

The *City of Sydney Code of Practice for Construction Hours/Noise 1992* allows extended working hours subject to the approval of an application in accordance with the Code and under Section 4.55 of the *Environmental Planning and Assessment Act 1979*.

#### **Reason**

To protect the amenity of the surrounding area.

### **(30) ASBESTOS REMOVAL WORKS**

- (a) All works removing asbestos containing materials must be carried out by a suitably licensed asbestos removalist duly licensed with Safework NSW, holding either a Friable (Class A) or a Non-Friable (Class B) Asbestos Removal Licence which ever applies.

A copy of the relevant licence must be made available to any authorised Council officer on request within 24 hours.

- (b) Five days prior to the commencement of licensed asbestos removal, Safework NSW must be formally notified of the works. All adjoining properties and those opposite the development must be notified in writing of the dates and times when asbestos removal is to be conducted. The notification must identify the licensed asbestos removal contractor and include a contact person for the site together with telephone number and email address.
- (c) All work must be carried out in accordance with the *Work Health and Safety Regulation 2017* and the NSW Government and SafeWork NSW document entitled *How to manage and control asbestos in the work place: Code of Practice (Safework NSW) December 2011* and the *City of Sydney Managing Asbestos Policy dated 21 October 2013 and associated guidelines*.
- (d) The asbestos removalist must use signs and barricades to clearly indicate the area where the asbestos removal work is being performed. Signs must be placed in positions so that people are aware of where the asbestos removal work area is and should remain in place until removal is completed and clearance to reoccupy has been granted. Responsibilities for the security and safety of the asbestos removal site and removal must be specified in the asbestos removal control plan (where required). This includes inaccessible areas that are likely to contain asbestos.
- (e) Warning signs must be placed so they inform all people nearby that asbestos removal work is taking place in the area. Signs must be placed at all of the main entry points to the asbestos removal work area where asbestos is present. These signs must be weatherproof, constructed of light-weight material and adequately secured so they remain in prominent locations. The signs must be in accordance with AS 1319 -1994 *Safety Signs for the Occupational Environment* for size, illumination, location and maintenance.
- (f) Asbestos waste must only be transported and disposed of at an EPA licensed waste facility.
- (g) No asbestos products are to be reused on the site (i.e. packing pieces, spacers, formwork or fill etc).
- (h) No asbestos laden skips or bins are to be left in any public place without the written approval of Council.
- (i) A site notice board must be located at the main entrance to the site in a prominent position and must have minimum dimensions of 841mm x 594mm (A1) with any text on the notice to be a minimum of 30 point type size.

The site notice board must include the following:

- (i) contact person for the site;
- (ii) telephone and facsimile numbers and email address; and
- (iii) site activities and time frames.

**Reason**

To ensure that the handling and removal of asbestos from the site is appropriately managed.

**(31) COMPLIANCE WITH NATIONAL CONSTRUCTION CODE**

All proposed work must comply with the *National Construction Code (previously known as Building Code of Australia)*.

**Reason**

(Prescribed condition - EP&A Regulation 2021 clause 69(1)).

**(32) USE OF INTRUSIVE APPLIANCES – NOT APPROVED**

This development consent does not extend to the use of appliances which emit noise of a highly intrusive nature (such as pile - drivers and hydraulic hammers) or are not listed in Groups B, C, D, E or F of Schedule 1 of the City of Sydney Code of Practice for Construction Hours/Noise 1992”.

A separate Section 4.55 application must be submitted to the Council for the use of any equipment of a highly intrusive nature (such as pile - drivers and hydraulic hammers) or are not listed in Groups B, C, D, E or F of Schedule 1 of the *City of Sydney Code of Practice for Construction Hours/Noise 1992*.

**Reason**

To ensure the acoustic amenity of surrounding developments is maintained.

**(33) EROSION AND SEDIMENT CONTROL - LESS THAN 250SQM**

Where less than 250 square metres are being disturbed, no formal plan is required however, the site is to be provided with sediment control measures and these must be implemented so that sediment, including soil, excavated material, building material or other materials cannot fall, descend, percolate, be pumped, drained, washed or allowed to flow to the street, stormwater system or waterways.

**Reason**

To ensure that appropriate erosion and sediment control measures are put in place during construction to protect the environment.

**(34) COMPLIANCE WITH ARBORIST’S REPORT**

(a) All recommendations Tree Protection Plans and Methodology Statements contained in the approved Arboricultural Impact Assessment Report prepared by George Palmer, dated 1 August 2023, must be implemented during the demolition, construction and use of the development.

**Reason**

To ensure that works affecting trees are carried out in an appropriate manner and in accordance with the approved arborist’s report.

### **(35) PROTECTION OF NATIVE WILDLIFE**

- (a) In the event that wildlife is found during the course of tree removal works, work must stop until a trained wildlife handler attends the site or the animal relocates itself. In regards to tree pruning, works may only proceed if the animals will not come into direct harm.
- (b) In the event that the tree has nesting birds or native animals, works must be delayed until after the nesting period has been completed, unless in the event of an emergency.

#### **Reason**

To ensure that wildlife is adequately protected during tree removal/pruning works.

### **(36) TREE PROTECTION DURING CONSTRUCTION**

All trees that will be affected by the development within the property and on any adjoining land, must be protected in accordance with the Australian Standard 4970 Protection of Trees on Development Sites and as follows:

- (a) Stockpiling, storage or mixing of materials, washing of equipment, vehicle parking, disposal of liquids, machinery repairs and refuelling, disposal of building materials such as cement slurry, siting of offices or sheds and the lighting of fires, must not occur within 5 metres of the trunk of any tree to be retained (including trees within adjoining properties).
- (b) Excavation (except for localised siting of piers) must not occur within the SRZ of any tree (including trees within adjoining properties). If excavation is proposed within this zone, Council's Tree Management Officer must be contacted immediately and the excavation must be carried out in accordance with Council's direction.
- (c) Excavations for the footings where they are within the TPZ of any tree (including trees in adjoining properties) must be undertaken using non-destructive methods (such as by hand) to ensure no tree roots greater than 40mm diameter are damaged, pruned or removed.
- (d) Footings must be relocated / realigned if any tree root greater than 40mm in diameter is encountered during excavations. A minimum of 150mm clearance must be provided between the tree root and footing.
- (e) Tree trunk and major branch protection must be undertaken prior to the commencement of any works. The protection must be installed and certified by a qualified Arborist (minimum AQF 3) and must include:
  - (i) Tree trunk/s and/or major branches must be protected by wrapped thick carpet underlay or similar padding material to limit damage;
  - (ii) Timber planks (50mm x 100mm must be placed around tree trunk/s. The timber planks must be spaced at 100mm intervals, and must be fixed against the trunk with tie wire, or strapping. The hessian and timber planks must not be fixed to the tree in any instance, or in any fashion;

- (iii) Tree trunk and major branch protection is to remain in place for the duration of construction and development works, and must be removed at the completion of the project.
- (f) The consent from Council's Tree Management Officer must be obtained prior to the undertaking of any tree pruning works, including tree roots greater than 40mm in diameter. Only minor pruning works will be approved by Council.

**Reason**

To ensure the protection and ongoing health of trees.

**(37) TREE SENSITIVE EXCAVATION**

**Structural Root Zone (SRZ) Schedule:**

<b>Tree No</b>	<b>Species</b>	<b>Tree Location</b>	<b>SRZ (m) from Trunk</b>
1-2	<i>Triadica sebiferum</i> (Chinese Tallowood)	Street tree – front	2.0
3	<i>Syzygium australe</i> (Lilly Pilly)	Front setback	3.7
5	<i>Macadamia tetraphylla</i> (Macadamia Tree)	Rear yard	3.5

- (a) Within the SRZ;
  - (i) Excavation must not occur within the SRZ. If excavation is proposed within this zone, the Council's Tree Management Officer must be contacted immediately and the excavation must be carried out in accordance with Council's direction.
- (b) Within the TPZ;
  - (i) Small hand tools such as mattocks or using compressed air or water jetting only shall be used. Roots with a diameter equal to or greater than 40mm shall not be severed or damaged unless approved in writing by Council's Tree Management Officer.
 

Mechanical excavation is permitted beyond this radius when root pruning by hand along the perimeter line is completed. Exposed roots to be retained shall be covered with mulch or a geotextile fabric and kept in a moist condition and prevented from drying out.
  - (ii) All excavations must be supervised by a Project Arborist (minimum AQF Level 5).
- (c) Footings must be relocated / realigned if any tree root greater than 40mm in diameter is encountered during excavations. A minimum of 150mm clearance must be provided between the tree root and footing.

- (d) All excavations located within the TPZ must be supervised by a Project qualified Consultant Arborist (minimum AQF Level 5), who holds the Diploma in Horticulture (Arboriculture), Level 5 under the Australian Qualification Framework.
- (e) All root pruning must be undertaken in accordance with the Australian Standard 4373 'Pruning of Amenity Trees' and by a qualified Arborist with a minimum AQF level 3.

**Reason**

To ensure the protection and ongoing health of trees.

**(38) STREET TREE PROTECTION**

All street trees located directly outside the site must be retained and protected in accordance with the Australian Standard 4970 Protection of Trees on Development Sites. All street trees must be protected during the construction works as follows:

- (a) Tree trunk and major limb protection must be undertaken prior to the commencement of any works (including demolition). The protection must be installed and certified by a qualified Arborist (AQR Level 3) and must include:
  - (i) An adequate clearance, minimum 250mm, must be provided between the structure and tree branches, and trucks at all times.
  - (ii) Tree trunk/s and/or major branches, must be protected by wrapped thick underlay carpet or similar padding material to limit damage, and
  - (iii) Timber planks (50mm x 100mm or similar) must be placed around tree trunk/s. The timber planks must be spaced at 100mm intervals and must be fixed against the trunk with tie wire, or strapping. The thick underlay carpet or similar padding material and timber planks must not be fixed to the tree in any instance, or in any fashion.
  - (iv) Tree trunk and major branch protection is to remain in place for the duration of construction and development works and must be removed at the completion of the project.
- (b) Temporary signs, or any other items, shall not be fixed or attached to any street tree.
- (c) All hoarding support columns are to be placed a minimum of 300mm from the edge of the existing tree pits/setts, so that no sinking or damage occurs to the existing tree pits. Supporting columns must not be placed on any tree roots that are exposed.
- (d) Young street trees must be protected by installing three (3) wooden stakes around the edge of the tree pits or a minimum of 1 metre from the base of the trunk. Hessian must be wrapped around the stakes. If existing stakes or a metal tree guard are already in place, these suffice as tree protection.
- (e) Materials or goods, including site sheds, must not be stored or placed:

- (i) around or under the tree canopy; or
  - (ii) within two (2) metres of tree trunks or branches of any street trees.
- (f) Any excavation within any area known to or suspected of having tree roots greater than 30mm diameter must be undertaken by hand.
- (g) Any trenching works for services, hydraulics, drainage etc. must not be undertaken within [specify] metres of the trunk of any street tree. Alternate installation methods for services such as directional boring/drilling or redirection of services must be employed where roots greater than 30mm diameter are encountered during installation of any services.
- (h) Existing sections of kerbs adjacent to any street tree must not be removed without approval from the Council's Tree Management Officer.
- (i) Any damage sustained to street tree/s as a result of the erection of any construction activities (including demolition) must be immediately reported to the Council's Tree Management Officer on 9265 9333. Any damage to street trees as a result of any construction activities may result in prosecution under the Local Government Act 1993 and the Environmental Planning and Assessment Act 1979.

**Reason**

To ensure the protection and ongoing health of the street trees.

**(39) TREE PRUNING – FURTHER APPROVAL REQUIRED**

Consent from Council's Tree Management Officer must be obtained prior to any tree pruning work being undertaken, including tree roots greater than 40mm in diameter, for any trees located within or adjacent to the site. Only minor pruning works will be approved by Council.

**Reason**

To ensure that pruning works to trees are carried out in an appropriate manner.

**(40) CONSTRUCTION ADJACENT TO TREE 3 – SYZGYIUM AUSTRALE (LILLY PILLY)**

- (a) The following must be adhered to in regards to the excavation and construction within the SRZ/TPZ of Tree 3 – *Syzygium Australe* (Lilly Pilly):
- (i) The outer edge of the existing foundation slab within the structural root zone/ tree protection zone of Tree 3 should remain in situ to minimise root disturbance with only the internal slab section removed to allow for the new slab to be installed (additional lowering of existing sub grade levels is not permissible).
  - (ii) The footing design of the slab is to be a bored concrete pier (i.e. without toe and heel) to minimise excavation. Where significant roots are present, the pier hole should be adjusted.

- (iii) Pier holes should be hand excavated to 600mm depth at the time of construction and inspected by the Project Arborist to see if any significant roots (>40mm) will be impacted.

**Reason**

To protect the tree during construction and excavation works

**(41) CONSTRUCTION ADJACENT TO TREE 5 – MACADAMIA TETRAPHYLLA (MACADAMIA TREE)**

- (a) The following must be adhered to in regards to the excavation and construction within the SRZ/TPZ of Tree 5 – *Macadamia tetraphylla* (Macadamia Tree):
  - (i) The existing sub base layer (where present) should be retained and reused/topped up. Compaction of the sub grade should be avoided.

**Reason**

To protect the tree during construction and excavation works

**(42) SITE NOTICE OF PROJECTS DETAILS AND APPROVALS**

A site notice is to be prominently displayed at the boundary to each frontage of the site for the purposes of informing the public of appropriate project details and relevant approvals. The notice(s) is to satisfy all of the following requirements:

- (a) Minimum dimensions of the notice are to measure 841mm x 594mm (A1) with any text on the notice to be a minimum of 30 point type size;
- (b) The notice is to be durable and weatherproof and is to be displayed throughout the construction period;
- (c) A copy of the first page of the development approval, building approval (including any modifications to those approvals) and any civic works approvals is to be posted alongside the notice in weatherproof casing;
- (d) The approved hours of work, the Principal Certifier including contact address and certification details, the name of the site manager, the responsible managing company, its address and 24 hour contact phone number for any enquiries, including construction/noise complaint, and the estimated date of completion of the project are to be displayed on the site notice;
- (e) The notice(s) is to be mounted at eye level on the perimeter hoardings and is also to state that unauthorised entry to the site is not permitted.
- (f) All notices and signs must be displayed in locations as specified in the City's Guidelines for Hoardings and Scaffolding.

**Reason**

(Prescribed condition EP&A Regulation, clauses 98A (2) and (3)).

#### **(43) SYDNEY WATER CERTIFICATE**

A Section 73 Compliance Certificate under the Sydney Water Act 1994 must be obtained from Sydney Water Corporation.

Application must be made through an authorised Water Servicing Coordinator. Please refer to the Building Developing and Plumbing section on the web site [www.sydneywater.com.au](http://www.sydneywater.com.au) then refer to "Water Servicing Coordinator" under "Developing Your Land" or telephone 13 20 92 for assistance.

Following application a "Notice of Requirements" will advise of water and sewer infrastructure to be built and charges to be paid. Please make early contact with the Coordinator, since building of water/sewer infrastructure can be time consuming and may impact on other services and building, driveway or landscape design.

The Section 73 Certificate must be submitted to Council or the Principal Certifier prior to any Occupation Certificate or subdivision/strata certificate being issued.

##### **Reason**

To ensure the requirements of Sydney Water are met.

#### **(44) HAZARDOUS AND INDUSTRIAL WASTE**

Hazardous and/or industrial waste arising from the demolition/operational activities must be removed and/or transported in accordance with the requirements of the NSW Work Cover Authority pursuant to the provisions of the following:

- (a) *Protection of the Environment Operations Act 1997*
- (b) *Protection of the Environment Operations (Waste) Regulation 2005*
- (c) *Waste Avoidance and Resource Recovery Act 2001*
- (d) *Work Health and Safety Act 2011*
- (e) *Work Health and Safety Regulation 2017.*

##### **Reason**

To ensure hazardous/ industrial waste is managed appropriately.

#### **(45) VEHICLE CLEANSING**

Prior to the commencement of work, suitable measures are to be implemented to ensure that sediment and other materials are not tracked onto the roadway by vehicles leaving the site. It is an offence to allow, permit or cause materials to pollute or be placed in a position from which they may pollute waters.

##### **Reason**

To ensure sediment is not tracked onto the roadway.

**(46) COVERING OF LOADS**

All vehicles involved in the excavation and/or demolition process and departing the property with demolition materials, spoil or loose matter must have their loads fully covered before entering the public roadway.

**Reason**

To ensure loads are managed appropriately and do not impact local amenity.

## **PART E – BEFORE THE ISSUE OF AN OCCUPATION CERTIFICATE**

### **(47) BASIX**

All commitments listed in each relevant BASIX Certificate for the development must be fulfilled prior to any Occupation Certificate being issued.

#### **Reason**

To ensure BASIX commitments are fulfilled in accordance with the BASIX certificate (prescribed condition under clause 75 EP&A Regulation 2021).

## **PART F – OCCUPATION AND ONGOING USE**

### **(48) OCCUPATION CERTIFICATE TO BE SUBMITTED**

An Occupation Certificate must be obtained from the Principal Certifier and a copy submitted to Council prior to commencement of occupation or use of the whole or any part of a new building, an altered portion of, or an extension to an existing building.

#### **Reason**

To ensure the site is authorised for occupation.

### **(49) WASTE MANAGEMENT**

Waste management and the collection of waste and recycling must be conducted in accordance with the City's Waste Policy – Local Approvals Policy for Managing Waste in Public Places 2017.

#### **Reason**

To ensure that waste and recycling is appropriately managed.

### **(50) ENCROACHMENTS – NEIGHBOURING PROPERTIES**

No portion of the proposed structure shall encroach onto the adjoining properties.

#### **Reason**

To protect neighbouring properties.

### **(51) ENCROACHMENTS – PUBLIC WAY**

No portion of the proposed structure, including gates and doors during opening and closing operations, shall encroach upon Council's footpath area.

#### **Reason**

To protect the public way.

### **(52) INACCESSIBLE GREEN ROOF**

The green roof must remain non trafficable except for maintenance purposes only.

#### **Reason**

To protect the privacy of adjoining properties

## SCHEDULE 2

### PRESCRIBED CONDITIONS

The prescribed conditions in accordance with Division 8A of the *Environmental Planning and Assessment Regulation 2021* apply:

- Clause 69 Compliance with *National Construction Code (previously known as Building Code of Australia)* and insurance requirements under the *Home Building Act 1989*
- Clause 70 Erection of signs
- Clause 71 Notification of *Home Building Act 1989* requirements
- Clause 72 Conditions relating to entertainment venues
- Clause 73 Conditions relating to maximum capacity signage
- Clause 74 Conditions relating to shoring and adequacy of adjoining property

Refer to the NSW State legislation for full text of the clauses under Division 2 conditions of the *Environmental Planning and Assessment Regulation 2021*. This can be accessed at: <http://www.legislation.nsw.gov.au>

## **SCHEDULE 3**

### **CONDITIONS OF CONSENT**

The following conditions have been recommended by NSW State agencies:

#### **AUSGRID**

##### Underground Cables

Special care should be taken to ensure that driveways and any other construction activities do not interfere with existing underground cables located in the footpath or adjacent roadways.

It is recommended that the developer locate and record the depth of all known underground services prior to any excavation in the area. Information regarding the position of cables along footpaths and roadways can be obtained by contacting Dial Before You Dig (DBYD).

In addition to DBYD the proponent should refer to the following documents to support safety in design and construction:

- SafeWork Australia – Excavation Code of Practice.
- Ausgrid's Network Standard NS156 which outlines the minimum requirements for working around Ausgrid's underground cables.

Ausgrid cannot guarantee the depth of cables due to possible changes in ground levels from previous activities after the cables were installed. Should ground anchors be required in the vicinity of Ausgrid underground cables, the anchors must not be installed within 300mm of any cable, and the anchors must not pass over the top of any cable.

##### Overhead Powerlines

The developer should refer to SafeWork NSW Document – Work Near Overhead Powerlines: Code of Practice. This document outlines the minimum separation requirements between electrical mains (overhead wires) and structures within the development site throughout the construction process. It is a statutory requirement that these distances be maintained throughout the construction phase.

Consideration should be given to the positioning and operating of cranes, scaffolding, and sufficient clearances from all types of vehicles that are expected to be entering and leaving the site.

The "as constructed" minimum clearances to the mains must also be maintained. These distances are outlined in the Ausgrid Network Standard, NS220 Overhead Design Manual. This document can be sourced from Ausgrid's website at [www.ausgrid.com.au](http://www.ausgrid.com.au).

It is the responsibility of the developer to verify and maintain minimum clearances onsite. In the event where minimum safe clearances are not able to be met due to the design of the development, the Ausgrid mains may need to be relocated in this instance. Any Ausgrid asset relocation works will be at the developer's cost.

Additional information can be found in the Ausgrid Quick Reference Guide for Safety Clearances "Working Near Ausgrid Assets - Clearances". This document can be found by visiting the following Ausgrid website: [www.ausgrid.com.au/Your-safety/Working-Safe/Clearance-enquiries](http://www.ausgrid.com.au/Your-safety/Working-Safe/Clearance-enquiries)

## **SYDNEY WATER**

### **Building Plan Approval**

The approved plans must be submitted to the Sydney Water Tap in™ online service to determine whether the development will affect any Sydney Water sewer or water main, stormwater drains and/or easement, and if further requirements need to be met.

The Sydney Water Tap in™ online self-service replaces our Quick Check Agents as of 30 November 2015.

The Tap in™ service provides 24/7 access to a range of services, including:

- building plan approvals
- connection and disconnection approvals
- diagrams
- trade waste approval
- pressure information
- water meter installations
- pressure boosting and pump approvals
- changes to an existing service or asset, e.g. relocating or moving an asset.

Sydney Water's Tap in™ online service is available at:

<https://www.sydneywater.com.au/SW/plumbing-building-developing/building/sydney-water-tap-in/index.htm>

### **Out of Scope Building Plan Approval**

Sydney Water will need to undertake a detailed review of building plans:

1. That affect or are likely to affect any of the following:

- Wastewater pipes larger than 300mm in size
- Pressure wastewater pipes
- Drinking water or recycled water pipes
- Our property boundary
- An easement in our favour
- Stormwater infrastructure within 10m of the property boundary.

2. Where the building plan includes:

- Construction of a retaining wall over, or within the zone of influence of our assets
- Excavation of a basement or building over, or adjacent to, one of our assets
- Dewatering – removing water from solid material or soil.

The detailed review is to ensure that:

- our assets will not be damaged during, or because of the construction of the development

- we can access our assets for operation and maintenance
- your building will be protected if we need to work on our assets in the future.

The developer will be required to pay Sydney Water for the costs associated with the detailed review.

### **Tree Planting**

Certain tree species placed in close proximity to Sydney Water's underground assets have the potential to inflict damage through invasive root penetration and soil destabilisation. Sydney Water requires that all proposed or removed trees and vegetation included within the proposal adhere to the specifications and requirements within Section 46 of the Sydney Water Act (1994) and Diagram 5 – Planting Trees within our Technical guidelines – Building over and adjacent to pipe assets.

Please note these guidelines include more examples of potential activities impacting our assets which may also apply to your development.

If any tree planting proposed breaches our policy, Sydney Water may need to issue an order to remove every tree breaching the act, or directly remove every tree breaching the Act and bill the developer or Council for their removal.

## IMPORTANT ADDITIONAL INFORMATION

### Advisory notes:

1. It is advised that the City of Sydney Neighbourhood Parking Policy may apply to this development. Eligibility for parking permits for residents or users of the development will be determined by the terms of this policy or subsequent future policies.

### The Environmental Planning and Assessment Act 1979 requires you to:

1. Obtain a **Construction Certificate** prior to the commencement of any works. An application may be lodged with Council, or you may apply to a private accredited certifier for a Construction Certificate. An accredited certifier **must obtain Council's approval** to certain conditions of this development consent, where indicated before issuing the Construction Certificate.
2. ***It is compulsory to lodge digital copies of applications, including plans and documentation if lodging an application with Council. Please refer to Council's website for any further information about digital requirements and electronic files.***

**Note: All applications must be lodged via the NSW Planning Portal.**

3. Nominate a **Principal Certifier** which may be either Council or a registered certifier and notify Council of that appointment. You **cannot lawfully** commence works without complying with this requirement. Appointment must be made through the Planning Portal <https://www.planningportal.nsw.gov.au/>
4. Give Council at least two days notice of your intention to commence the erection of a building **before** commencing construction works. You cannot lawfully commence works without complying with this requirement.
5. Obtain an **Occupation Certificate** before commencing occupation or commencing to use the building or on the completion of other works including the erection of a sign. You cannot lawfully commence occupation or the use of a building without complying with this requirement.

### You may also need to:

6. Obtain approval through the lodgement of an application under Section 68 of the *Local Government Act 1993* and Section 138 of the *Roads Act 1993* for an activity which is proposed to be undertaken in, on or above a road reservation (including footways). Such activities include:
  - (a) building elements/façade features;
  - (b) installation of hoardings/scaffolding;
  - (c) installation and/or alterations to advertising/business signs and street awnings;
  - (d) crane operation and other hoisting activities;
  - (e) temporary works (e.g.: barricading, road openings, mobile hoisting devices);
  - (f) works zone (for loading and unloading from the roadway); and
  - (g) temporary ground anchoring and shoring to support a roadway when excavating.

Application forms are available on the City's website.

7. Lodge an **Application for Subdivision** to obtain a **Subdivision Certificate** if a land (including stratum) subdivision is proposed and an Application for Subdivision to obtain **Strata Title Subdivision** under the relevant Strata Titles Act if strata title of the development is proposed.
8. Comply with the Food Act 2003, the Australia New Zealand Food Standards Code, Australian Standard 4674 – 2004, and register the business with Council if the premises is used for the manufacture, preparation, packing, storing, conveying or delivering of food or beverage for sale.
9. Contact Sydney Water regarding the water and sewerage services to this development. For further information go to [www.sydneywater.com.au](http://www.sydneywater.com.au).
10. Carry out critical stage inspections in accordance with Section 6.5 of the EP&A Act 1979 and clauses 61, 63 and 65 of the Environmental Planning and Assessment (Development Certification and Fire Safety) Regulation 2021.