

Attachment A

Recommended Conditions of Consent

SCHEDULE 1

CONDITIONS OF CONSENT

PART A - GENERAL APPROVED DEVELOPMENT

- (a) Development must be in accordance with Development Application No. D/2022/1367 dated 22 December 2022 and the following drawings prepared by *U+I Building Studio*:

Drawing Number	Drawing Name	Date
DA 10 Rev. D	Proposed Roof Plan	28/09/2023
DA 20 Rev. D	Proposed Section A	28/09/2023
DA 21 Rev. D	Proposed Section B	28/09/2023
DA 30 Rev. D	Proposed North Elevation	28/09/2023
DA 31 Rev. D	Proposed West Elevation	28/09/2023
DA 32 Rev. D	Proposed South Elevation	28/09/2023
DA 33 Rev. D	Proposed East Elevation	28/09/2023
DA 34 Rev. D	Street Elevation	28/09/2023
DA 50 Rev. D	Material & Finishes Schedule	28/09/2023

The following landscape drawings prepared by *Canvas*:

Drawing Number	Drawing Name	Date
DA-L101 Rev. B	Landscape Plan: Roof Terrace	21/08/2023
DA-L102 Rev. B	Landscape Plan: Landscape Items	21/08/2023

and as amended by the conditions of this consent.

- (b) In the event of any inconsistency between the approved plans and supplementary documentation, the plans will prevail.

Reason

To ensure all parties are aware of the approved plans and supporting documentation that applies to the development.

(2) WASTE AND RECYCLING MANAGEMENT - GENERAL

The proposal must comply with the relevant provisions of Council's *Guidelines for Waste Management in New Developments 2018* which requires facilities to promote the efficient storage, separation, collection and handling of waste to maximise resources recovery.

Reason

To ensure that waste and recycling is appropriately managed.

(3) TREES THAT MUST BE RETAINED

The existing trees detailed in Table 2 below be retained and protected in accordance with the conditions throughout construction and development.

Table 2 – Tree Retention:

Approval is NOT granted for the removal of the following trees, which Council has determined to be prominent landscape elements.

Tree No	Species:	Location
1 to 4	<i>Jacaranda mimosifolia</i> (<i>Jacaranda</i>)	1 to 4

Reason

To identify the trees that cannot be removed, must be retained and protected.

(4) SYDNEY AIRPORT

- (a) The building must not exceed a maximum height of 35 metres AHD, this includes all lift over-runs, vents, chimneys, aerials, TV antennas, construction cranes etc. Any height exceedance would require a separate approval to be obtained.
- (b) Should the height of any temporary structure and/or equipment be greater than 15.24 metres AEGH, a new approval must be sought in accordance with the Civil Aviation (Buildings Control) Regulations Statutory Roles 1988 No. 161.
- (c) Construction cranes may be required to operate at a height significantly higher than that of the proposed controlled activity and consequently, may not be approved under the Regulations. Therefore, it is advisable that approval to operate construction equipment (i.e. cranes) be obtained prior to any commitments to construct.

PART B – BEFORE THE ISSUE OF A CONSTRUCTION CERTIFICATE

(5) MATERIALS AND SAMPLES SCHEDULE – MINOR DEVELOPMENT

A detailed materials, colours and finishes schedule (including visible rainwater goods and services), generally consistent with the *Material and Finishes Schedule* referenced in Condition 1 above, keyed to each building elevation must be submitted to and approved by Council's Area Planning Manager prior to a Construction Certificate being issued. The materials and samples schedule/board must not include generic material or colour descriptions or use terminology such as 'or similar'.

Reason

To require the submission of a materials and samples board following assessment of the development.

(6) STRUCTURAL CERTIFICATION FOR EXISTING BUILDING – ALTERATIONS AND ADDITIONS

A qualified practising registered structural engineer must provide structural certification to Council (where Council is the Accredited Certifier) verifying that the existing structure can adequately support the proposed new loads and the structural design complies with the Structural Provisions of Part B1 (Vol 1) and Part 2.1 (Vol 2) of the *National Construction Code (previously known as Building Code of Australia)* prior to a Construction Certificate being issued. The proposed additional loads and/or alterations must not cause a decrease in the existing structural performance of the building including its performance under earthquake actions (AS1170.4).

Reason

To ensure the existing structure can support the new loads.

(7) WASTE AND RECYCLING MANAGEMENT - COMMERCIAL

- (a) A Waste and Recycling Management Plan, which meets the requirements as set out in Council's *Guidelines for Waste Management in New Developments 2018*, is to be approved by the Principal Certifier prior to a Construction Certificate being issued.
- (b) All requirements of the approved Waste and Recycling Management Plan must be implemented during construction and operation of the development and include:
 - (i) Dedicated space to be provided within the development for the storage and recycling of bulky waste, problem waste, strip out and food waste.
 - (ii) Collection points for waste and recycling must be wholly located within the boundary of the development.
 - (iii) The nominated waste and recycling storage areas must be constructed to meet the relevant conditions required by the City's *Guidelines for Waste Management in New Developments 2018*.

- (iv) Provision and storage within the boundary of the development of waste and recycling receptacles and any bulky waste at all times.
- (v) Commercial tenancies must have a commercial waste contract(s) in place prior to commencement of business trading.
- (vi) The path of travel between the bin storage areas/bulky waste storage areas and the designated waste/recycling collection point is to have a minimum 1,200mm wall-to-wall clearance, be slip-proof, of a hard surface, be free of obstructions and at no point have a gradient exceeding 1:14. The use of a lift is permitted, but consideration should be given to the inclusion of a service lift in this instance.

Note: The building manager/strata title manager or body corporate is responsible for ensuring all tenants are kept informed regarding Council's policies, and best practice waste and recycling source separation.

UPON COMPLETION OF THE DEVELOPMENT

- (c) Prior to any Occupation Certificate being issued or the use commencing, whichever is earlier, the Principal Certifier must ensure that waste handling works have been completed in accordance with: the Waste and Recycling Management Plan; other relevant development consent conditions; and Council's *Guidelines for Waste Management in New Developments 2018*.

Reason

To ensure that waste and recycling is appropriately managed.

PART C – BEFORE THE COMMENCEMENT OF BUILDING WORK

(8) TREE PROTECTION ZONE

- (a) Before the commencement of works, Tree Protection Zone/s (TPZ) must be established around all trees to be retained not less than the distance indicated in the TPZ schedule below.
- (b) Tree protection must be installed and maintained in accordance with the Australian Standard 4970 Protection of Trees on Development Sites and with the following schedule:

TPZ Schedule

Tree No.	Species Name	Location	Radius (m) From Trunk
1, 3, 4	<i>Jacaranda mimosifolia</i> (Jacara nda)	Doody Street (street trees)	4
2			3

Note: Only applies to the TPZ within the subject development site and the public domain.

- (c) Ground surface protection must be installed if construction access is required through any TPZ of this condition where hard surface / paving is not existing. The ground protection must be:
 - (i) Protected with boarding (ie scaffolding board or plywood sheeting or similar material), placed over a layer of mulch to a depth of at least 75mm and geotextile fabric;
 - (ii) The protective boarding must be left in place for the duration of the construction and development.
- (d) The following works must be excluded from within any TPZs:
 - (i) Excavation;
 - (ii) Soil cut or fill including trenching;
 - (iii) Soil cultivation, disturbance or compaction;
 - (iv) Stockpiling, storage or mixing of materials;
 - (v) The parking (except existing on street parking), storing, washing and repairing of tools, equipment and machinery;
 - (vi) The disposal of liquids and refuelling;
 - (vii) The disposal of building materials;
 - (viii) The siting of offices or sheds;
 - (ix) Any action leading to the impact on tree health or structure.

- (e) Any trenching works for services / hydraulics / drainage etc must not be undertaken within any TPZ. Alternative installation methods for services, such as directional boring/drilling, or redirection of services must be employed.
- (f) All work undertaken within or above the TPZ must be:
 - (i) Carried out in accordance with a work methodology statement prepared by an Arborist (minimum AQF Level 5) and written approval is obtained from Council's Tree Management Officer before its implementation; and
 - (ii) Supervised by a Project Arborist (minimum AQF Level 5).

Reason

To ensure the protection and ongoing health of trees.

PART D – WHILE BUILDING WORK IS BEING CARRIED OUT

(9) STREET TREE PROTECTION

All street trees located directly outside the site must be retained and protected in accordance with the Australian Standard 4970 Protection of Trees on Development Sites. All street trees must be protected during the construction works as follows:

- (a) Tree trunk and major limb protection must be undertaken prior to the commencement of any works (including demolition). The protection must be installed and certified by a qualified Arborist (AQR Level 3) and must include:
 - (i) An adequate clearance, minimum 250mm, must be provided between the structure and tree branches, and trucks at all times.
 - (ii) Tree trunk/s and/or major branches, must be protected by wrapped thick underlay carpet or similar padding material to limit damage, and
 - (iii) Timber planks (50mm x 100mm or similar) must be placed around tree trunk/s. The timber planks must be spaced at 100mm intervals and must be fixed against the trunk with tie wire, or strapping. The thick underlay carpet or similar padding material and timber planks must not be fixed to the tree in any instance, or in any fashion.
 - (iv) Tree trunk and major branch protection is to remain in place for the duration of construction and development works and must be removed at the completion of the project.
- (b) Temporary signs, or any other items, shall not be fixed or attached to any street tree.
- (c) All hoarding support columns are to be placed a minimum of 300mm from the edge of the existing tree pits/setts, so that no sinking or damage occurs to the existing tree pits. Supporting columns must not be placed on any tree roots that are exposed.
- (d) Young street trees must be protected by installing three (3) wooden stakes around the edge of the tree pits or a minimum of 1 metre from the base of the trunk. Hessian must be wrapped around the stakes. If existing stakes or a metal tree guard are already in place, these suffice as tree protection.
- (e) Materials or goods, including site sheds, must not be stored or placed:
 - (i) around or under the tree canopy; or
 - (ii) within two (2) metres of tree trunks or branches of any street trees.
- (f) Any excavation within any area known to or suspected of having tree roots greater than 30mm diameter must be undertaken by hand.

- (g) Any trenching works for services, hydraulics, drainage etc. must not be undertaken within [specify] metres of the trunk of any street tree. Alternate installation methods for services such as directional boring/drilling or redirection of services must be employed where roots greater than 30mm diameter are encountered during installation of any services.
- (h) Existing sections of kerbs adjacent to any street tree must not be removed without approval from the Council's Tree Management Officer.
- (i) Any damage sustained to street tree/s as a result of the erection of any construction activities (including demolition) must be immediately reported to the Council's Tree Management Officer on 9265 9333. Any damage to street trees as a result of any construction activities may result in prosecution under the Local Government Act 1993 and the Environmental Planning and Assessment Act 1979.

Reason

To ensure the protection and ongoing health of the street trees.

(10) COMPLIANCE WITH NATIONAL CONSTRUCTION CODE

All proposed work must comply with the *National Construction Code (previously known as Building Code of Australia)*.

Reason

(Prescribed condition - EP&A Regulation 2021 clause 69(1)).

(11) HOURS OF WORK AND NOISE – OUTSIDE CBD

The hours of construction and work on the development must be as follows:

- (a) All work, including building/demolition and excavation work, and activities in the vicinity of the site generating noise associated with preparation for the commencement of work (eg. Loading and unloading of goods, transferring of tools etc) in connection with the proposed development must only be carried out between the hours of 7.30am and 5.30pm on Mondays to Fridays, inclusive, and 7.30am and 3.30pm on Saturdays, with safety inspections being permitted at 7.00am on work days, and no work must be carried out on Sundays or public holidays.
- (b) All work, including demolition, excavation and building work must comply with the City of Sydney Code of Practice for Construction Hours/Noise 1992 and Australian Standard 2436 – 2010 Guide to Noise Control on Construction, Maintenance and Demolition Sites.
- (c) Notwithstanding the above, the use of a crane for special operations, including the delivery of materials, hoisting of plant and equipment and erection and dismantling of on-site tower cranes which warrant the on-street use of mobile cranes outside of above hours can occur, subject to a separate application being submitted to and approved by Council under Section 68 of the Local Government Act 1993 and Sections 138/139 of the Roads Act 1993.

Note: Works may be undertaken outside of hours, where it is required to avoid the loss of life, damage to property, to prevent environmental harm and/or to avoid structural damage to the building. Written approval must be given by the Construction Regulation Team, prior to works proceeding.

The *City of Sydney Code of Practice for Construction Hours/Noise 1992* allows extended working hours subject to the approval of an application in accordance with the Code and under Section 4.55 of the *Environmental Planning and Assessment Act 1979*.

Reason

To protect the amenity of the surrounding area.

(12) COVERING OF LOADS

All vehicles involved in the excavation and/or demolition process and departing the property with demolition materials, spoil or loose matter must have their loads fully covered before entering the public roadway.

Reason

To ensure loads are managed appropriately and do not impact local amenity.

(13) LOADING AND UNLOADING DURING CONSTRUCTION

The following requirements apply:

- (a) All loading and unloading associated with construction activity must be accommodated on site, where possible.
- (b) If, it is not feasible for loading and unloading to take place on site, a Works Zone on the street may be considered by Council.
- (c) A Works Zone may be required if loading and unloading is not possible on site. If a Works Zone is warranted an application must be made to Council at least 8 weeks prior to commencement of work on the site. An approval for a Works Zone may be given for a specific period and certain hours of the days to meet the particular need for the site for such facilities at various stages of construction. The approval will be reviewed periodically for any adjustment necessitated by the progress of the construction activities.
- (d) Where hoisting activity over the public place is proposed to be undertaken including hoisting from a Works Zone, a separate application under Section 68 of the Local Government Act 1993 and Sections 138/139 of the Roads Act 1993 must be submitted to and approved by Council.

Reason

To protect the amenity of the public domain.

(14) NO OBSTRUCTION OF PUBLIC WAY

Unless otherwise approved by Council, the public way must not be obstructed by any materials, vehicles, waste receptacles, skip-bins or the like. Non-compliance with this requirement may result in the issue of a notice by Council to stop all work on the site.

Reason

To protect the amenity of the public domain.

(15) USE OF MOBILE CRANES

The following requirements apply:

- (a) Mobile cranes operating from the road must not be used as a method of demolishing or constructing a building.
- (b) For special operations including the delivery of materials, hoisting of plant and equipment and erection and dismantling of on site tower cranes which warrant the on-street use of mobile cranes, permits must be obtained from Council for the use of a mobile crane. The permits must be obtained 48 hours beforehand for partial road closures which, in the opinion of Council will create minimal traffic disruptions and 4 weeks beforehand in the case of full road closures and partial road closures which, in the opinion of Council, will create significant traffic disruptions.
- (c) The use of a crane for special operations, including the delivery of materials, hoisting of plant and equipment and erection and dismantling of on site tower cranes which warrant the on-street use of mobile cranes outside of approved hours of construction can occur, subject to a separate application being submitted to and approved by Council under Section 68 of the Local Government Act 1993 and Sections 138/139 of the Roads Act 1993.

Reason

To ensure mobile cranes are used appropriately.

PART E – BEFORE THE ISSUE OF AN OCCUPATION CERTIFICATE

(16) SUBMISSION OF ELECTRONIC CAD MODELS PRIOR TO OCCUPATION CERTIFICATE

- (a) Prior to any Occupation Certificate being issued, an accurate 1:1 electronic CAD model of the completed development must be submitted to and approved by Council's Area Coordinator Planning Assessments/Area Planning Manager for the electronic Visualisation City Model.
- (b) The data required to be submitted within the surveyed location must include and identify:
 - (i) building design above and below ground in accordance with the development consent;
 - (ii) all underground services and utilities, underground structures and basements, known archaeological structures and artefacts;
 - (iii) a current two points on the site boundary clearly marked to show their Northing and Easting MGA (Map Grid of Australia) coordinates, which must be based on Established Marks registered in the Department of Lands and Property Information's SCIMS Database with a Horizontal Position Equal to or better than Class C.

The data is to be submitted as a DGN or DWG file on a Compact Disc. All modelling is to be referenced to the Map Grid of Australia (MGA) spatially located in the Initial Data Extraction file.

- (c) The electronic model must be constructed in accordance with the City's 3D CAD electronic model specification. The specification is available online at <http://www.cityofsydney.nsw.gov.au/development/application-guide/application-process/model-requirements> Council's Modelling staff should be consulted prior to creation of the model. The data is to comply with all of the conditions of the Development Consent.

Reason

To ensure the provision of an appropriate electronic model of the development.

(17) WASTE AND RECYCLING COLLECTION CONTRACT

Prior to any Occupation Certificate being issued, the building owner must ensure that there is a contract with a licensed contractor for the removal of **all waste**. Waste is to be stored and collected from within the curtilage of the site at all times.

Reason

To ensure that waste and recycling is appropriately managed.

(18) ADVANCE TREE PLANTING

Tree planting within the property must be undertaken in accordance with the following conditions, and to Council's satisfaction, prior to the issuing any Occupation Certificate.

- (a) Two (2) trees are to be planted on the ground floor and two (2) trees are to be planted on the rooftop at the completion of all construction works.
- (b) The tree species, when mature, must attain a minimum height of no less than eight metres and minimum canopy spread of five metres. Palms, fruit trees and species recognised to have a short life span are not considered a suitable replacement.
- (c) The tree must be grown in accordance with the Australian Standard 2303 'Trees stock for landscape use'.
- (d) At the time of planting, the container size is to be a minimum of 75 litres and a minimum height of two metres.
- (e) The trees must be appropriately located away from existing buildings and structures to allow healthy tree maturity to be achieved without restrictions.
- (f) The tree must be planted by a qualified Horticulturalist or Arborist of Level 3 under the Australian Qualifications Framework (AQF).
- (g) The trees must be planted in such a manner as to promote good health during the establishment period, and must be maintained, as far as practicable to ensure tree growth into maturity.
- (h) Prior to the issue of any Occupation Certificate, suitable documentation (including a written statement and photographic evidence) is to be submitted to Council for review and written confirmation is to be obtained from Council's Area Planning Coordinator | Area Planning Manager confirming all trees have been planted to Council's satisfaction (excluding tree maintenance).
- (i) Any newly planted tree that fails to establish within 2 years of the initial planting date must be replaced with a tree of comparable qualities.

Reason

To ensure the provision and maintenance of adequate tree planting on site.

PART F – OCCUPATION AND ONGOING USE

(19) HOURS OF USE FOR ROOFTOP COMMUNAL SPACE

- (a) The use of the rooftop communal space is restricted to between 7.00am and 8.00pm Monday to Sunday, including Public Holidays.

Reason

To restrict hours of use and protect the acoustic amenity of surrounding land uses.

(20) USE OF ROOFTOP TERRACE

- (a) The use of the rooftop terrace is restricted to employees of the building and invited guests.
- (b) The rooftop terrace is not to be used for third party functions.

Reason

To restrict use of the terrace to staff and guests only.

(21) NO SPEAKERS OR MUSIC OUTSIDE

Speakers and/or noise amplification equipment must not be installed and music must not be played in any of the outdoor areas associated with the building including the public domain. Speakers located within the building must not be placed so as to direct the playing of music towards the outdoor areas associated with the building.

(22) NOISE – COMMERCIAL PLANT / INDUSTRIAL DEVELOPMENT

- (a) Noise from commercial plant and industrial development must not exceed a project amenity/intrusiveness noise level or maximum noise level in accordance with relevant requirements of the NSW EPA [Noise Policy for Industry 2017 \(NPfI\)](#) unless agreed to by the City's Area Planning Manager. Further:
 - (i) Background noise monitoring must be carried out in accordance with the long-term methodology in [Fact Sheet B](#) of the NPfI unless otherwise agreed by the City's Area Planning Manager.
 - (ii) Commercial plant is limited to heating, ventilation, air conditioning, refrigeration and energy generation equipment.
- (b) An $L_{Aeq,15\text{ minute}}$ (noise level) emitted from the development must not exceed the $L_{A90, 15\text{ minute}}$ (background noise level) by more than 3dB when assessed inside any habitable room of any affected residence or noise sensitive commercial premises at any time. Further:
 - (i) The noise level and the background noise level must both be measured with all external doors and windows of the affected residence closed.

- (ii) Background noise measurements must not include noise from the development but may include noise from necessary ventilation at the affected premises.
- (c) Corrections in [Fact Sheet C](#) of the NPfl are applicable to relevant noise from the development measured in accordance with this condition, however duration corrections are excluded from commercial noise.

Reason

To protect the acoustic amenity of surrounding properties.

(23) WASTE/RECYCLING COLLECTION - COMMERCIAL

- (a) Waste storage and the collection of waste and recycling must only occur during the designated zone collection times as outlined in the City's Waste Policy – Local Approvals Policy for Managing Waste in Public Places 2017.
- (b) Waste and recycling bins must not be placed on the street for collection. Services must be conducted within the property boundary or as a wheel-out/wheel-back service.
- (c) Unimpeded access must be provided for collection vehicles to set down within 10 metres of waste storage areas during zone collection times on collection days.

Reason

To ensure that waste and recycling is appropriately managed.

(24) MAINTENANCE OF TREES ON SITE

- (a) Tree maintenance must be implemented and complied with immediately following the tree planting, and until the tree reaches the required minimum height limit of five metres in height and four metres canopy width.
- (b) The newly planted tree on site must be appropriately maintained on an on-going basis.
- (c) Maintenance includes watering, weeding, removal of rubbish from tree bases, pruning (in accordance with AS4373-2007), fertilizing, pest and disease control and any other operations required to maintain a healthy robust tree.
- (d) If the newly planted tree fails to establish or does not reach a height of five metres and canopy spread width of four metres it must be replaced with a tree of comparable qualities and container size of 75 litres.
- (e) The conditions of this consent will apply to all replacement trees, including the maintenance and reporting which re-starts at each replanting event.

Reason

To ensure the ongoing maintenance of trees planted on the site.

(25) ANNUAL FIRE SAFETY STATEMENT FORM

An annual Fire Safety Statement must be given to Council and Rescue NSW commencing within 12 months after the date on which the initial Interim/Final Fire Safety Certificate is issued or the use commencing, whichever is earlier.

Reason

To ensure annual checks on fire safety measures.

(26) OCCUPATION CERTIFICATE TO BE SUBMITTED

An Occupation Certificate must be obtained from the Principal Certifier and a copy submitted to Council prior to commencement of occupation or use of the whole or any part of a new building, an altered portion of, or an extension to an existing building.

Reason

To ensure the site is authorised for occupation.

SCHEDULE 2

PRESCRIBED CONDITIONS

The prescribed conditions in accordance with Division 8A of the *Environmental Planning and Assessment Regulation 2021* apply:

- Clause 69 Compliance with *National Construction Code (previously known as Building Code of Australia)* and insurance requirements under the *Home Building Act 1989*
- Clause 70 Erection of signs
- Clause 71 Notification of *Home Building Act 1989* requirements
- Clause 72 Conditions relating to entertainment venues
- Clause 73 Conditions relating to maximum capacity signage
- Clause 74 Conditions relating to shoring and adequacy of adjoining property

Refer to the NSW State legislation for full text of the clauses under Division 2 conditions of the *Environmental Planning and Assessment Regulation 2021*. This can be accessed at: <http://www.legislation.nsw.gov.au>

IMPORTANT ADDITIONAL INFORMATION

Advisory notes:

1. It is advised that the City of Sydney Neighbourhood Parking Policy may apply to this development. Eligibility for parking permits for residents or users of the development will be determined by the terms of this policy or subsequent future policies.

The Environmental Planning and Assessment Act 1979 requires you to:

1. Obtain a **Construction Certificate** prior to the commencement of any works. An application may be lodged with Council, or you may apply to a private accredited certifier for a Construction Certificate. An accredited certifier **must obtain Council's approval** to certain conditions of this development consent, where indicated before issuing the Construction Certificate.
2. ***It is compulsory to lodge digital copies of applications, including plans and documentation if lodging an application with Council. Please refer to Council's website for any further information about digital requirements and electronic files.***

Note: All applications must be lodged via the NSW Planning Portal.

3. Nominate a **Principal Certifier** which may be either Council or a registered certifier and notify Council of that appointment. You **cannot lawfully** commence works without complying with this requirement. Appointment must be made through the Planning Portal <https://www.planningportal.nsw.gov.au/>
4. Give Council at least two days notice of your intention to commence the erection of a building **before** commencing construction works. You cannot lawfully commence works without complying with this requirement.
5. Obtain an **Occupation Certificate** before commencing occupation or commencing to use the building or on the completion of other works including the erection of a sign. You cannot lawfully commence occupation or the use of a building without complying with this requirement.

You may also need to:

6. Obtain approval through the lodgement of an application under Section 68 of the *Local Government Act 1993* and Section 138 of the *Roads Act 1993* for an activity which is proposed to be undertaken in, on or above a road reservation (including footways). Such activities include:
 - (a) building elements/façade features;
 - (b) installation of hoardings/scaffolding;
 - (c) installation and/or alterations to advertising/business signs and street awnings;
 - (d) crane operation and other hoisting activities;
 - (e) temporary works (e.g.: barricading, road openings, mobile hoisting devices);
 - (f) works zone (for loading and unloading from the roadway); and
 - (g) temporary ground anchoring and shoring to support a roadway when excavating.

Application forms are available on the City's website.

7. Lodge an **Application for Subdivision** to obtain a **Subdivision Certificate** if a land (including stratum) subdivision is proposed and an Application for Subdivision to obtain **Strata Title Subdivision** under the relevant Strata Titles Act if strata title of the development is proposed.
8. Comply with the Food Act 2003, the Australia New Zealand Food Standards Code, Australian Standard 4674 – 2004, and register the business with Council if the premises is used for the manufacture, preparation, packing, storing, conveying or delivering of food or beverage for sale.
9. Contact Sydney Water regarding the water and sewerage services to this development. For further information go to www.sydneywater.com.au.
10. Carry out critical stage inspections in accordance with Section 6.5 of the EP&A Act 1979 and clauses 61, 63 and 65 of the Environmental Planning and Assessment (Development Certification and Fire Safety) Regulation 2021.