# **Attachment A**

**Recommended Conditions of Consent** 

# SCHEDULE 1 CONDITIONS OF CONSENT PART A - GENERAL

# (1) APPROVED DEVELOPMENT

(a) Development must be in accordance with Development Application Number D/2022/1354 dated 4 January 2023 and the following drawings prepared by Woods Bagot Architects:

Drawing Number	Drawing Name	Date
A-DA1000 Revision 2	Location Plan	17/05/2023
A-DA1100 Revision 2	Existing Site Plan	17/05/2023
A-DA1101 Revision 2	Proposed Site Plan	17/05/2023
A-DA1200 Revision 2	Overall Arrangement Plan Proposed Change of Use	17/05/2023
A-DA2000 Revision 2	Existing – Basement Plan	17/05/2023
A-DA2001 Revision 2	Existing – Lower Ground	17/05/2023
A-DA2002 Revision 2	Existing – Ground Plan	17/05/2023
A-DA2003 Revision 2	Existing – Level 1 Plan	17/05/2023
A-DA2200 Revision 2	Demolition and Proposed – Basement Plan	17/05/2023
A-DA2201 Revision 2	Demolition and Proposed – Lower Ground Plan	17/05/2023
A-DA2202 Revision 5	Demolition and Proposed – Lower Ground External	01/09/2023
A-DA2203 Revision 2	Demolition and Proposed – Ground Plan	17/05/2023
A-DA2204 Revision 5	Demolition and Proposed – Ground Plan External	29/09/2023
A-DA2205 Revision 2	Demolition and Proposed – Level 1 Plan	17/05/2023
A-DA3200 Revision 2	South Elevation	17/05/2023
A-DA3201 Revision 3	North Elevation	29/09/2023
A-DA3202 Revision 2	Street Frontage Elevation	17/05/2023

Drawing Number	Drawing Name	Date
A-DA3203 Revision 1	Busby Lane Elevation	17/05/2023
A-DA3210 Revision 3	Section 1	29/09/2023
A-DA3211 Revision 2	Section 2	17/05/2023
A-DA3212 Revision 2	Section 3	17/05/2023
A-DA4201 Revision 1	Rear Terrace East Elevation	17/05/2023
A-DA4202 Revision 2	Rear Terrace Sections	29/09/2023
A-DA4301 Revision 1	Spiral Stair	17/05/2023
LA-100 Revision B	Landscape Plan	01/08/2023
LA-101 Revision B	Tree Canopy Cover	01/08/2023
L501 Revision B	Planting Plan: Stage 1 Ground Level	01/08/2023
LA-601 Revision B	Sections	01/08/2023

and as amended by the conditions of this consent.

(b) In the event of any inconsistency between the approved plans and supplementary documentation, the plans will prevail.

# Reason

To ensure all parties are aware of the approved plans and supporting documentation that applies to the development.

# (2) DESIGN MODIFICATIONS

The design of the building must be modified as follows:

(a) The privacy fence along the western boundary of the outdoor terrace is to be increased in height by 450mm to ensure visual privacy is maintained for the ground level residences of 1 Boomerang Place. The privacy fence is to be designed to be flush with the outer edge of the terrace.

The modifications are to be submitted to and approved by Council's Area Planning Manager prior to the issue of a Construction Certificate.

#### Reason

To require amendments to the approved plans and supporting documentation following assessment of the development.

# (3) HOURS OR OPERATION

The hours of operation of the school are restricted to between 7am and 6pm Monday to Friday.

The use of the outdoor terrace is restricted to between 10am and 2pm Monday to Friday.

#### Reason

To ensure the premises operates within the approved hours of operation.

# (4) MAXIMUM CAPACITY OF SCHOOL AND OUTDOOR TERRACE

- (a) The maximum number of students permitted at the school at any one time must not exceed 300 persons per day.
- (b) The maximum number of people permitted on the outdoor terrace at any one time is 75 persons.

#### Reason

To ensure the school can safely accommodate students and staff and safeguard the amenity of the surrounding neighbourhood.

# (5) USE OF EXTERNAL STAIR

The external staircase to the outdoor terrace is to be for emergency use only.

#### Reason

To ensure limited student access to Busby Lane.

# (6) NO SPEAKERS OR MUSIC OUTSIDE

Speakers and/or noise amplification equipment must not be installed and music must not be played in any of the outdoor areas associated with the premises including the public domain. Speakers located within the premises must not be placed so as to direct the playing of music towards the outdoor areas associated with the premises.

#### Reason

To safeguard the amenity of the surrounding neighbourhood.

# (7) EDUCATIONAL ESTABLISHMENT MANAGEMENT PLAN

An amended Operational Plan of Management for the management of the public and private domain within and surrounding the premises must be submitted to and approved by Council's Area Planning Manager prior to issue of a Construction Certificate. The Plan of Management must address the following additional matters:

(a) The hours of the outdoor terrace are restricted to between 10am and 2pm Monday to Friday;

- (b) Student loitering, student conduct and security;
- (c) Maintaining the integrity of the current functions of the existing footways, vehicular thoroughfares and pedestrian thoroughfare areas in the vicinity of the site;
- (d) Litter, cleanliness and maintenance;
- (e) Conducting thorough briefings to the student and staff populations, detailing the abovementioned obligations and consistently including these briefings as part of the course programs at the premises;
- (f) In conforming to this condition, the operator may consider adjustments to the internal layout of the premises to incorporate the provision of additional common rooms, staff rooms and lounge amenity areas for students and staff which may require a Section 4.55 application.

The use must always be operated / managed in accordance with the Operational Plan of Management, that has been approved by Council. In the event of any inconsistency, the conditions of this consent will prevail over the Plan of Management.

#### Reason

To ensure an adequate plan of management is prepared for the approved use to safeguard the amenity of staff, students and the surrounding neighbourhood.

# (8) ASSOCIATED ROADWAY COSTS

All costs associated with the construction of any new road works including kerb and gutter, road pavement, drainage system and footway shall be borne by the developer. The new road works must be designed and constructed in accordance with the City's "Sydney Streets Technical Specification" including amendments and "Sydney Streets Design Code".

#### Reason

To ensure all roadway works are designed and constructed in accordance with Council requirements.

# (9) COST OF SIGNPOSTING

All costs associated with signposting for any kerbside parking restrictions and traffic management measures associated with the development shall be borne by the developer.

#### Reason

To ensure all associated roadway works costs are borne by the developer.

# (10) SERVICE VEHICLE SIZE LIMIT

The size of vehicles servicing the property must be a maximum length of 6.4m. Any service vehicle larger than 6.4m (for example) MRV, a spotter and or traffic marshal must be used to facilitate reverse movements. Larger vehicles are needed to enter the site by reversing in with the help of the spotter/ traffic marshal and exit the site in a forward direction.

#### Reason

To maintain the orderly operation of vehicle parking and loading areas.

# (11) SIGNS AT EGRESS

The following signs must be provided and maintained within the site at the point(s) of vehicle egress:

- (a) Compelling drivers to stop before proceeding onto the public way
- (b) Compelling drivers to "Give Way to Pedestrians" before crossing the footway; or compelling drivers to "Give Way to Pedestrians and Bicycles" before crossing a footway on an existing or identified shared path route.

#### Reason

To ensure the safety of surrounding pedestrians and cyclists.

# (12) VEHICLE FOOTWAY CROSSING

A separate application is to be made to, and approved by, Council for the construction of any proposed vehicle footway crossing or for the removal of any existing crossing and replacement of the footpath formation where any such crossings are no longer required.

All disused or redundant vehicle crossings and laybacks must be removed and footway, kerb, gutter and road restoration reinstated in accordance with Council's standards, to suit the adjacent finished footway and edge treatment materials, levels and details, or as otherwise directed by Council officers. All construction and replacement works are to be completed in accordance with the approved plans prior to the issue of any Occupation Certificate.

Note: In all cases the construction materials should reinforce the priority of pedestrian movement over that of the crossing vehicle.

#### Reason

To ensure all relevant approvals for traffic and parking works are obtained and designed in accordance with Council requirements.

# (13) DROP OFFS AND PICK UP

School drop off and pick up must occur from the main campus at 2 St Marys Road Sydney. No car drop off and pick up of students is to occur from 52-58 William Street Woolloomooloo.

To ensure parking operations associated with the school do not adversely impact on local traffic movements.

# (14) TERRACE HEIGHT

- (a) The height of the terrace slab must not exceed RL 12900 (AHD) to the top of the slab.
- (b) Prior to an Occupation Certificate being issued, a Registered Surveyor must provide certification that the height of the building accords with (a) above, to the satisfaction of the Principal Certifier.

#### Reason

To ensure the constructed development complies with the approved height.

# (15) GENERAL HERITAGE

- (a) The proposed works are to be carried out in a manner that minimises demolition, alterations and new penetrations/fixings to the significant fabric of the existing building which is listed as a Heritage Item.
- (b) The fabric and features to be retained by the proposal must be properly protected during the process of demolition and construction. The protection measures are to be specified in the construction management plan.
- (c) All conservation and adaptation works are to be in accordance with the Articles of the Australian ICOMOS Burra Charter 2013.
- (d) New services are to be surface mounted rather than chased-in to existing walls to minimise impact on heritage fabric.
  - (i) New services must use existing service runs;
  - (ii) Where this is not possible, details of an alternative solution must be shown on drawings at a suitable scale and submitted and approved by Council's Urban Design and Heritage Manager / Area Planning Manager prior to the issue of any Construction Certificate.
- (e) Appropriately qualified tradespersons (as appropriate) are to be commissioned who are skilled in traditional building and engineering trades to carry out the proposed scope of works.
- (f) The new windows and doors on the existing building must match the original material.
- (g) The façade tiles must not be rendered, painted or coated.
- (h) Where internal partitions meet external walls they must abut columns or other such building elements and not the glass blocks. Internal and external glass blocks must not be obscured by any partitions.

To ensure that the development does not result in adverse heritage impacts.

# (16) MATERIALS FOR MAKING GOOD

New materials for making good and repairs, are to match the existing in terms of colours, finishes, sizes, profile and properties.

#### Reason

To ensure appropriate materials and finishes are used.

# (17) SHOP DRAWINGS OF STAIRCASE

Detailed and dimensioned shop drawings of the original balustrade and staircase proposed to be reinstated must be submitted to and approved by Council's Urban Design and Heritage Manager prior to a Construction Certificate being issued.

#### Reason

To ensure the staircase is sympathetically reinstated.

# (18) EXTERNAL LIGHTING

A separate development application is required to be lodged and approved prior to any external floodlighting or illumination of the building or site landscaping.

#### Reason

To clarify that consent has not been granted for the external floodlighting or illumination of the development.

# (19) AIR CONDITIONERS GENERALLY

No air-conditioning equipment is to be visible from the public domain. Equipment and associated wiring must:

- (a) Not be located on awnings or attached to the face of the building
- (b) Not be located on roofs in such a way that it is visible from any street, footpath or park
- (c) Be visually screened if located 1.8 metres above ground level in other locations
- (d) Wiring must be fully concealed.

# Reason

To ensure the visual impact of air conditioners is minimised.

# (20) PARTITION WALLS

Where internal partitions meet external walls they must abut window mullions, columns or other such building elements and not glazing.

# Reason

To ensure an appropriate design outcome.

# (21) SIGNS - SEPARATE DEVELOPMENT APPLICATION REQUIRED

A separate development application for any proposed signs additional to those approved as part of this consent (other than exempt or complying signs) must be submitted to and approved by Council prior to the erection or display of any such signs.

#### Reason

To require separate consent to be obtained for any additional signs.

# (22) TACTILE GROUND SURFACE INDICATORS AND HANDRAILS

All tactile ground surface indicators, handrails and other elements required to provide access into the building / property must be located entirely within the private property boundary.

#### Reason

To ensure ground surface indicators, handrails and other elements required to provide access into the building/property are appropriately located.

# (23) WASTE AND RECYCLING MANAGEMENT - GENERAL

The proposal must comply with the relevant provisions of Council's *Guidelines* for Waste Management in New Developments 2018 which requires facilities to promote the efficient storage, separation, collection and handling of waste to maximise resources recovery.

#### Reason

To ensure that waste and recycling is appropriately managed.

# PART B - BEFORE THE ISSUE OF A CONSTRUCTION CERTIFICATE

# (24) ALLOCATION OF PARKING

The number of car parking spaces to be provided for the development must comply with the table below. Details confirming the parking numbers must be submitted to the satisfaction of the Registered Certifier prior to the issue of a Construction Certificate.

Car Parking Type	Number
Commercial/Office and business parking	9
Accessible Commercial/ office and business parking	1
Subtotal	10
Small Rigid Vehicle loading dock(s)	1

#### Reason

To ensure the allocation of parking is appropriately managed.

# (25) COMPLIANCE WITH THE ACOUSTIC REPORT PRIOR TO CONSTRUCTION AND OR OCCUPATION CERTIFICATES

- (a) All relevant performance parameters (including but not limited to requirements, engineering assumptions and recommendations) in the DA Acoustic Report prepared by ELab Consulting, dated 3 October 2023, ref P00446, titled 5258 William Street, Woolloomooloo, Council Ref: 2023/579735 must be implemented in the development prior to the commencement of its use.
- (b) Prior to the issue of any relevant Construction Certificate, the final construction drawings and final construction methodology must be assessed and reported to be in accordance with the requirements of the DA Acoustic Report in (a) above, with reference to relevant documentation. This must be done by a Suitably Qualified Acoustic Consultant\* (see definition below). This work will be to the satisfaction of the Registered Certifier.
- (c) Prior to the issue of any Occupation Certificate, a Suitably Qualified Acoustic Consultant\* is to provide a written Acoustic Verification Report to the satisfaction of the Principal Certifier that the development complies with the requirements set out in the Report and in (a) and (b) above.
  - Note: Suitably Qualified Acoustic Consultant means a consultant who possesses the qualifications to join the Australian Acoustical Society, Institution of Engineers Australia (grade of member) or the Association of Australasian Acoustical Consultants (grade of member firm).
- (d) All physical aspects of the building's structure installed in order to meet performance parameters in accordance with this condition must be maintained at all times.

To ensure all parties are aware of the supporting documentation that applies to the development.

# (26) DEMOLITION, EXCAVATION AND CONSTRUCTION NOISE AND VIBRATION MANAGEMENT PLAN

A site-specific noise management plan must be submitted to the Council for comment and approval prior to issue of any Construction Certificate. The Plan must be prepared by a suitably qualified acoustic consultant who is a person who possesses the qualifications to join the Australian Acoustic Society, Institution of Engineers Australia (grade of member) or the Association of Australasian Acoustic Consultants (grade of member firm). The plan must include but not be limited to the following:-

- (a) identification of noise sensitive receivers near to the site.
- (b) A prediction as to the level of noise impact likely to affect the nearest noise sensitive receivers from the use and proposed number of high noise intrusive appliances intended to be operated onsite. A statement should also be submitted outlining whether or not predicted noise levels will comply with the noise criteria stated within the City of Sydney Construction Hours /Noise Code of Practice 1992 for the typical construction hours of 07.00am to 7.00pm. Where resultant site noise levels are likely to be in exceedance of this noise criteria then a suitable proposal must be given as to the duration and frequency of respite periods that will be afforded to the occupiers of neighbouring property.
- (c) A representative background noise measurement (L<sub>A90, 15 minute</sub>) should be submitted, assessed in the vicinity of any potentially affected receiver locations and measured in accordance with AS 1055:1.2.1997.
- (d) Confirmation of the level of community consultation that has/is and will be undertaken with Building Managers/ occupiers of the main adjoining noise sensitive properties likely to be most affected by site works and the operation of plant/machinery particularly during the demolition and excavation phases.
- (e) Confirmation of noise monitoring methodology that is to be undertaken during the main stages of work at neighbouring noise sensitive properties in order to keep complaints to a minimum and to ensure that noise from site works complies with the noise criteria contained within City's Construction Noise Code.
- (f) What course of action will be undertaken following receipt of a complaint concerning offensive noise.
- (g) Details of any noise mitigation measures that have been outlined by an acoustic consultant or otherwise that will be deployed on site to reduce noise impacts on the occupiers of neighbouring noise sensitive property to a minimum.

(h) What plant and equipment is to be used on site, the level of sound mitigation measures to be undertaken in each case and the criteria adopted in their selection taking into account the likely noise impacts on the occupiers of neighbouring property and other less intrusive technologies available.

#### Reason

To ensure an adequate construction noise and vibration management plan is prepared.

# (27) PARKING DESIGN

The design, layout, signage, line marking, lighting and physical controls of all off-street parking facilities must comply with the minimum requirements of Australian Standard AS/NZS 2890.1 Parking facilities Part 1: Off-street car parking, AS/NZS 2890.2 Parking facilities Part 2: Off-commercial vehicle facilities and AS/NZS 2890.6 Parking facilities Part 6: Off-street parking for people with disabilities. The details must be submitted to and approved by the Registered Certifier prior to a Construction Certificate being issued.

#### Reason

To ensure parking facilities are designed in accordance with the Australian Standards.

# (28) HERITAGE INTERPRETATION PLAN

- (a) An interpretation plan for the site must be submitted to and approved by Council's Urban Design and Heritage Manager / Area Planning Manager prior to a Construction Certificate being issued. The plan is to be prepared by a suitably qualified and experienced heritage practitioner or historian.
- (b) The interpretation plan must detail how information on the history and significance of the site will be provided for the public and make recommendations regarding public accessibility, signage and lighting. Public art, details of the heritage design, the display of selected artefacts are some of the means that can be used.
- (c) The plan must specify the location, type, making materials and contents of the interpretation device being proposed.
- (d) Prior to occupation certificate being issued the approved interpretation plan must be implemented to the satisfaction of Council's Urban Design and Heritage Manager / Area Planning Manager.

# Reason

To ensure that the heritage of the site is appropriately interpreted and incorporated into the development.

# (29) CONSERVATION OF PAVEMENT LIGHTS

A conservation methodology, prepared by a suitably qualified heritage consultant detailing the reinstatement, conservation, upgrade and ongoing maintenance of the footpath lights, and vaults below, is to be submitted to and approved by Council's Urban Design and Heritage Manager prior to a Construction Certificate being issued. The Principal Certifier must ensure compliance with the approved plan and conservation upgrade works during the period of construction.

#### Reason

To ensure that the pavement lights are appropriately conserved.

# (30) PHOTOGRAPHIC ARCHIVAL DOCUMENTATION

Prior to a Construction Certificate being issued, an archival photographic recording of the subject site is to be prepared to Council's satisfaction. The recording is to be in digital form and prepared in accordance with the NSW Heritage Division guidelines titled "Photographic Recording of Heritage Items using Film or Digital Capture". One copy of the record is to be submitted to Council to be lodged with Council's Archives.

The form of the recording is to be as follows:

- (a) The Development Application number must be noted on the submitted information.
- (b) Include a summary report detailing the project description, date and authorship of the photographic record, method of documentation and limitations of the photographic record.
- (c) Include written confirmation, issued with the authority of both the applicant and the photographer that the City of Sydney is granted a perpetual nonexclusive licence to make use of the copyright in all images supplied, including the right to make copies available to third parties as though they were Council images. The signatures of both the applicant and the photographer must be included.
- (d) The report is to be submitted on a USB or digital file transfer in PDF/A format, (created directly from the digital original), with the digital catalogue of images containing the following data for each location, image subject/description and date.
- (e) The electronic images are to be taken with a minimum 8 megapixel camera, saved as JPEG TIFF or PDF files with a size of approximately 4-6MB, and cross referenced to the digital catalogue sheets and base plans. Choose only images that are necessary to document the process and avoid duplicate images.

#### Reason

To ensure appropriate archival documentation of the building.

# (31) HERITAGE ITEMS - WORKS TO BE CONSISTENT WITH HERITAGE IMPACT STATEMENT

- (a) A conservation work schedule detailing methodologies for implementation of the recommendations of the Heritage Impact Statement (HIS) prepared by Urbis and dated 19 December 2022 must be submitted to and approved by Council, prior to a Construction Certificate being issued.
- (b) The conservation work schedule must detail how the recommendations of the HIS will be undertaken and include detailed drawings and outline specifications of works required to support any schedule of conservation works.

The work schedule must be implemented to the satisfaction of Council's Urban Design and Heritage Manager prior to the issue of any Occupation Certificate.

#### Reason

To ensure the works are carried out in an appropriate manner that protects the heritage of the site/building.

# (32) BUILDING WORKS TO COMPLY WITH NATIONAL CONSTRUCTION CODE - HERITAGE BUILDINGS OR BUILDINGS WITHIN CONSERVATION AREA

Any building works required to ensure compliance with the National Construction Code (NCC, previously known as the Building Code of Australia or BCA) or new building standards not specified in the submitted/approved plan must not damage existing fabric and building features. If such upgrading works have impact or potentially have impact on existing fabric and features, details of the works must be submitted and approved by Council's Area Planning Manager prior to issue of any Construction Certificate.

#### Reason

To ensure an appropriate heritage outcome.

# (33) HERITAGE CONSERVATION WORKS – HERITAGE ITEM OR SIGNIFICANT BUILDINGS

- (a) Prior to the issue of the Construction Certificate, a schedule of conservation works to be undertaken concurrent with the works is to be submitted to Council's Urban Design and Heritage Manager for approval.
- (b) The schedule is to detail the conservation of all fabric identified as having a heritage significance including but not limited to the following: tilework, flooring, glass blockwork, door and window joinery, glazing, hardware, pavements lights, roof plumbing, roofing and painting.
- (c) The schedule is to be supported by outline specifications, methodologies and detailed architectural sections, elevations and plans at 1:20 and 1:5 scales. The details should incorporate any structural and/or building services design for the building.
- (d) The proposed works are to be carried out in a manner that minimises demolition, alterations and new penetrations/fixings to the significant fabric of the existing building.

- (f) All conservation and adaptation works are to be in accordance with the Articles of the Australian ICOMOS Burra Charter 2013. Appropriately qualified contractors and tradespersons are to be commissioned who are skilled in traditional building and engineering trades to carry out the proposed scope of works within the heritage building.
- (g) INSPECTION AND APPROVAL: The conservation works are to be progressively inspected and be implemented to the satisfaction of Council's Urban Design and Heritage Manager prior to the issue of any Occupation Certificate or commencement of the use, whichever is the earlier.

To ensure the carrying out of appropriate heritage conservation works.

# (34) CONSTRUCTION TRAFFIC MANAGEMENT PLAN

- (a) A Construction Traffic Management Plan (CTMP) must be submitted to and approved by Council prior to a Construction Certificate being issued.
- (b) The CTMP must be prepared in accordance with the City's requirements set out at the following link:
  - https://www.cityofsydney.nsw.gov.au/construction-permits-approvals/prepare-construction-traffic-management-plan
- (c) The approved CTMP must be complied with during any demolition and/or construction work.

# Reason

To ensure that the impacts of construction traffic is appropriately managed.

#### (35) CONSTRUCTION ENVIRONMENTAL MANAGEMENT PLAN

Prior to the issue of a Construction Certificate a Construction Environmental Management Plan (CEMP) must be prepared by appropriately qualified person for the site and submitted to Council's Area Planning Coordinator | Area Planning Manager for written approval. The CEMP must consider all potential environmental impacts from the approved works including but not limited to sedimentation control, contamination containment, stockpiles, noise and vibration, odours and dust emissions.

All works must be undertaken onsite in accordance with the approved Construction Environmental Management Plan.

#### Reason

To ensure that construction is appropriately managed.

# (36) SITE AUDIT STATEMENT

Prior to the issue of a construction certificate associated with the built form of the development (excluding building work directly related to remediation), a Section A Site Audit Statement must be obtained from a NSW Environment Protection Authority accredited Site Auditor and submitted to the Council's Area Planning Manager at email address:-

# hbapplications@cityofsydney.nsw.gov.au

The Site Audit Statement must confirm that the site has been remediated and clearly state that site is suitable for the proposed use.

- (a) In circumstances where the Site Audit Statement is subject to conditions that require ongoing review by the Auditor or Council, these must be reviewed and must be approved by the Council's Health and Building Unit in writing through the Area Planning Manager before the Site Audit Statement is issued.
- (b) In circumstances where the Site Audit Statement conditions (if applicable) are not consistent with the consent, the development must not proceed until the inconsistency has been resolved to the satisfaction of Council (such as via a S4.55 modification of the consent pursuant to the provisions of the *Environmental Planning and Assessment Act, 1979*).
- (c) No Occupation Certificate is to be issued by the Principal Certifier unless a Site Audit Statement has been submitted to and approved by Council in accordance with this condition.

# Reason

To ensure that the site is appropriately remediated.

# (37) ACID SULFATE SOILS

(a) Submit to Council an Acid Sulfate Soils Management Plan (ASSMP) for the proposed works prepared in accordance with the NSW Acid Sulfate Soils Management Advisory Committee, Acid Sulfate Soils Assessment Guidelines 1998 that are classified as being in an Acid Sulfate Soils zone Class 3. The ASSMP must be prepared by a person or company who is qualified and competent in relevant geotechnical expertise in relation to the assessment and remediation of Acid Sulfate Soil risks.

OR

(b) Submit to Council a Preliminary Assessment prepared in accordance with the NSW Acid Sulfate Soils Management Advisory Committee, Acid Sulfate Soils Assessment Guidelines 1998 for the works that are classified as being in an Acid Sulfate Soils zone Class 3. The Preliminary Assessment must be prepared by a person or company who is qualified and competent in relevant geotechnical expertise in relation to the assessment and remediation of Acid Sulfate Soil risks. The Preliminary Assessment must conclude that an ASSMP is not required in accordance with the guidelines otherwise an ASSMP must also be submitted to Council in accordance with clause (a) of this condition.

To ensure any Acid Sulfate Soils are appropriately managed.

# (38) SITE SUPERVISION AND REPORTING

- (a) An Arborist with minimum qualifications in Arboriculture of Level 5 (under the Australian Qualification Framework) must oversee various stages of work within the Tree Protection Zone of any tree listed for retention. The Arborist must certify compliance with each key milestone detailed below:
  - (i) The installation of tree protection measures prior to the commencement of any construction works;
  - (ii) During demolition of any ground surface materials (pavers, concrete, grass etc.) within the Tree Protection Zone (TPZ) of any tree to be retained:
  - (iii) During construction of the specify structure/deck/concrete slab etc);
  - (iv) During any excavation and trenching within the TPZ which has been approved by Council;
  - (v) During any Landscape works within the TPZ which has been approved by Council.
- (b) An Arboricultural Compliance Report which includes photographic evidence and provides details on the health and structure of tree/s must be submitted to and acknowledged by Council's Area Planning Coordinator | Area Planning Manager at each hold point listed below:
  - (i) Certification that tree protection measures have been installed in accordance with these consent conditions;
  - (ii) Certification of compliance with each key milestone listed above within 48 hours of completion;
  - (iv) Details of any other works undertaken on any tree to be retained or any works within the TPZ which has been approved by Council.
- (c) A final compliance report must be submitted to and approved by Council's Area Planning Coordinator | Area Planning Manager prior to the issue of any Occupation Certificate.

# Reason

To ensure the protection and ongoing health of trees on the site.

#### (39) PUBLIC DOMAIN DAMAGE BOND

(a) A Public Domain Damage Deposit calculated on the basis of 150 square metres of granite site frontage and 20 square metres of concrete must be lodged with Council in accordance with the City of Sydney's adopted Schedule of Fees and Charges. The bond must be provided as security for repairing any damage to the public domain in the vicinity of the site.

- (b) The City's Public Domain Unit must be contacted to determine the bond amount prior to lodgement. The Bond must be lodged with the City prior to an approval for demolition being granted or any Construction Certificate being issued, whichever is earlier.
- (c) The bond in this condition will be released in full when the Public Domain Works Security Bond is lodged with the City.

To allow for the appropriate management and rectification of damage to the public domain.

# (40) SURVEY INFRASTRUCTURE – IDENTIFICATION AND RECOVERY

Under Section 24 of the *Surveying and Spatial Information Act, 2002*, it is an offence to remove, damage, destroy, displace, obliterate or deface any survey mark unless authorised to do so by the Surveyor-General. Accordingly, the applicant must, where possible, ensure the preservation of existing survey infrastructure undisturbed and in its original state or else provide evidence of the Surveyor-General's authorisation to remove or replace marks.

Prior to the issue of any Construction Certificate, documentary evidence must be prepared by a Registered Surveyor and submitted to and approved by Council's Area Planning Manager / Coordinator. This evidence must include either:

- (a) A copy of any Surveyor-General's Approval for Survey Mark Removal granted by NSW Spatial Services for the subject site, including all documentation submitted as part of that application (for example the survey mark audit schedule, strategy plan and strategy report); or
- (b) A letter, signed by a current NSW Registered Land Surveyor and including his or her Board of Surveying and Spatial Information (BOSSI) identification number, stating that all investigations required under Surveyor-General's Direction No.11 have been made for the subject site and that no survey infrastructure will be affected by the proposal.

Council's Principal Surveyor may request further information and/or add conditions to any Surveyor-General's Approval at their discretion.

# Reason

To ensure the preservation of existing survey infrastructure.

# (41) PUBLIC DOMAIN CONCEPT PLAN

A public domain concept plan, showing all the site frontages and extending a minimum of 5m past the boundary and to the road centreline, must be prepared in accordance with the City's *Public Domain Manual* and *Sydney Streets* Code. It must be submitted to and approved by the City's Public Domain Unit prior to the issue of any Construction Certificate for the development other than for demolition or excavation.

Note: A detailed Public Domain Plan will be required prior to construction (refer to Public Domain Plan Detailed Documentation for Construction condition).

To ensure public domain works comply with Council's requirements.

# (42) PUBLIC DOMAIN LEVELS AND GRADIENTS

Prior to the issue of any Construction Certificate, a Public Domain Levels and Gradients submission for the building and site frontages must be submitted to and approved by the City's Public Domain Unit. The submission must be prepared in accordance with the City's *Public Domain Manual* and submitted with a completed Application for *Public Domain Levels and Gradients*. Information on how to complete the submission can be downloaded from the City's website at <a href="https://www.cityofsydney.nsw.gov.au/development/public-domain-works/da-associated-works">https://www.cityofsydney.nsw.gov.au/development/public-domain-works/da-associated-works</a>.

Any requirements to comply with *Disability Discrimination Act, 1992* at the entrance to a building or publicly accessible space must be resolved inside the site boundary.

Note: Public Domain Levels and Gradient plans are to be included with the Public Domain Plan – Detailed Documentation for Construction condition submission.

#### Reason

To ensure public domain levels and gradients comply with Council's requirements.

# (43) STORMWATER DRAINAGE DESIGN

Prior to issue of any Construction Certificate a detailed stormwater management plan prepared by suitable qualified and experienced professional must be submitted to and approved by the City's Public Domain Unit and must include:

A certified stormwater drainage design complying with:

- (i) Council's Sydney Streets Technical Specifications, Part A4 Drainage Design;
- (ii) Council's Sydney Streets Technical Specifications, Standard Drawings;
- (iii) Council's Sydney Streets Technical Specifications, Part B10: Stormwater Drainage Construction;
- (iv) Council's Stormwater Drainage Manual; and
- (v) All relevant Australian Standards.

This information is available for download from the City's website at <a href="https://www.cityofsydney.nsw.gov.au/development/public-domain-works/da-associated-works">https://www.cityofsydney.nsw.gov.au/development/public-domain-works/da-associated-works</a>.

Note: A Deed of Agreement (Stormwater Deed) for all proposed connections to the City's drainage system, and a Positive Covenant for all OSD systems may be required prior to issue of any Occupation Certificate.

To ensure stormwater drainage design complies with Council's requirements.

# (44) PUBLIC DOMAIN LIGHTING UPGRADE

Prior to issue of any Construction Certificate for excavation, civil construction, drainage or building work (whichever is earlier), a concept Public Domain Lighting Upgrade Plan for pedestrian and street lighting in the public domain must be submitted to and approved by City's Public Domain Unit. The Lighting Plan must be prepared in accordance with the *Sydney Streets Technical Specifications* A5 and B8, *Sydney Lights Design Code* and *Public Domain Manual*. This information is available for download from the City's website at <a href="https://www.cityofsydney.nsw.gov.au/development/public-domain-works/da-associated-works">https://www.cityofsydney.nsw.gov.au/development/public-domain-works/da-associated-works</a>.

The lighting upgrade plan must cover all adjacent street frontages, being Busby Lane and shall be designed to include the following requirements:

- Lighting compliance with AS1158 requirement under Category PP2 is required.
- COS standard wall mount lights shall be supplied and installed. There is an
  existing City wall mount scheme along laneway on 60 William St (TBC by
  developer's electrical contractor). Electricity may be supplied from the same
  circuit or a new PUMS pit. Developer's electrical contractor must carry out
  infield survey and confirm location and final supply arrangement with the City
  prior to construction.
- Wall mount lighting Installation must be accessible for maintenance and upgrade by COS authorised technicians/contractors along the entire length.
   All cabling shall be installed on the building surface within galvanised steel conduits, MIMS cabling or a similar approved method.
- Establish an access easement in favour of COS for ongoing maintenance and upgrade of wallmounted council lighting, if applicable.
- If stairway or terrace are open to the public, developer must provide a lighting strategy demonstrating that compliance lighting will be provided.
- Lighting impact report must be provided for any terrace or façade lighting to confirm compliance with the State Environmental Planning Policy (Industry and Employment) 2021, NSW Transport Corridor Outdoor Advertising and Signage Guidelines, AS42822019 Control of the Obtrusive Effects of Outdoor Lighting, and the Sydney Development Control Plan (Signs and Advertisements) 2012.

Advice on site specific lighting requirements must be obtained from City's Public Domain Unit before proceeding with the preparation of any final lighting design proposals.

## Reason

To ensure pedestrian and street lighting in the public domain complies with Council's requirements.

# (45) DILAPIDATION REPORT - PUBLIC DOMAIN

Prior to an approval for demolition and preparatory works being granted or the issue of any Construction Certificate, whichever is earlier, a photographic recording of the public domain site frontages is to be prepared as described in the Public Domain Manual and submitted for approval by Council's Public Domain Unit. The City's *Public Domain Manual* is available for download from the City's website at <a href="https://www.cityofsydney.nsw.gov.au/">https://www.cityofsydney.nsw.gov.au/</a>

The submission is to include written confirmation, issued with the authority of both the applicant and the photographer that the City of Sydney is granted a perpetual non-exclusive license to make use of the copyright in all images supplied, including the right to make copies available to third parties as though they were Council images. The signatures of both the applicant and the photographer must be included.

#### Reason

To establish and document the condition of the public domain for comparison as building work progresses and is completed.

# (46) MECHANICAL VENTILATION

- (a) The premises must be ventilated in accordance with the *Building Code of Australia* and *AS1668.1 and AS1668.2 The Use of Ventilation and Airconditioning in Buildings Mechanical Ventilation in Buildings.*
- (b) Details of any mechanical ventilation and/or air conditioning system complying with AS1668.1 and AS1668.2 - The Use of Ventilation and Airconditioning in Buildings - Mechanical Ventilation in Buildings, the Building Code of Australia and relevant Australian Standards must be prepared and certified in accordance with Clause A5.2(1)(e) of the Building Code of Australia, to the satisfaction of the Registered Certifier prior to the issue of a Construction Certificate.
- (c) Prior to issue of any Occupation Certificate and following the completion, installation, and testing of all the mechanical ventilation systems, a Mechanical Ventilation Certificate of Completion and Performance in accordance with Clause A5.2(1)(e) of the Building Code of Australia, must be submitted to the Principal Certifier.

### Reason

To ensure the ventilation complies with relevant standards.

# (47) MICROBIAL CONTROL IN WATER SYSTEMS

The installation, operation and maintenance of water-cooling or warm water systems installed on the premises must comply with the following:

- (a) AS/NZS 3666:1:2011 Air-handling and water systems of buildings-Microbial Control Part 1: Design, installation and commissioning.
- (b) AS/NZS 3666:2:2011 Air-handling and water systems of building-Microbial Control Part 2: Operation and maintenance.

- (c) AS/NZS 3666:3:2011 Air-handling and water systems of buildings-Microbial Control Part 3: Performance based maintenance of cooling water systems.
- (d) AS/NZS 3666:4:2011 Air-handling and water stems of buildings-Microbial Control Part 4: Performance – based maintenance of air – handling systems (ducts and components).
- (e) Prior to the issue of an Occupation Certificate associated with the Cooling Water System the occupier of the premise at which the system is installed, must notify the Council in writing on the prescribed form, of the installation of all water-cooling tower systems within the premises under the *Public Health Act*, 2010. Warm water systems other than hospitals (hospitals (which also includes nursing homes, declared mental health facilities, private health facilities) are exempt from notifying Council.

Notification forms are available on Council's website www.cityofsydney.nsw.gov.au

#### Reason

To ensure water systems comply with relevant standards.

# (48) WASTE AND RECYCLING MANAGEMENT - COMMERCIAL

- (a) The Waste and Recycling Management Plan accompanying this Development Application has been approved by this consent.
- (c) All requirements of the approved Waste and Recycling Management Plan must be implemented during construction and operation of the development and include:
  - (i) Dedicated space to be provided within the development for the storage and recycling of bulky waste, problem waste, strip out and food waste.
  - (ii) Collection points for waste and recycling must be wholly located within the boundary of the development.
  - (iii) The nominated waste and recycling storage areas must be constructed to meet the relevant conditions required by the City's *Guidelines for Waste Management in New Developments* 2018.
  - (iv) Provision and storage within the boundary of the development of waste and recycling receptacles and any bulky waste at all times.
  - (v) Commercial tenancies must have a commercial waste contract(s) in place prior to commencement of business trading.
  - (vi) The path of travel between the bin storage areas/bulky waste storage areas and the designated waste/recycling collection point is to have a minimum 1,200mm wall-to-wall clearance, be slip-proof, of a hard surface, be free of obstructions and at no point have a gradient exceeding 1:14.

Note: The building manager/strata title manager or body corporate is responsible for ensuring all tenants are kept informed regarding Council's policies, and best practice waste and recycling source separation.

# UPON COMPLETION OF THE DEVELOPMENT

(d) Prior to any Occupation Certificate being issued or the use commencing, whichever is earlier, the Principal Certifier must ensure that waste handling works have been completed in accordance with: the Waste and Recycling Management Plan; other relevant development consent conditions; and Council's Guidelines for Waste Management in New Developments 2018.

#### Reason

To ensure that waste and recycling is appropriately managed.

# (49) MATERIALS AND SAMPLES SCHEDULE

A detailed materials, colours and finishes schedule keyed to each building elevation must be submitted to and approved by Council's Area Planning Manager prior to a Construction Certificate being issued. The schedule must include details of the fire hydrant door and signage to William Street. The materials and samples schedule/board must not include generic material or colour descriptions, or use terminology such as 'or similar'.

#### Reason

To require the submission of a materials and samples board following assessment of the development.

# (50) REFLECTIVITY

Prior to issue of the Construction Certificate the Registered Certifier must ensure that the visible light reflectivity from building materials used on the facade of the terrace and shade structures does not exceed 20%.

#### Reason

To ensure the development does not result in adverse reflectivity impacts and to protect the amenity of the public domain.

# (51) LANDSCAPE MAINTENANCE PLAN

A detailed landscape maintenance plan must be submitted to and approved by Council's Area Coordinator Planning Assessments or Area Planning Manager prior to the issue of a Construction Certificate. This plan is to be complied with during occupation of the property.

#### Reason

To ensure the development is supported by a well maintained landscape scheme that meets the City's controls.

# PART C - BEFORE THE COMMENCEMENT OF BUILDING WORK

# (52) RODENT TREATMENT PROGRAMME - PRE-DEMOLITION AND/OR EXCAVATION

- (a) Prior to the commencement of any demolition and/or excavation works, a programme of baiting and monitoring of rodent activity is to be put in place at the site.
- (b) A licensed Pest Control Operative must carry out all pest control work and prepare a report, confirming that there is no evidence of any rodent activity at the site prior to the commencement of any works on site. The report must be submitted to and be approved/endorsed by Council's Area Coordinator Planning Assessments or Area Planning Manager.

#### Reason

To ensure that the potential impact of rodents during the demolition, excavation and construction phase is appropriately managed.

# (53) STRUCTURAL INTEGRITY OF RETAINED BUILDING ELEMENTS

Prior to a commencement of demolition, excavation or construction work, a report or certification from a practicing structural engineer experienced in dealing with heritage buildings must be submitted to and approved by Council's Urban Design and Heritage Manager, Area Coordinator Planning Assessments or Area Planning Manager. The report must explain how the retained building elements, such as building facades or chimneys are to be retained, supported and not undermined by the proposed development and give details of any intervention or retrofitting needed.

## Reason

To ensure the preservation of the building elements that are proposed to be retained.

# (54) DISPOSAL OF SURPLUS SALVAGED MATERIALS

Salvaged traditional building materials surplus to the requirements of this project are to be sold to an established dealer in second-hand heritage building materials. Documentation of the salvage methodology must be submitted for the approval of Council prior to the commencement of demolition.

# Reason

To ensure the salvaging and reuse of traditional building materials.

# (55) DECOMMISSIONING OF UNDERGROUND STORAGE TANKS

The removal of underground storage tanks must be undertaken in accordance with Safework NSW requirements which includes writing to the Chief Inspector of Dangerous Goods and complying with any conditions imposed and all relevant NSW Environmental Protection Authority/Office of the Environment and Heritage Guidelines and Australian Standards including following;

NSW EPA Technical Note: Decommissioning, Abandonment and Removal of UPSS (January 2010),

NSW EPA Technical Note: Investigation of Service Station Sites (April 2014),

AS 1940 –2004: Storage and handling of flammable and combustible liquids,

AS 4976 – 2008: The removal and disposal of underground petroleum storage tanks.

A site contamination assessment must be conducted in accordance with the Guidelines for Consultants Reporting on Contaminated Sites (NSW Office of the Environment and Heritage 2011) and the Sampling Design Guidelines (NSW Environmental Protection Authority September 1995) to determine whether petroleum has contaminated soil and groundwater in the vicinity of the storage system and whether remediation is required to ensure the land remains suitable for the continued approved land use.

Subsequent remediation of the site must be undertaken in accordance with the Managing Land Contamination – Planning Guidelines (Department of Urban Affairs and Planning 1998) and the State Environmental Planning Policy (Resilience and Hazards 2021) including notification to Council's Area Planning Manager at the start and completion of land remediation.

The removal or in-situ decommissioning of the underground petroleum storage system and any subsequent contamination assessment, preparation of a remediation strategy and final decommissioning reporting must be carried out by a duly qualified person, who has competencies and experience in relation to this area of work that are recognised as appropriate by the relevant industry and the NSW Environmental Protection Authority.

# Reason

To ensure the removal of underground petroleum storage tanks is appropriately managed.

# (56) CONSTRUCTION ENVIRONMENTAL MANAGEMENT PLAN

A Construction Environmental Management Plan (CEMP) is to be prepared for the review and approval of a Site Auditor prior to commencement of any excavations to ensure appropriate management of contamination risks are implemented during excavation and construction, which includes an Unexpected Finds Protocol to manage any risk due to the potential unexpected finds on the site.

#### Reason

To ensure any site contamination is appropriately managed.

# (57) STREET TREE PRUNING AND REMOVAL

(a) The consent from Council's Tree Management Officer must be obtained prior to the undertaking of any street tree pruning works including tree roots greater than 30mm diameter. Only minor pruning works will be approved by Council. (b) Any pruning that has been approved by Council, must be carried out by a qualified Arborist (AQF3), and must be in accordance with AS4373 Australian Standards 'Pruning of Amenity Trees'.

#### Reason

To ensure that approval is obtained for any pruning works to, or removal of, street trees and that such works are carried out in an appropriate manner.

# (58) PUBLIC DOMAIN WORK – CONSTRUCTION APPROVAL UNDER SECTION 138 ROADS ACT 1993

Prior to the construction of any public domain works, approval under Section 138 / 139 of the *Roads Act, 1993* must be issued by the City's Public Domain Unit.

#### Reason

To ensure relevant approvals for public domain work are obtained.

# (59) DILAPIDATION REPORT

Subject to the receipt of permission of the affected landowner, dilapidation report/s of adjoining buildings are to be prepared by an appropriately qualified practising structural engineer and submitted for the approval of the Registered Certifier prior to the issue of a construction certification.

# Reason

To ensure that dilapidation reports are prepared and to identify damage to for adjoining/nearby properties resulting from building work on the development site.

# (60) ROAD OPENING APPLICATION

A separate road opening application under Sections 138/139 of the *Roads Act,* 1993 must be submitted to and approved by Council prior to the commencement of any:

- (a) Excavation in or disturbance of a public way, or
- (b) Excavation on land that, if shoring were not provided, may disturb the surface of a public road (including footpath).

#### Reason

To ensure that approval under the Roads Act, 1993 is obtained.

# (61) APPLICATION FOR HOARDINGS AND SCAFFOLDING INSTALLED ON OR ABOVE A PUBLIC ROAD AND OPERATING HOISTING DEVICES INCLUDING BUILDING MAINTENANCE UNITS OVER A PUBLIC ROAD

- (a) Where a hoarding and/or scaffolding (temporary structures) are proposed to be installed on or above a road reservation (footway and/or roadway), a separate application under Section 68 of the *Local Government Act*, 1993 and Sections 138/139 of the *Roads Act*, 1993 must be submitted to and approved by Council for such structures.
- (b) Where an approval (Permit) is granted allowing the placement of temporary structures on or above a public road the structures must comply fully with Council's *Hoarding and Scaffolding Policy; Guidelines for Hoardings and Scaffolding;* and the conditions of approval (Permit) granted including:
  - (i) maintaining a current and valid approval for the full duration that the temporary structure/s is in place;
  - (ii) maintaining temporary structure/s in a structurally sound and stable condition for the full duration of installation (Clause 2.11.1);
  - (iii) bill posters and graffiti being removed within 24 hours of their placement (Clause 2.11.2);
  - (iv) maintaining temporary structures and the public place adjoining the work site in a clean and tidy condition including repainting and/or repair of graphics (Clauses 2.11.1, 2.11.4, 2.14.1 and 3.9.3);
  - (v) maintaining a watertight deck (Type B hoardings) to prevent liquids including rainwater, falling onto the footway/roadway surfaces (Clauses 3.9.1 and 3.9.4);
  - (vi) approved site sheds on the decks of a Type B hoarding being fully screened from the public place (Clause 3.9.5);
  - (vii) material and equipment not being placed or stored on the deck of Type B hoardings, unless specifically approved by Council (Clause 3.9.4);
  - (viii) providing and maintaining operational artificial lighting systems under Type B hoardings including at high-bay truck entry points (Clause 3.9.9); and
  - (ix) ensuring all required signage, artwork or historic images are provided and fully maintained to the City's requirements (Clauses 3.4, 3.9.3, 3.9.6, 3.9.8, 3.10.1 and 4.2).

If it is proposed to operate a hoisting device including a building maintenance unit above a public road which swings, hoists material/equipment and/or slews/wind vanes any part of the device over the public road, a separate application under Section 68 of the *Local Government Act*, 1993 and Sections 138/139 of the *Roads Act*, 1993 must be made to Council to obtain approval.

**Note**: 'Building maintenance unit' means a power-operated suspended platform and associated equipment on a building specifically designed to provide permanent access to the faces of the building for maintenance (*Work Health and Safety Regulation, 2017*).

#### Reason

To ensure the necessary approval is obtained for temporary structures over a public road.

# (62) SYDNEY WATER CERTIFICATE (TAP-IN)

- (a) The approved plans must be submitted to Sydney Water's "Tap-in" online service to determine whether the development will affect Sydney Water's sewer and water mains, stormwater drains and/or easements, and if further requirements need to be met. Sydney Water's "Tap-in" online service is available at <a href="www.sydneywater.com.au">www.sydneywater.com.au</a>, (see Plumbing, Building & Development and then Sydney Water "Tap-in").
- (b) The Consent Authority or a Principal Certifier must ensure that Sydney Water has appropriately stamped the plans before the commencement of work.

#### Reason

To ensure the development satisfies Sydney Waters requirements.

# (63) OUT OF SCOPE BUILDING PLAN APPROVAL

Sydney Water will need to undertake a detailed review of building plans:

- (a) That affect or are likely to affect any of the following:
  - (i) Wastewater pipes larger than 300mm in size
  - (ii) Pressure wastewater pipes
  - (iii) Drinking water or recycled water pipes
  - (iv) Our property boundary
  - (v) An easement in our favour
  - (vi) Stormwater infrastructure within 10m of the property boundary.
- (b) Where the building plan includes:
  - (i) Construction of a retaining wall over, or within the zone of influence of our assets
  - (ii) Excavation of a basement or building over, or adjacent to, one of our assets
  - (iii) Dewatering removing water from solid material or soil.

- (c) The detailed review is to ensure that:
  - (i) our assets will not be damaged during, or because of the construction of the development
  - (ii) we can access our assets for operation and maintenance
  - (iii) your building will be protected if we need to work on our assets in the future.

The developer will be required to pay Sydney Water for the costs associated with the detailed review.

#### Reason

To ensure the development satisfies Sydney Waters requirements.

# (64) TREE PLANTING

Certain tree species placed in close proximity to Sydney Water's underground assets have the potential to inflict damage through invasive root penetration and soil destabilisation. Sydney Water requires that all proposed or removed trees and vegetation included within the proposal adhere to the specifications and requirements within Section 46 of the *Sydney Water Act, 1994* and *Diagram 5 – Planting Trees* within our Technical guidelines – Building over and adjacent to pipe assets. Please note these guidelines include more examples of potential activities impacting our assets which may also apply to your development.

If any tree planting proposed breaches our policy, Sydney Water may need to issue an order to remove every tree breaching the Act, or directly remove every tree breaching the Act and bill the developer or Council for their removal.

# Reason

To ensure the development satisfies Sydney Waters requirements.

#### PART D - WHILE BUILDING WORK IS BEING CARRIED OUT

# (65) HOURS OF WORK AND NOISE

The hours of construction and work on the development must be as follows:

- (a) All work, including building/demolition and excavation work, and activities in the vicinity of the site generating noise associated with preparation for the commencement of work (e.g. Loading and unloading of goods, transferring of tools etc.) in connection with the proposed development must only be carried out between the hours of 7.30am and 5.30pm on Mondays to Fridays, inclusive, and 7.30am and 3.30pm on Saturdays, with safety inspections being permitted at 7.00am on work days, and no work must be carried out on Sundays or public holidays.
- (b) All work, including demolition, excavation and building work must comply with the City of Sydney Code of Practice for Construction Hours/Noise 1992 and Australian Standard 2436 2010 Guide to Noise Control on Construction, Maintenance and Demolition Sites.
- (c) Notwithstanding the above, the use of a crane for special operations, including the delivery of materials, hoisting of plant and equipment and erection and dismantling of on-site tower cranes which warrant the onstreet use of mobile cranes outside of above hours can occur, subject to a separate application being submitted to and approved by Council under Section 68 of the Local Government Act, 1993 and Sections 138/139 of the Roads Act, 1993.

<u>Note</u>: Works may be undertaken outside of hours, where it is required to avoid the loss of life, damage to property, to prevent environmental harm and/or to avoid structural damage to the building. Written approval must be given by the Construction Regulation Team, prior to works proceeding

The City of Sydney Code of Practice for Construction Hours/Noise 1992 allows extended working hours subject to the approval of an application in accordance with the Code and under Section 4.55 of the *Environmental Planning and Assessment Act*, 1979.

#### Reason

To protect the amenity of the surrounding area.

# (66) ASBESTOS REMOVAL WORKS

(a) All works removing asbestos containing materials must be carried out by a suitably licensed asbestos removalist duly licensed with Safework NSW, holding either a Friable (Class A) or a Non-Friable (Class B) Asbestos Removal Licence which ever applies.

A copy of the relevant licence must be made available to any authorised Council officer on request within 24 hours.

- (b) Five days prior to the commencement of licensed asbestos removal, Safework NSW must be formally notified of the works. All adjoining properties and those opposite the development must be notified in writing of the dates and times when asbestos removal is to be conducted. The notification must identify the licensed asbestos removal contractor and include a contact person for the site together with telephone number and email address.
- (c) All work must be carried out in accordance with the Work Health and Safety Regulation, 2017 and the NSW Government and SafeWork NSW document entitled How to manage and control asbestos in the work place: Code of Practice (Safework NSW) December 2011 and the City of Sydney Managing Asbestos Policy dated 21 October 2013 and associated guidelines.
- (d) The asbestos removalist must use signs and barricades to clearly indicate the area where the asbestos removal work is being performed. Signs must be placed in positions so that people are aware of where the asbestos removal work area is and should remain in place until removal is completed and clearance to reoccupy has been granted. Responsibilities for the security and safety of the asbestos removal site and removal must be specified in the asbestos removal control plan (where required). This includes inaccessible areas that are likely to contain asbestos.
- (e) Warning signs must be placed so they inform all people nearby that asbestos removal work is taking place in the area. Signs must be placed at all of the main entry points to the asbestos removal work area where asbestos is present. These signs must be weatherproof, constructed of light-weight material and adequately secured so they remain in prominent locations. The signs must be in accordance with AS 1319 -1994 Safety Signs for the Occupational Environment for size, illumination, location and maintenance.
- (f) Asbestos waste must only be transported and disposed of at an EPA licensed waste facility.
- (g) No asbestos products are to be reused on the site (i.e. packing pieces, spacers, formwork or fill etc).
- (h) No asbestos laden skips or bins are to be left in any public place without the written approval of Council.
- (i) A site notice board must be located at the main entrance to the site in a prominent position and must have minimum dimensions of 841mm x 594mm (A1) with any text on the notice to be a minimum of 30 point type size.

The site notice board must include the following:

- (i) contact person for the site;
- (ii) telephone and facsimile numbers and email address; and
- (iii) site activities and time frames.

To ensure that the handling and removal of asbestos from the site is appropriately managed.

# (67) USE OF INTRUSIVE APPLIANCES - NOT APPROVED

This development consent does not extend to the use of appliances which emit noise of a highly intrusive nature (such as pile - drivers and hydraulic hammers) or are not listed in Groups B, C, D, E or F of Schedule 1 of the City of Sydney Code of Practice for Construction Hours/Noise 1992".

A separate Section 4.55 application must be submitted to the Council for the use of any equipment of a highly intrusive nature (such as pile - drivers and hydraulic hammers) or are not listed in Groups B, C, D, E or F of Schedule 1 of the City of Sydney Code of Practice for Construction Hours/Noise 1992.

#### Reason

To ensure the acoustic amenity of surrounding developments is maintained.

# (68) USE OF HERITAGE CONSULTANT

- (a) A heritage consultant experienced in heritage restoration and renovation works is to be commissioned to work with the consultant team throughout the design development, contract documentation and construction stages of the project. The heritage consultant is to be involved in the resolution of all matters where existing significant fabric and spaces are to be subject to preservation, restoration, reconstruction, adaptive reuse, recording and demolition. The heritage consultant is to be provided with full access to the site and authorised by the applicant to respond directly to Council where information or clarification is required regarding the resolution of heritage issues throughout the project. Evidence and details of the above commission on the above terms are to be submitted to Council's Area Coordinator Planning Assessments or Area Planning Manager prior to commencement of work on site.
- (b) The heritage consultant must sign off the completed project and submit a final report to Council's Area Coordinator Planning Assessments or Area Planning Manager specifying how the heritage conditions are satisfied prior to the issue of any Occupation Certificate or the commencement of the use, whichever is earlier.

# Reason

To ensure that the implementation of the approved development is carried out in a manner that does not have adverse heritage impacts.

# (69) NOTIFICATION - NEW CONTAMINATION EVIDENCE

Council's Area Planning Manager and the Principal Certifier must be notified of any new information which comes to light during remediation, demolition or construction works which has the potential to alter previous conclusions about site contamination.

To ensure that the site is appropriately remediated.

# (70) IMPORTED FILL MATERIALS

All fill imported onto the site must be validated to ensure the imported fill is suitable for the proposed land use from a contamination perspective. Fill imported on to the site shall also be compatible with the existing soil characteristic for site drainage purposes.

The City may require details of appropriate validation of imported fill material to be submitted with any application for future development of the site. Hence all fill imported onto the site should be validated by either one or both of the following methods during remediation works:

- (a) Imported fill must be accompanied by documentation from the supplier which certifies that the material is not contaminated based upon analyses of the material for the known past history of the site where the material is obtained; and/or
- (b) Sampling and analysis of the fill material shall be conducted in accordance with NSW EPA (1995) Sampling Design Guidelines.

#### Reason

To ensure that imported fill is not contaminated.

# (71) CLASSIFICATION OF WASTE

Prior to the exportation of waste (including fill or soil) from the site, the waste materials must be classified in accordance with the provisions of the *Protection* of the *Environment Operations Act, 1997* and the *NSW DECC Waste Classification Guidelines, Part1: Classifying Waste (July 2009).* The classification of the material is essential to determine where the waste may be legally taken. The *Protection of the Environment Operations Act, 1997* provides for the commission of an offence for both the waste owner and the transporters if the waste is taken to a place that cannot lawfully be used as a waste facility for the particular class of waste. For the transport and disposal of industrial, hazardous or Group A liquid waste advice should be sought from the EPA.

#### Reason

To ensure that waste from site is classified and disposed of appropriately.

# (72) DISCHARGE OF CONTAMINATED GROUNDWATER

Contaminated groundwater must not be discharged into the City's stormwater drainage system.

Options for the disposal of groundwater include disposal to sewer with prior approval from Sydney Water or off-site disposal by a liquid waste transporter for treatment/disposal to an appropriate waste treatment/processing facility.

To ensure that the discharge of ground water is appropriately managed.

# (73) STREET TREE PROTECTION

All street trees located directly outside the site must be retained and protected in accordance with the Australian Standard 4970 Protection of Trees on Development Sites. All street trees must be protected during the construction works as follows:

- (a) Tree trunk and major limb protection must be undertaken prior to the commencement of any works (including demolition). The protection must be installed and certified by a qualified Arborist (AQR Level 3) and must include:
  - (i) An adequate clearance, minimum 250mm, must be provided between the structure and tree branches, and trucks at all times.
  - (ii) Tree trunk/s and/or major branches, must be protected by wrapped thick underlay carpet or similar padding material to limit damage, and
  - (iii) Timber planks (50mm x 100mm or similar) must be placed around tree trunk/s. The timber planks must be spaced at 100mm intervals and must be fixed against the trunk with tie wire, or strapping. The thick underlay carpet or similar padding material and timber planks must not be fixed to the tree in any instance, or in any fashion.
  - (iv) Tree trunk and major branch protection is to remain in place for the duration of construction and development works and must be removed at the completion of the project.
- (b) Temporary signs, or any other items, shall not be fixed or attached to any street tree.
- (c) All hoarding support columns are to be placed a minimum of 300mm from the edge of the existing tree pits/setts, so that no sinking or damage occurs to the existing tree pits. Supporting columns must not be placed on any tree roots that are exposed.
- (d) Young street trees must be protected by installing three (3) wooden stakes around the edge of the tree pits or a minimum of 1 metre from the base of the trunk. Hessian must be wrapped around the stakes. If existing stakes or a metal tree guard are already in place, these suffice as tree protection.
- (e) Materials or goods, including site sheds, must not be stored or placed:
  - (i) around or under the tree canopy; or
  - (ii) within two (2) metres of tree trunks or branches of any street trees.
- (f) Any excavation within any area known to or suspected of having tree roots greater than 30mm diameter must be undertaken by hand.

- (g) Any trenching works for services, hydraulics, drainage etc. must not be undertaken within the tree protection zone of any street tree. Alternate installation methods for services such as directional boring/drilling or redirection of services must be employed where roots greater than 30mm diameter are encountered during installation of any services.
- (h) Existing sections of kerbs adjacent to any street tree must not be removed without approval from the Council's Tree Management Officer.
- (i) Any damage sustained to street tree/s as a result of the erection of any construction activities (including demolition) must be immediately reported to the Council's Tree Management Officer on 9265 9333. Any damage to street trees as a result of any construction activities may result in prosecution under the Local Government Act, 1993 and the Environmental Planning and Assessment Act, 1979.

To ensure the protection and ongoing health of the street trees.

# (74) PUBLIC DOMAIN WORKS SECURITY BOND

A Public Domain Works Security Bond will be required for the public domain works and for repairing damage that may be caused to the public domain in the vicinity of the site, in accordance with the City of Sydney's adopted fees and charges and the Public Domain Manual.

The City's Public Domain Unit must be contacted to determine the bond amount prior to lodgement. The bond must be lodged with the City prior to an approval being issued for the approval of the Public Domain Plan.

The bond will be retained in full until all public domain works, including rectification of damage to the public domain, are completed to City's standards and approval and the required works-as-executed documentation are approved. On satisfying the above requirements, and the issue of the Public Domain Works Letter of Completion Operational Acceptance by the City, 90% of the bond will be released. The remaining 10% will be retained for the duration of the specified Defects Liability Period.

#### Reason

To ensure public domain works are completed and any damage to the public domain is rectified.

# (75) DRAINAGE AND SERVICE PIT LIDS

All existing or proposed drainage and service pit lids throughout the public domain must be to City of Sydney specifications and heel/bicycle safe, slip resistant, infill with material to match surrounding surface, finished flush with the adjacent pavement to avoid trip hazards and be clear of obstructions for easy opening and cleaning. Infill pit lids are to be detailed where specified by Council's Public Domain Officer. Private pits are not permitted within the public domain. All details of pit lids must be shown on the public domain plan and must be approved by the City's Public Domain Unit prior to the issue of an approval for public domain works.

To ensure drainage and service pit lids within the public domain are appropriately designed and installed.

# (76) PUBLIC DOMAIN PLAN DETAILED DOCUMENTATION FOR CONSTRUCTION

A detailed public domain plan and all relevant documentation must be submitted to and approved by City's Public Domain Unit prior to the construction of any public domain works. This Plan must document all works required to ensure that the public domain upgrade work complies with the City's specifications and requirements, as outlined in documents such as City of Sydney's Public Domain Manual, Sydney Streets Code, Sydney Street Tree Masterplan, Sydney Lights: Public Domain Design Code and Sydney Streets Technical Specification. The documentation must be checked, accurate, and comply with specified requirements. Plans must be based on an accurate survey, to scale and fully coordinated across all disciplines and submissions. The supplied documentation must be for Construction issue and will be approved under Section 138 of the *Roads Act, 1993*.

The Public Domain Manual and all other relevant documents are available for download from Council's website at:

https://www.cityofsydney.nsw.gov.au/development/public-domain-works/da-associated-works.

The Public Domain Plan documentation must be submitted with an Application for Public Domain Plan Assessment and include the approved Public Domain Levels and Gradients documentation. If the proposed detailed design of the public domain requires changes to any previously approved levels, details must be submitted for approval with the public domain plan and additional fees may apply.

#### Reason

To ensure the public domain complies with Council's requirements.

# (77) HOLD POINTS

Prior to an approval being issued for the construction of public domain and / or planning agreement works, including civil, drainage and subsurface works, a set of hold points will be provided by the City's Public Domain Unit in accordance with the City's Public Domain Manual and Sydney Streets Technical Specification. The list of hold point inspections will be included in the Public Domain works approval letter.

These hold point inspections must be adhered to during construction works. Prior to the issue of any Occupation Certificate, confirmation from the City's Public Domain Unit, that hold point inspections have been completed and works have been accepted by the City must be provided to the Principal Certifier.

#### Reason

To ensure hold points are adhered to during construction works.

# (78) STORMWATER DRAINAGE CONNECTION

For approval of a connection into the City of Sydney's drainage system an "Application for Approval of Stormwater Drainage Connections" must be submitted to the City, together with an application fee in accordance with the City of Sydney's adopted Schedule of Fees and Charges. This must be approved prior to approval being issued for the construction of public domain work.

#### Reason

To ensure approval of connection into the Council's drainage system is sought.

# (79) PUBLIC DOMAIN LIGHTING RETICULATION

Prior to the issue of any relevant approval for the construction of public domain works, a detailed Public Domain Lighting Reticulation Plan for pedestrian and street lighting in the public domain must be submitted to and approved by the City's Public Domain Unit in accordance with the City's Sydney Lights Design Code, Sydney Streets Code, Sydney Streets Technical Specification and Public Domain Manual.

The Public Domain Manual and all other relevant documents are available for download from Council's website at:

https://www.cityofsydney.nsw.gov.au/development/public-domain-works/da-associated-works.

If applicable, this public domain lighting documentation must include pole footing locations and structural details, location and details of underground electrical reticulation including connections and conduits, pit cabling and certifications as described in the City's *Public Domain Manual*. The public domain lighting is to be superimposed on the public domain plan to show any conflicts between lighting and the proposed landscape design.

## Reason

To ensure the public domain lighting documentation complies with Council requirements.

#### (80) LOADING AND UNLOADING DURING CONSTRUCTION

The following requirements apply:

- (a) All loading and unloading associated with construction activity must be accommodated on site, where possible.
- (b) If, it is not feasible for loading and unloading to take place on site, a Works Zone on the street may be considered by Council.

- (c) A Works Zone may be required if loading and unloading is not possible on site. If a Works Zone is warranted an application must be made to Council at least 8 weeks prior to commencement of work on the site. An approval for a Works Zone may be given for a specific period and certain hours of the days to meet the particular need for the site for such facilities at various stages of construction. The approval will be reviewed periodically for any adjustment necessitated by the progress of the construction activities.
- (d) Where hoisting activity over the public place is proposed to be undertaken including hoisting from a Works Zone, a separate application under Section 68 of the *Local Government Act, 1993* and Sections 138/139 of the *Roads Act, 1993* must be submitted to and approved by Council.

To protect the amenity of the public domain.

# (81) NO OBSTRUCTION OF PUBLIC WAY

Unless otherwise approved by Council, the public way must not be obstructed by any materials, vehicles, waste receptacles, skip-bins or the like. Non-compliance with this requirement may result in the issue of a notice by Council to stop all work on the site.

#### Reason

To protect the amenity of the public domain.

#### (82) ACCESS DRIVEWAYS TO BE CONSTRUCTED

Approved driveways are to be constructed for all vehicular access to the construction site in accordance with the requirements of Council's "Driveway Specifications" to the satisfaction of Council.

#### Reason

To allow adequate vehicular access to the site.

## (83) USE OF MOBILE CRANES

The following requirements apply:

- (a) Mobile cranes operating from the road must not be used as a method of demolishing or constructing a building.
- (b) For special operations including the delivery of materials, hoisting of plant and equipment and erection and dismantling of on site tower cranes which warrant the on-street use of mobile cranes, permits must be obtained from Council for the use of a mobile crane. The permits must be obtained 48 hours beforehand for partial road closures which, in the opinion of Council will create minimal traffic disruptions and 4 weeks beforehand in the case of full road closures and partial road closures which, in the opinion of Council, will create significant traffic disruptions.

(c) The use of a crane for special operations, including the delivery of materials, hoisting of plant and equipment and erection and dismantling of on site tower cranes which warrant the on-street use of mobile cranes outside of approved hours of construction can occur, subject to a separate application being submitted to and approved by Council under Section 68 of the *Local Government Act*, 1993 and Sections 138/139 of the *Roads Act*, 1993.

#### Reason

To ensure mobile cranes are used appropriately.

# (84) EROSION AND SEDIMENT CONTROL

Where less than 250 square metres of soils are being disturbed, no formal plan is required however, the site is to be provided with sediment control measures and these must be implemented so that sediment, including soil, excavated material, building material or other materials cannot fall, descend, percolate, be pumped, drained, washed or allowed to flow to the street, stormwater system or waterways.

#### Reason

To ensure that appropriate erosion and sediment control measures are put in place during construction to protect the environment.

# (85) SURVEY

All footings, walls and floor slabs adjacent to a boundary must be set out by a registered surveyor. On commencement of brickwork or wall construction a survey and report, prepared by a Registered Surveyor, must be submitted to the Principal Certifier indicating the position of external walls in relation to the boundaries of the allotment. Any encroachments by the subject building over adjoining boundaries or roads must be removed prior to continuation of building construction work.

## Reason

To ensure the development does not encroach onto neighbouring properties.

# (86) COVERING OF LOADS

All vehicles involved in the excavation and/or demolition process and departing the property with demolition materials, spoil or loose matter must have their loads fully covered before entering the public roadway.

#### Reason

To ensure loads are managed appropriately and do not impact local amenity.

## (87) VEHICLE CLEANSING

Prior to the commencement of work, suitable measures are to be implemented to ensure that sediment and other materials are not tracked onto the roadway by vehicles leaving the site. It is an offence to allow, permit or cause materials to pollute or be placed in a position from which they may pollute waters.

#### Reason

To ensure sediment is not tracked onto the roadway.

# (88) HAZARDOUS AND INDUSTRIAL WASTE

Hazardous and/or industrial waste arising from the demolition/operational activities must be removed and/or transported in accordance with the requirements of the NSW Work Cover Authority pursuant to the provisions of the following:

- (a) Protection of the Environment Operations Act, 1997
- (b) Protection of the Environment Operations (Waste) Regulation, 2005
- (c) Waste Avoidance and Resource Recovery Act, 2001
- (d) Work Health and Safety Act, 2011
- (e) Work Health and Safety Regulation, 2017.

#### Reason

To ensure hazardous/industrial waste is managed appropriately.

# (89) COMPLIANCE WITH DEMOLITION, EXCAVATION & CONSTRUCTION NOISE AND VIBRATION MANAGEMENT PLAN

- (a) All works conducted on site which form part of this development must be carried out in accordance with the submitted Demolition, Excavation and Construction Management Plan required by condition (26) of this development consent.
- (b) Where all such control measures have been implemented and the resultant noise and/ or vibration levels at any sensitive receiver still exceed the council's applicable criteria stated in the Construction Hours/Noise Code 1992 and are giving rise to sustained complaints then the contractor must provide regular, appropriate and sustained periods of respite in consultation with Council's Health and Building unit. Approval to vary the authorised noise and vibration levels must be received in writing by the proponent from Council prior to activities being undertaken that exceed sanctioned emission levels. (Use where respite periods not specified under the approved DEC NMP)

Such periods must be set and agreed to by Council's Health and Building Unit.

To ensure all parties are aware of the supporting documentation that applies to the development.

## PART E - BEFORE THE ISSUE OF AN OCCUPATION CERTIFICATE

## (90) WASTE AND RECYCLING COLLECTION CONTRACT

Prior to any Occupation Certificate being issued, the building owner must ensure that there is a contract with a licensed contractor for the removal of all waste. Waste is to be stored and collected from within the curtilage of the site at all times.

#### Reason

To ensure that waste and recycling is appropriately managed.

# (91) REGISTRATION OF COVENANT

Prior to the issue of any Occupation Certificate, a covenant must be registered on the title of the land and a copy of the title submitted to the Council's Area Planning Manager and the Principal Certifier.

This covenant must be registered on the title of the land binding the owners and future owners with the responsibility for the ongoing maintenance and rehabilitation works required in terms of the encapsulated/remaining contaminated materials, including the discharge or prevention of discharge from any contaminants or for any works subsequently required by the NSW Environment Protection Authority

A copy of the revised certificate of land title recording the covenant must be submitted to Council's Area Planning Manager and the Principal Certifier prior to the issue of any Occupation Certificate.

## Reason

To ensure that contamination is appropriately managed.

## (92) SITE AUDIT STATEMENT – ENVIRONMENTAL MANAGEMENT PLAN

Where the ongoing land use suitability and release of the Final (Section A) Site Audit Statement is dependent upon the implementation of an Environmental Management Plan (EMP) in relation to any residual contamination remaining onsite, the EMP must be approved by the Site Auditor and Council's Area Planning Manager prior to the issue of the final Site Audit Statement.

The owner of the land is required to comply with the ongoing obligations of any EMP which form part of the final Site Audit Statement for the site.

A covenant must be registered on the title of the land binding the owners and future owners to be responsible for ongoing maintenance and any future rehabilitation works required in terms of the encapsulated/remaining contaminated materials, including the discharge or prevention of discharge from any contaminants or for any works subsequently required by the NSW Environment Protection Authority

A copy of the revised certificate of land title recording the covenant must be submitted to Council's Area Planning Manager and the Principal Certifier prior to the issue of any Occupation Certificate.

To ensure that contamination is appropriately managed.

## (93) ADVANCE TREE PLANTING

Tree planting within the property must be undertaken in accordance with the following conditions, and to Council's satisfaction, prior to the issuing any Occupation Certificate.

- (a) Tree planting shall be undertaken in accordance with the approved Landscape Plans.
- (b) New trees must be grown in accordance with the Australian Standard 2303 'Trees stock for landscape use'.
- (c) At the time of planting, the container size is to be a minimum of 100 litres and a minimum height of 1.8 metres.
- (d) New trees must be planted by a qualified Horticulturalist or Arborist of Level 3 under the Australian Qualifications Framework (AQF).
- (e) New trees must be planted in such a manner as to promote good health during the establishment period, and must be maintained, as far as practicable to ensure tree growth into maturity.
- (f) Prior to the issue of any Occupation Certificate, suitable documentation (including a written statement and photographic evidence) is to be submitted to Council for review and written confirmation is to be obtained from Council's Area Planning Coordinator or Area Planning Manager confirming all trees have been planted to Council's satisfaction (excluding tree maintenance).
- (g) Any newly planted tree that fails to establish within 2 years of the initial planting date must be replaced with a tree of comparable qualities.

#### Reason

To ensure the provision and maintenance of adequate tree planting on site.

# (94) PUBLIC DOMAIN WORKS COMPLETION

The Public Domain works are to be constructed in accordance with the Public Domain Works Approval letter, stamped plans for Public Domain Levels and Gradients, Stormwater, Public Domain Lighting, the City's *Public Domain Manual*, Stormwater *Drainage Manual*, *Sydney Lights Design Code* and *Sydney Streets Technical Specification*.

The public domain work must be inspected and a Public Domain Work Letter of Completion Operational Acceptance must be issued by Council's Public Domain Officer prior to the issue of any Occupation Certificate or before the commencement of use, whichever is earlier.

To ensure the public domain works are completed in accordance with the approved documents and Council's requirements.

# (95) PUBLIC DOMAIN COMPLETION - WORK AS EXECUTED DOCUMENTATION

Prior to a Public Domain Works Letter of Completion Operational Acceptance being issued for public domain works, works-as-executed (As-Built) plans and documentation, must be submitted to and accepted by the City of Sydney for all public domain works, including where required Stormwater, Public Domain Lighting and road construction. These works must be certified by a suitably qualified, independent professional. Details of the documentation required for approval will be advised by the City's Public Domain Unit.

#### Reason

To ensure Council receives works-as-executed documentation for public domain works.

# (96) STORMWATER COMPLETION DEED OF AGREEMENT AND POSITIVE COVENANT

Prior to the issue of any Occupation Certificate:

- (a) The Owner is required to enter into a Deed of Agreement (Stormwater Deed) with the City of Sydney and obtain registration of Title of a Positive Covenant for all proposed connections to the City's underground drainage system. The deed and positive covenant will contain terms reasonably required by the City and will be drafted by the City's Legal Services Unit at the cost of the applicant, in accordance with the City's Fees and Charges.
- (b) A Positive Covenant must be registered on the property title for all drainage systems involving On-Site Detention (OSD) to ensure maintenance of the approved OSD system regardless of the method of connection. The positive covenant will contain terms reasonably required by the City and will be drafted by the City's solicitor at the cost of the applicant, in accordance with the City's Fees and Charges.

#### Reason

To protect underground drainage system.

# (97) SURVEY INFRASTRUCTURE - RESTORATION

- (a) Prior to any Occupation Certificate being issued for the development, documentary evidence of restoration must be prepared by a Registered Surveyor and submitted to and approved by Council's Area Planning Manager / Coordinator. This evidence must include:
  - (i) Certification that all requirements requested under the Surveyor-General's Approval for Survey Mark Removal or by the City's Principal Surveyor under condition "Survey Infrastructure Identification and Recovery" have been complied with;

- (ii) Certification that all requirements requested under any Surveyor-General's Approval for Deferment of Survey Marks from condition "Survey Infrastructure Pre Subdivision Certificate works" have been complied with and;
- (iii) Time-stamped photographic records of all new survey infrastructure relating to the site clearly showing the mark itself and sufficient context to aid in identifying the mark on site.

To ensure all requirements for survey mark removal are complied with.

# (98) EMERGENCY EVACUATION PLAN PRIOR TO OCCUPATION CERTIFICATE

Prior to issue of any Occupation Certificate the owner/operator must have in place an emergency evacuation plan that encompasses the requirements of Fire and Rescue NSW and outlines the procedures by which staff will be trained in emergency procedures.

#### Reason

To ensure the development can safely accommodate children and staff and operates in accordance with Fire and Rescue NSW requirements.

# (99) SUBMISSION OF ELECTRONIC CAD MODELS PRIOR TO OCCUPATION CERTIFICATE

- (a) Prior to any Occupation Certificate being issued, an accurate 1:1 electronic CAD model of the completed development must be submitted to and approved by Council's Area Coordinator Planning Assessments or Area Planning Manager for the electronic Visualisation City Model.
- (b) The data required to be submitted within the surveyed location must include and identify:
  - (i) building design above and below ground in accordance with the development consent;
  - (ii) all underground services and utilities, underground structures and basements, known archaeological structures and artefacts;
  - (iii) a current two points on the site boundary clearly marked to show their Northing and Easting MGA (Map Grid of Australia) coordinates, which must be based on Established Marks registered in the Department of Lands and Property Information's SCIMS Database with a Horizontal Position Equal to or better than Class C.

The data is to be submitted as a DGN or DWG file on a Compact Disc. All modelling is to be referenced to the Map Grid of Australia (MGA) spatially located in the Initial Data Extraction file.

(c) The electronic model must be constructed in accordance with the City's 3D CAD electronic model specification. The specification is available online at <a href="http://www.cityofsydney.nsw.gov.au/development/application-guide/application-process/model-requirements">http://www.cityofsydney.nsw.gov.au/development/application-guide/application-process/model-requirements</a> Council's Modelling staff should be consulted prior to creation of the model. The data is to comply with all of the conditions of the Development Consent.

#### Reason

To ensure the provision of an appropriate electronic model of the development.

# (100) PHYSICAL MODELS

(a) Prior to the issue of any Occupation Certificate an accurate 1:500 scale model of the development as constructed must be submitted to and approved by Council's Area Coordinator Planning Assessments or Area Planning Manager for the City Model in Town Hall House.

## Note:

- (i) The models must be constructed in accordance with the Model Specifications available online at <a href="http://www.cityofsydney.nsw.gov.au/development/application-guide/application-process/model-requirements">http://www.cityofsydney.nsw.gov.au/development/application-guide/application-process/model-requirements</a> Council's modellers must be consulted prior to construction of the model.
- (ii) The models are to comply with all of the conditions of the Development Consent.
- (iii) The models must be amended to reflect any further modifications to the approval (under Section 4.55 of the *Environmental Planning and Assessment Act, 1979*) that affect the external appearance of the building.

#### Reason

To ensure the provision of an appropriate physical model of the development.

## (101) SURVEY CERTIFICATE AT COMPLETION

A Survey Certificate prepared by a Registered Surveyor must be submitted to the Principal Certifier at the completion of the building work certifying the location of the building in relation to the boundaries of the allotment.

#### Reason

To ensure the development does not encroach onto neighbouring properties.

#### PART F - OCCUPATION AND ONGOING USE

# (102) OCCUPATION CERTIFICATE TO BE SUBMITTED

An Occupation Certificate must be obtained from the Principal Certifier and a copy submitted to Council prior to commencement of occupation or use of the whole or any part of a new building, an altered portion of, or an extension to an existing building.

#### Reason

To ensure the site is authorised for occupation.

# (103) NOISE - COMMERCIAL PLANT / INDUSTRIAL DEVELOPMENT

- (a) Noise from commercial plant and industrial development must not exceed a project amenity/intrusiveness noise level or maximum noise level in accordance with relevant requirements of the NSW EPA <u>Noise Policy for Industry 2017 (NPfl)</u> unless agreed to by the City's Area Planning Manager. Further:
  - (i) Background noise monitoring must be carried out in accordance with the long-term methodology in <u>Fact Sheet B</u> of the NPfl unless otherwise agreed by the City's Area Planning Manager.
  - (ii) Commercial plant is limited to heating, ventilation, air conditioning, refrigeration and energy generation equipment.
- (b) An L<sub>Aeq,15 minute</sub> (noise level) emitted from the development must not exceed the L<sub>A90, 15 minute</sub> (background noise level) by more than 3dB when assessed inside any habitable room of any affected residence or noise sensitive commercial premises at any time. Further:
  - (i) The noise level and the background noise level must both be measured with all external doors and windows of the affected residence closed.
  - (ii) Background noise measurements must not include noise from the development but may include noise from necessary ventilation at the affected premises.
- (c) Corrections in <u>Fact Sheet C</u> of the NPfI are applicable to relevant noise from the development measured in accordance with this condition, however duration corrections are excluded from commercial noise.

## Reason

To protect the acoustic amenity of surrounding properties.

# (104) ON SITE LOADING AREAS AND OPERATION

All loading and unloading operations associated with servicing the site must be carried out within the confines of the site, at all times and must not obstruct other properties/units or the public way.

At all times the service vehicle docks, car parking spaces and access driveways must be kept clear of goods and must not be used for storage purposes, including garbage storage.

To maintain the orderly operation of vehicle parking areas and to ensure the public domain is kept free from physical obstructions.

# (105) WASTE/RECYCLING COLLECTION - COMMERCIAL

- (a) Waste storage and the collection of waste and recycling must only occur during the designated zone collection times as outlined in the City's Waste Policy – Local Approvals Policy for Managing Waste in Public Places 2017.
- (b) Waste and recycling bins must not be placed on the street for collection. Services must be conducted within the property boundary or as a wheelout/wheel-back service.
- (c) Unimpeded access must be provided for collection vehicles to set down within 10 metres of waste storage areas during zone collection times on collection days.

#### Reason

To ensure that waste and recycling is appropriately managed.

# (106) DEFECTS LIABILITY PERIOD - PUBLIC DOMAIN WORKS

All works to the City's public domain, including rectification of identified defects, are subject to a 6 month defects liability period from the date of Completion. The date of Completion will be nominated by Council on the Public Domain Works – Letter of Completion Operational Acceptance.

#### Reason

To ensure all works to the City's public domain are protected under a liability period.

# (107) ENCROACHMENTS - NEIGHBOURING PROPERTIES

No portion of the proposed structure shall encroach onto the adjoining properties.

### Reason

To protect neighbouring properties.

# (108) ENCROACHMENTS - PUBLIC WAY

No portion of the proposed structure, including gates and doors during opening and closing operations, shall encroach upon Council's footpath area.

### Reason

To protect the public way.

# (109) UNDER AWNING LIGHTING

Under awning lighting must be fitted with LED lighting technology (or other technology with an improved lighting power density – watts per square metre). Batten type fluorescent lighting is not approved. Illumination from the under awning lighting, when measured from any place in the public domain, must be designed and certified to comply with the following:

- (a) the maximum horizontal luminance level must not exceed 200 lux including light spill from shop windows. Lux level may be increased to 220 lux in some areas in Central Sydney CBD;
- (b) the horizontal illuminance uniformity ratio (Eavg/Emin) must not exceed 4:1 to ensure safe movement of pedestrians;
- (c) the intensity, colour, period of intermittency and hours of illumination must be varied if adverse impact or Obtrusive Light in accordance with the definition in Australian Standard AS4282-1997 *Control of the obtrusive effects of outdoor lighting* is being caused to the amenity of the area;
- (d) where nearby residents are located above the level of the under awning lighting, details are to be provided to show that light is not directed upwards toward such residences.

#### Reason

To ensure the provision of an appropriate level of illumination and to protect the amenity of the public domain.

# **SCHEDULE 2**

# PRESCRIBED CONDITIONS

The prescribed conditions in accordance with Division 8A of the *Environmental Planning* and Assessment Regulation, 2021 apply:

Clause 69	Compliance with National Construction Code (previously known as Building Code of Australia) and insurance requirements under the Home Building Act 1989
Clause 70	Erection of signs
Clause 71	Notification of Home Building Act, 1989 requirements
Clause 72	Conditions relating to entertainment venues
Clause 73	Conditions relating to maximum capacity signage
Clause 74	Conditions relating to shoring and adequacy of adjoining property
Refer to the NSW State legislation for full text of the clauses under Division 2 conditions of	

Refer to the NSW State legislation for full text of the clauses under Division 2 conditions of the *Environmental Planning and Assessment Regulation*, 2021. This can be accessed at: <a href="http://www.legislation.nsw.gov.au">http://www.legislation.nsw.gov.au</a>

## **SCHEDULE 3**

#### TERMS OF APPROVAL - TRANSPORT FOR NSW

The Terms of Approval as advised by Transport for NSW are as follows:

## **School Zones**

1. The Applicant must obtain written authorisation from TfNSW to install the School Zone signs and associated pavement markings and/or remove/relocate any existing Speed Limit signs.

To obtain authorisation, the Applicant must submit the following for review and approval by TfNSW, at least eight (8) weeks prior to student occupation of the site:

- a. A copy of Council's development Conditions of Consent
- b. The proposed school commencement/opening date
- c. Two (2) sets of detailed design plans showing the following:
  - a. School property boundaries
  - b. All adjacent road carriageways to the school property
  - c. All proposed school access points to the public road network and any conditions imposed/proposed on their use
  - d. All existing and proposed pedestrian crossing facilities on the adjacent road network
  - e. All existing and proposed traffic control devices and pavement markings on the adjacent road network (including School Zone signs and pavement markings).
  - f. All existing and proposed street furniture and street trees.

School Zone signs and pavement marking patches must be installed in accordance with TfNSW approval/authorisation, guidelines and specifications.

All School Zone signs and pavement markings must be installed prior to student occupation of the site. The Developer must maintain records of all dates in relation to installing, altering, removing traffic control devices related to speed.

Following installation of all School Zone signs and pavement markings the Developer must arrange an inspection with TfNSW for formal handover of the assets to TfNSW. The installation date information must also be provided to TfNSW at the same time.

Note: Until the assets are formally handed-over and accepted by TfNSW, TfNSW takes no responsibility for the School Zones/assets.

#### **Green Travel Plan**

2. Prior to the Issue of the Occupation Certificate, the applicant shall prepare a Green Travel Plan in consultation with the Sydney Coordination Office within TfNSW with an Implementation Strategy that commits to specific management actions, including operational procedures to be implemented along with timeframes. The applicant shall submit a copy of the plan for the endorsement of the Coordinator General, Transport Coordination, within Transport for NSW, at least six (6) months prior to the commencement of operation of the St Mary's Cathedral College Secondary Campus.

The plan (as reviewed in consultation with the Sydney Coordination Office within TfNSW and updated annually) shall be implemented by the applicant for the life of the development.

# **Construction Pedestrian and Traffic Management Plan**

- 3. Prior to the issue of any construction certificate or any preparatory, demolition or excavation works, whichever is the earlier, the applicant should:
- Prepare a Construction Pedestrian and Traffic Management Plan (CPTMP) in consultation with TfNSW. The CPTMP needs to specify matters including, but not limited to, the following:
  - A description of the development;
  - Location of any proposed work zone(s);
  - o Details of crane arrangements including location of any crane(s);
  - Haulage routes;
  - Proposed construction hours;
  - Predicted number of construction vehicle movements and detail of vehicle types, noting that vehicle movements are to be minimised during peak periods;
  - Details of specific measures to ensure the arrival of construction vehicles to the site do not cause queuing on public roads;
  - Details of the monitoring regime for maintaining the simultaneous operation of buses and construction vehicles on roads surrounding the site;
  - Pedestrian and traffic management measures;
  - o Construction program and construction methodology;
  - o A detailed plan of any proposed hoarding and/or scaffolding;
  - Measures to avoid construction worker vehicle movements within the CBD;
  - Consultation strategy for liaison with surrounding stakeholders, including other developments under construction;
  - Any potential impacts to general traffic, cyclists, pedestrians and light rail and bus services within the vicinity of the site from construction vehicles during the construction of the proposed works;
  - Cumulative construction impacts of projects including Sydney Metro City and South West. Existing CPTMPs for developments within or around the development site should be referenced in the CPTMP to ensure that coordination of work activities are managed to minimise impacts on the surrounding road network; and
  - Proposed mitigation measures. Should any impacts be identified, the duration of the impacts and measures proposed to mitigate any associated general traffic, public transport, pedestrian and cyclist impacts should be clearly identified and included in the CPTMP.
- Provide the builder's direct contact number to small businesses adjoining or impacted by the construction work and TfNSWto resolve issues relating to traffic, public transport, freight, servicing and pedestrian access during construction in real time. The applicant is responsible for ensuring the builder's direct contact number is current during any stage of construction.

## IMPORTANT ADDITIONAL INFORMATION

## Advisory notes:

1. It is advised that the City of Sydney Neighbourhood Parking Policy may apply to this development. Eligibility for parking permits for residents or users of the development will be determined by the terms of this policy or subsequent future policies.

### The Environmental Planning and Assessment Act, 1979 requires you to:

- 1. Obtain a *Construction Certificate* prior to the commencement of any works. An application may be lodged with Council, or you may apply to a private accredited certifier for a Construction Certificate. An accredited certifier **must obtain Council's approval** to certain conditions of this development consent, where indicated before issuing the Construction Certificate.
- 2. It is compulsory to lodge digital copies of applications, including plans and documentation if lodging an application with Council. Please refer to Council's website for any further information about digital requirements and electronic files.
  - Note: All applications must be lodged via the NSW Planning Portal.
- 3. Nominate a *Principal Certifier* which may be either Council or a registered certifier and notify Council of that appointment. You **cannot lawfully** commence works without complying with this requirement. Appointment must be made through the Planning Portal <a href="https://www.planningportal.nsw.gov.au/">https://www.planningportal.nsw.gov.au/</a>
- 4. Give Council at least two days notice of your intention to commence the erection of a building **before** commencing construction works. You cannot lawfully commence works without complying with this requirement.
- 5. Obtain an *Occupation Certificate* before commencing occupation or commencing to use the building or on the completion of other works including the erection of a sign. You cannot lawfully commence occupation or the use of a building without complying with this requirement.

#### You may also need to:

- 6. Obtain approval through the lodgement of an application under Section 68 of the *Local Government Act*, 1993 and Section 138 of the *Roads Act*, 1993 for an activity which is proposed to be undertaken in, on or above a road reservation (including footways). Such activities include:
  - (a) building elements/façade features;
  - (b) installation of hoardings/scaffolding;
  - (c) installation and/or alterations to advertising/business signs and street awnings;
  - (d) crane operation and other hoisting activities;
  - (e) temporary works (e.g.: barricading, road openings, mobile hoisting devices);
  - (f) works zone (for loading and unloading from the roadway); and
  - (g) temporary ground anchoring and shoring to support a roadway when excavating.

Application forms are available on the City's website.

- 7. Lodge an *Application for Subdivision* to obtain a *Subdivision Certificate* if a land (including stratum) subdivision is proposed and an Application for Subdivision to obtain *Strata Title Subdivision* under the relevant Strata Titles Act if strata title of the development is proposed.
- 8. Comply with the *Food Act*, *2003*, the Australia New Zealand Food Standards Code, Australian Standard 4674 2004, and register the business with Council if the premises is used for the manufacture, preparation, packing, storing, conveying or delivering of food or beverage for sale
- 9. Contact Sydney Water regarding the water and sewerage services to this development. For further information go to <a href="https://www.sydneywater.com.au">www.sydneywater.com.au</a>.
- 10. Carry out critical stage inspections in accordance with Section 6.5 of the *Environmental Planning and Assessment Act*, 1979 and Clauses 61, 63 and 65 of the *Environmental Planning and Assessment (Development Certification and Fire Safety) Regulation*, 2021.