
Attachment B1

Selected Drawings



DEVELOPMENT APPLICATION

≿
4
33.
≥
2
=
₪
×
ά
œ.

is construction Cardy Brick Concrete with Fasterboard Concrete with Fasterboard Concrete with Fasterboard Contraction Pasterboard Contraction Contraction Contraction Contraction Contraction Contraction Although 39 A Although 39 A Although 39 A Although 39 A	insulation Color Szem Kootherm R8 or equiv [R1.2] Light None None None None Insulation R1.1 added	r equiv (R1.2)	Colour	Detalls As per plans Detalls	
Controlled to the controlled t	25mm Kooltherm KB or nsulation Vone Vone None insulation RL added	r equiv (R1.2)	Light	As per plans Details	
Concrete with Plateshound Concrete with Plateshound Plateshound Plateshound Plateshound Plateshound Plateshound Plateshound Plateshound Controlled Plateshould Plateshould Controlled Plateshould Controlled Plateshould Controlled Plateshould Controlled Plateshould Controlled Plateshould Platesho	nsulation Vone Vone Vone Insulation 31.4 added			Details	
Correcte with Palastehoud Correcte with Palastehoud Pasterboard on Studies Construction Construc	None None None nsulation R1.4 added				
Concrete with Plasterboard Pasterboard on Stud Construction Construction Pasterboard Construction Pasterboard Construction Construction Construction Alta-Out-3.3 A Alta-Out-3.3 A Alta-Out-3.3 A Alta-Out-3.3 A	None None Insulation R1.4 added			Intertenancy	
Pisterboard on Stad Construction Construction Construction Pasterboard Construction Construction Construction Alk-003-33 A Alk-004-33 A	None nsulation R1.4 added			To stairs/lift	
Construction Construction Construction Plasterboard Construction Constructe Alth-009-39 A Alth-009-39 A Alth-009-39 A	nsulation 81.4 added			As per plans	
Concrete Construction Platerboard Construction Concrete Annotes Annote	81.4 added			Details	
Construction Plasterboard Construction Construction Controle Product ID AM-003-03 A AUM-004-03 A				Where open below	
Plasterboard Construction Contrete Poduct ID AIM-003-03 A AUM-004-03 A	Insulation			Details	
Construction Concrete Product ID ALM-003-03 A ALM-004-03 A	None			As per plans	
Concrete Froduct ID ALM-003-03 A ALM-004-03 A	Insulation		Colour	Details	
E: Product ID ALM:003-03 A ALM:004-03 A	90mm PIR or equiv (R4.5)	.5)	Medium	As per plans	
ALM-003-03 A ALM-004-03 A	Glass Fr	Frame	Uw/SHGCw	Details	
ALM:004-03 A	Double Clear All	Aluminium	4.3/0.47	Awning (Unit 6 only)	
	Double Clear All	Aluminium	4.3/0.53	Fixed, Sliding (Unit 6 only)	γ.
Group A ALM-003-01 A	Double Clear All	Aluminium	4.8/0.51	Awning (Unit 1 only)	
Group B ALM-004-01 A	Double Clear All	Aluminium	4.8/0.59	Sliding (Unit 1 only)	
Group A ALM-001-03 A	Single Low E Al	Aluminium	5.4/0.49	Awning (Elsewhere)	
ALM-002-03 A	single Low E Al	Aluminium	5.4/0.58	Fixed, Sliding (Elsewhere)	
Skylights: Product ID	Glass Ty	Type	Uw/SHGCw Details	Details	
Other: Orientation 1	Terrain Ra	Rangehood	Recessed	Recessed Downlights S	Software Version

14	44
----	----

