

Item 28.**Traffic Treatment - Continuous Footpath Treatment - Chapel Lane, Alexandria**

TRIM Container No.: 2025/242251

Recommendations

It is recommended that the Committee endorse the installation of a continuous footpath treatment in Chapel Lane, Alexandria just west of the intersection with Botany Road.

Voting Members for this Item

Voting Members	Support	Object
City of Sydney	[Insert]	[Insert]
Transport for NSW	[Insert]	[Insert]
NSW Police – South Sydney PAC	[Insert]	[Insert]
Representative for the Member for Newtown	[Insert]	[Insert]

Advice

Advice will be updated after the meeting.

Background

The Consent for the redevelopment of 22-32 Botany Road, Alexandria (D/2020/1462) requires the Applicant to provide a Continuous Footpath Treatment in Chapel Lane, Alexandria, just west of the intersection with Botany Road.

Comments

The installation of a Continuous Footpath Treatment in Chapel Lane, just west of Botany Road, will help reduce vehicle speeds turning into and out of the side street, improve pedestrian safety and accessibility along Botany Road and improve local amenity.

The new continuous footpath treatment will not effect on-street parking or traffic flows in the local area.

Under the road rules, a footpath is a road related area. When entering, or crossing, a road related area from a road, drivers must give way to any pedestrian or other road users on the road related area. The introduction of a continuous footpath treatment reinforces the road rules.

Consultation

The Applicant must notify adjacent properties at least 14 days prior to the implementation of the changes.

Financial

All costs associated with the proposal will be borne by the Applicant.

HASSAN CHOUDHRY, SENIOR TRAFFIC ENGINEER